

# FULL SEISMIC WAVEFORM MODELLING AND INVERSION

by

ANDREAS FICHTNER

## Contents

<b>1 Preliminaries</b>	1
1.1 A brief historical overview	1
1.2 The full waveform tomographic inverse problem - probabilistic vs. deterministic	3
1.3 Terminology: Full language confusion	4
 <b>PART I - NUMERICAL SOLUTION OF THE ELASTIC WAVE EQUATION</b>	
<b>2 Introduction</b>	9
2.1 Notational conventions	9
2.2 The elastic wave equation	11
2.2.1 Governing equations	11
2.2.2 Formulations of the elastic wave equation	13
2.3 The acoustic wave equation	13
2.4 Discretisation in space	14
2.5 Discretisation in time or frequency	15
2.5.1 Time-domain modelling	16
2.5.2 Frequency-domain modelling	18
2.6 Summary of numerical methods	19
<b>3 Finite-difference methods</b>	23
3.1 Basic concepts in one dimension	24
3.1.1 Finite-difference approximations	24
3.1.2 Discretisation of the one-dimensional wave equation	30
3.1.3 Von Neumann Analysis: stability and numerical dispersion	33
3.2 Extension to the three-dimensional cartesian case	38
3.2.1 The staggered grid	38
3.2.2 Anisotropy and interpolation	42
3.2.3 Implementation of the free surface	44
3.3 The 3D spherical case	49
3.4 Point source implementation	52
3.5 Accuracy and efficiency	54
<b>4 Spectral-element methods</b>	57
4.1 Basic concepts in one dimension	57
4.1.1 Weak solution of the wave equation	58
4.1.2 Spatial discretisation and the Galerkin method	59
4.2 Extension to the three-dimensional case	64
4.2.1 Mesh generation	64
4.2.2 Weak solution of the elastic wave equation	67
4.2.3 Discretisation of the equations of motion	68

4.2.4 Point source implementation	73
4.3 Variants of the spectral-element method	75
4.4 Accuracy and efficiency	77
<b>5 Visco-elastic dissipation</b>	79
5.1 Memory variables	79
5.2 Q-models	81
<b>6 Absorbing boundaries</b>	85
6.1 Absorbing boundary conditions	85
6.1.1 Paraxial approximations of the acoustic wave equation	86
6.1.2 Paraxial approximations as boundary conditions for acoustic waves	88
6.1.3 High-order absorbing boundary conditions for acoustic waves	89
6.1.4 Generalisation to the elastic case	91
6.1.5 Discussion	92
6.2 Gaussian taper method	93
6.3 Perfectly matched layers (PML)	94
6.3.1 General development	95
6.3.2 Standard PML	98
6.3.3 Convolutional PML	99
6.3.4 Other variants of the PML method	103
<b>PART II - ITERATIVE SOLUTION OF THE FULL WAVEFORM INVERSION PROBLEM</b>	
<b>7 Introduction to iterative non-linear minimisation</b>	109
7.1 Basic concepts: minima, convexity and non-uniqueness	110
7.1.1 Local and global minima	110
7.1.2 Convexity: global minima and (non)uniqueness	112
7.2 Optimality conditions	116
7.3 Iterative methods for non-linear minimisation	117
7.3.1 General descent methods	118
7.3.2 The method of steepest descent	120
7.3.3 Newton's method and its variants	121
7.3.4 The conjugate-gradient method	124
7.4 Convergence	130
7.4.1 The multi-scale approach	130
7.4.2 Regularisation	132
<b>8 The time-domain continuous adjoint method</b>	137
8.1 Introduction	137
8.2 General formulation	139
8.3 Derivatives with respect to the source	143
8.4 Second derivatives	144
8.4.1 Motivation: The role of second derivatives in optimisation and resolution analysis	144
8.4.2 Extension of the adjoint method to second derivatives	148
8.5 Application to the elastic wave equation	152
8.5.1 Derivation of the adjoint equations	152
8.5.2 Practical implementation	156
<b>9 First and second derivatives with respect to structural and source parameters</b>	159
9.1 First derivatives with respect to selected structural parameters	159
9.1.1 Perfectly elastic and isotropic medium	161
9.1.2 Perfectly elastic medium with radial anisotropy	163
9.1.3 Isotropic visco-elastic medium: $Q_\mu$ and $Q_k$	165
9.2 First derivatives with respect to selected source parameters	167
9.2.1 Distributed sources and the relation to time-reversal imaging	167
9.2.2 Moment tensor point source	168
9.3 Second derivatives with respect to selected structural parameters	168
9.3.1 Physical interpretation and structure of the Hessian	169
9.3.2 Practical resolution of the secondary adjoint equation	174
9.3.3 Hessian recipe	175

9.3.4 Perfectly elastic and isotropic medium	176
9.3.5 Perfectly elastic medium with radial anisotropy	178
9.3.6 Isotropic visco-elastic medium	180
<b>10 The frequency-domain discrete adjoint method</b>	183
10.1 General formulation	183
10.2 Second derivatives	185
<b>11 Misfit functionals and adjoint sources</b>	187
11.1 Derivative of the pure wave field and the adjoint Greens function	188
11.2 L <sub>2</sub> waveform difference	189
11.3 Cross-correlation time shifts	191
11.4 L <sub>2</sub> amplitudes	193
11.5 Time-frequency misfits	195
11.5.1 Definition of phase and envelope misfits	196
11.5.2 Practical implementation of phase difference measurements	197
11.5.3 An example	199
11.5.4 Adjoint sources	200
<b>12 Fréchet and Hessian kernel gallery</b>	205
12.1 Body waves	206
12.1.1 Cross-correlation time shifts	207
12.1.2 L <sub>2</sub> amplitudes	212
12.2 Surface waves	214
12.2.1 Isotropic Earth models	215
12.2.2 Radial anisotropy	218
12.3 Hessian kernels: Towards quantitative trade-off and resolution analysis	219
12.4 Accuracy-adaptive time integration	222
<b>PART III - APPLICATIONS</b>	
<b>13 Full waveform tomography on continental scales</b>	227
13.1 Motivation	228
13.2 Solution of the forward problem	230
13.2.1 Spectral-elements in natural spherical coordinates	230
13.2.2 Implementation of long-wavelength equivalent crustal models	231
13.3 Quantification of waveform differences	242
13.4 Application to the Australasian upper mantle	246
13.4.1 Data selection and processing	247
13.4.2 Initial model	249
13.4.3 Model parameterisation	253
13.4.4 Tomographic images and waveform fits	253
13.4.5 Resolution analysis	254
13.4.6 Discussion	257
<b>14 Application of full waveform tomography to active-source surface-seismic data</b>	263
[written by FLORIAN BLEIBINHAUS]	
14.1 Introduction	263
14.2 Data	264
14.3 Data pre-conditioning and weighting	267
14.4 Misfit functional	267
14.5 Initial model	268
14.6 Inversion and Results	270
14.7 Data fit	272
14.8 Discussion	275
<b>15 Source stacking data reduction for full waveform tomography at the global scale</b>	279
[written by YANN CAPDEVILLE]	
15.1 Introduction	280
15.2 Data reduction	280
15.3 The source stacked inverse problem	281
15.4 Validation tests	282

15.4.1 Parameterisation	283
15.4.2 Experiments setup and input models	284
15.4.3 Test in a simple 2-parameter model	286
15.4.4 Tests in a realistic degree-6 global model	287
15.5 Towards real cases: dealing with missing data	292
15.6 Discussion and conclusions	296
<b>Appendix A: Mathematical background for the spectral-element method</b>	299
A.1 Orthogonal polynomials	299
A.2 Function interpolation	300
A.2.1 Interpolating polynomial	300
A.2.2 Lagrange interpolation	301
A.2.3 Lobatto interpolation	303
A.2.4 Fekete points	307
A.2.5 Interpolation error	308
A.3 Numerical integration	310
A.3.1 Exact numerical integration and the Gauss quadrature	310
A.3.2 Gauss-Legendre-Lobatto quadrature	312
<b>Appendix B: Time-frequency transformations</b>	315
<b>References</b>	319
<b>Index</b>	337