COVID-19 Confirmed Cases and Cumulative Mortality Predictions as of May 20, 2020

Jointly published by

¹ Chair of Entrepreneurial Risks, D-MTEC, ETH Zurich

² Institute of Risk Analysis, Prediction and Management (Risks-X), Academy of Interdisciplinary and

Advanced Studies, Southern University of Science and Technology (SUSTech)

³ Gavekal Intelligence Software

Contacts: Dr. Ke WU (kwu@ethz.ch) and Prof. Dr. Didier SORNETTE (dsornette@ethz.ch)

Summary of the situation:

- Our report was interrupted from May 13 to May 19 due to a cyber-attack¹ to the supercomputer clusters at ETH Zurich, on which we relied to generate the results of this report. We have resumed the updates since today after shifting the calculation to our own HPC servers.

- Europe reached 1.9 million confirmed cases today with a 1% growth rate. The decay of the after-peak trajectory continues slowly, as shown from the small estimated parameter "a" (=0.11) in the generalized Richards model. It is also important to understand that confirmed infections undershoot actual infections by a very large margin (see Supplements to COVID-19 Confirmed Cases Prediction: April 15, 2020²). Figure 1 allows us to suggest that the distributions of final confirmed cases/deaths in West European countries have converged, while Southern hemisphere and developing Northern countries have not.

- The US reached 1.53 million total confirmed cases today, with a 1.3% growth rate. Both the confirmed cases and mortality curve in the USA have passed the inflection point³. Similar to Europe, the decay of after-peak trajectory is very slow, in part due to the easing of lockdowns and increasing testing rates. See [1] for further analysis on US test numbers and confirmed case numbers.

- The epidemics in Ireland, Spain, Austria, Germany, France, Switzerland, Israel, Italy, Netherlands, Belgium, Turkey, and Portugal have almost finished, with the outbreak progress closing to 100%. Japan and Europe (green in Table 1) are also in a matured stage with strong signs that inflection points have been passed⁴ and an outbreak progress in 80% to 90% in medium scenario. The distributions of final confirmed cases and deaths in these countries/regions have converged.

- The UK, the US, Canada, Sweden and Russia are less matured with outbreak progress in the range 60-80% in medium scenario. They may continue to follow the generalized exponential model, resulting in high uncertainties. They all have their distributions of final confirmed cases converged, while the distributions of final deaths have not converged in Sweden and Russia.

- Belarus has developed signs of reaching their inflection points with the outbreak progress approaching 50%, while the remaining countries (Pakistan, Peru, Saudi Arabia, Mexico, Brazil, Chile, and India) are still far from the inflection point. All of them have uncertain future projections, as shown by their non-converged or highly dispersed ensemble distributions of final confirmed cases (Figure 1). However, in terms of per capita deaths, India, Peru, Saudi Arabia, Mexico, Pakistan, Chile, Russia, Belarus and Japan do not yet have significant epidemics compared to West European countries. For Southern Hemisphere countries, this may due to their earlier stage of the outbreak.

- Our predictions for confirmed cases yesterday are correct in all matured countries, while mostly underestimates in immature countries including Brazil, Russia, India, Saudi Arabia, Pakistan, Chile, and Belarus (see figure 2).

¹https://scicomp.ethz.ch/wiki/Clusters_temporarily_closed_for_security_reasons_(14_May_2020)#2020-05-20_17 :30

²https://ethz.ch/content/dam/ethz/special-interest/mtec/chair-of-entrepreneurial-risks-dam/documents/Covid-19 /Covid_Supplements_15April2020.pdf

³On a logistic curve, the inflection point indicates where the curvature changes its sign. As we model the total number of confirmed cases, it is equal to the peak of the daily increase curve, after which the daily number of cases is decreasing. If the inflection point has been passed, the worst of the outbreak is over.

⁴Recently, we described a spike in France infections and in Belgium deaths. Both have returned to the logistic baseline.

Method:

This report updates predictions for the number of COVID-19 confirmed cases and deaths at four time horizons (1-day, 5-day, 10-day and end of the outbreak) and for various countries/regions, based on a phenomenological approach detailed in [1]. We employ 4 versions of the generalized logistic growth equation to model the total number of confirmed cases and deaths, resulting in a positive, medium and negative scenario for the final expected number of cases/deaths as explained in the last page. Note that, for countries/regions at early growth stages, the predictions for long-term horizon (10-day and end of the outbreak) are highly uncertain and will vary a lot as the situation changes. The predicted ranges overlap and, as time passes, we anticipate our methodology to zero in on more reliable numbers. The data is neither normalized by population nor time-shifted for the calibrations.

Data source: European Centre for Disease Prevention and Control (ECDC) [2] updated every day at 1pm CET, reflecting data collected up to 6:00 and 10:00 CET. Thus the daily data in some countries is one day delayed compared to other online live sources.

Key Figures & Tables:

-In Table 1, we report the latest confirmed cases per million population and the estimated outbreak progress in the positive and medium scenario (today's confirmed cases divided by the estimated total final confirmed case in positive and medium scenarios).

-In Table 2 and Table 3, we report the prediction results of confirmed cases (Table 2) and deaths (Table 3) in each selected country/region at four time horizons (1-day, 5-day, 10-day and end of the outbreak) in three scenarios. The detailed fitting results for each country/region are plotted in the figures at the end of this report.

-In Figure 1, we present a distribution of the estimated final total confirmed cases and deaths per million population based on the positive and medium scenario.

-In Figure 2, we show the 1-day prediction error of yesterday's report.

- At the end of this report, we present two figures for each country, where the total number of confirmed cases/deaths are in the upper panel (log scale), the daily confirmed cases / deaths in the middle panel, and the daily growth rate of confirmed cases / deaths in the lower panel (log scale), respectively. The empirical data is marked by the empty circles. The blue, red, purple and green lines in the upper, middle and lower left panels show the fits with the Logistic Growth Model, Generalized Richards Model (GRM), Generalized Growth Model (GGM) and Generalized Logistic Model (GLM) respectively.

Comment: We need to emphasize that reported confirmed cases are a leading indicator that is subject to a large number of extraneous variables such as sampling rate⁵, sample targeting and reliability of testing. See note at end of this report. The real number of cases in the population is likely to be many multiples higher than those computed from confirmed tests.

⁵ For instance, The UK is experiencing issues with raising the testing rate linked to a global shortage of certain key reagents and swabs. From April 1st, all testing is to be targeted at health sector staff and this will obviously bias future data compared with past data.

Table 1. Current confirmed cases per million population and estimated outbreak progress in positive and medium scenarios (today's confirmed cases divided by the estimated total final confirmed cases in positive and medium scenario). The ranking is in terms of outbreak progress in medium scenario. Numbers in brackets are 80% confidence intervals. As positive scenarios predict a smaller final number of total infected cases, the outbreak progress is thus larger in the positive scenario. Note that the estimated final confirmed numbers tend to underestimate the final results, thus the estimated outbreak progress serves both as a lower bound for future developments and as a guide of the dynamics of the evolution of the epidemics. The estimated final case fatality rate in medium scenario is reported in the 5th column⁶. The number of tests per million population and confirmed cases per test are presented in the last two columns based on the information from Wikipedia [3].

	Confirmed per Million Population (May-20)	Outbreak Progress in Positive Scenario	Outbreak Progress in Medium Scenario	Estimated Final Case Fatality Rate in Medium Scenario	Tests per Million Population (update date in brackets)	Confirmed Cases per Test (update date in brackets)
Ireland	4997	100.0% (94.5%, 100.0%)	100.0% (94.9%, 100.0%)	6.7%	60068 (May 18)	8.2% (May 18)
Spain	4966	99.9% (97.1%, 100.0%)	99.9% (90.2%, 100.0%)	13.6%	65004 (May 14)	7.6% (May 14)
Austria	1838	99.7% (93.1%, 100.0%)	99.7% (93.8%, 100.0%)	4.4%	42638 (May 20)	4.3% (May 20)
Germany	2122	99.9% (95.6%, 100.0%)	99.5% (93.5%, 100.0%)	5.1%	37857 (May 11)	5.4% (May 11)
France	2141	100.0% (93.3%, 100.0%)	99.1% (90.9%, 100.0%)	19.4%	12402 (May 03)	15.8% (May 03)
Switzerland	3585	99.5% (94.5%, 100.0%)	98.7% (94.5%, 100.0%)	6.5%	38120 (May 14)	9.2% (May 14)
Israel	1874	98.2% (86.8%, 100.0%)	98.1% (88.5%, 100.0%)	3.3%	55117 (May 18)	3.3% (May 18)
Italy	3751	96.6% (93.3%, 100.0%)	96.1% (93.4%, 98.7%)	14.5%	49784 (May 17)	7.5% (May 17)
Netherlands	2568	96.1% (92.7%, 99.3%)	95.8% (92.3%, 99.3%)	13.3%	13961 (May 05)	16.8% (May 05)
Belgium	4884	96.6% (92.3%, 100.0%)	95.4% (90.8%, 100.0%)	15.7%	29026 (May 10)	15.7% (May 10)
Turkey	1842	95.4% (92.1%, 98.7%)	93.9% (91.0%, 97.0%)	2.9%	20149 (May 19)	9.0% (May 19)
Portugal	2863	95.1% (89.1%, 100.0%)	93.7% (88.4%, 99.4%)	5.1%	60143 (May 17)	4.7% (May 17)
Japan	129	98.3% (93.5%, 100.0%)	88.2% (83.5%, 93.6%)	5.6%	1773 (May 12)	7.1% (May 12)
Europe	2543	83.0% (78.1%, 88.0%)	80.1% (76.1%, 83.7%)	7.6%	NA	NA
United Kingdom	3742	81.0% (75.7%, 86.4%)	78.2% (73.8%, 83.4%)	12.4%	41047 (May 19)	8.9% (May 19)
United States	4672	79.4% (69.6%, 88.4%)	75.9% (68.3%, 83.3%)	5.4%	37272 (May <u>1</u> 9)	12.3% (May <u>1</u> 9)
Canada	2134	76.2% (69.2%, 82.1%)	72.2% (65.6%, 79.2%)	6.7%	35360 (May 19)	5.8% (May 19)
Sweden	3024	69.7% (61.0%, 76.9%)	67.9% (56.0%, 80.4%)	9.9%	17158 (May 13)	15.4% (May 13)

⁶ Note that Case fatality rate (CFR) is different from infected fatality rate (IFR). There are two serious problems with the estimation that one should keep in mind for further interpretation. First, tests are not representative of the whole population and, depending on countries, are targeted to those who exhibit symptoms, which then makes the number of confirmed cases smaller than it is in reality, which thus makes the CFR larger. The second problem is that there are multiple pieces of evidence that the real number of infections is many times larger than reported, perhaps by a factor of 10 or more, which would then make the IFR much lower than the CFR by the corresponding factor. See Report (May 18, 2020): <u>Analysis of unreported Covid 19 mortality statistics for the United Kingdom of Great Britain and Northern Ireland</u> at

 $https://ethz.ch/content/dam/ethz/special-interest/mtec/chair-of-entrepreneurial-risks-dam/documents/Covid-19/Reliability-reported-Covid%2019-confirmed-and-deaths_18May2020.pdf$

Russia	2076	75.7% (72.0%, 79.4%)	66.1% (62.6%, 69.5%)	1.5%	51641 (May 19)	3.8% (May 19)
Belarus	3322	51.0% (38.0%, 60.1%)	48.8% (31.6%, 71.8%)	Not reliable	31225 (May 13)	8.4% (May 13)
Pakistan	216	50.5% (34.9%, 62.9%)	42.3% (18.7%, 52.1%)	Not reliable	1913 (May 19)	10.6% (May 19)
Peru	3110	47.9% (19.4%, 63.3%)	Not reliable	Not reliable	20704 (May 19)	14.0% (May 19)
Saudi Arabia	1776	26.6% (7.5%, 82.9%)	Not reliable	Not reliable	12027 (May 08)	8.1% (May 08)
Mexico	431	17.2% (12.4%, 80.4%)	Not reliable	Not reliable	887 (May 11)	30.7% (May 11)
Chile	2647	26.4% (8.8%, 94.8%)	Not reliable	Not reliable	17899 (May 15)	10.9% (May 15)
India	79	16.8% (6.8%, 81.3%)	Not reliable	Not reliable	1857 (May 20)	4.2% (May 20)
Brazil	1297	21.4% (7.5%, 87.6%)	Not reliable	Not reliable	3499 (May 06)	15.6% (May 06)
Iran	1523	Not reliable	Not reliable	4.9%	7229 (May 11)	17.9% (May 11)



Ensemble Distribution of Final Confirmed Cases per Million Population

Figure 1. Violin plot of the distributions of the final total number of confirmed cases (upper panel) and deaths (lower panel) per million derived by combining the distributions of the positive and medium scenarios ⁷. The left side of each violin in cyan is today's distribution, while the right side of each violin in grey is yesterday's distribution. The model setup in the negative scenario does not incorporate a maximum saturation number and thus cannot be used. The yellow star indicates the median prediction for the combined distribution, while the green and red stars indicate the median of the positive and of the medium scenarios respectively. Note that, where we have >1 million infections or deaths per 1 million of population, the results are deemed to be unreliable (Table 2 & 3).

⁷ Different countries have different standards and processes for reporting deaths, some reporting all deaths and some reporting a fraction. Thus, the ranking shown here is likely quite misleading. For instance, we have information that we need to roughly double UK numbers, which would put it a bad place, for instance compared with Sweden with no lock down.



Figure 2. One-day prediction error of the forecast performed yesterday for the total number of confirmed cases for the 13 countries/regions. The horizontal line corresponds to today's empirical data. We show the full distribution of errors for each of the two scenarios..

Table 2. Predictions for the number of confirmed cases at four time horizons (1-day, 5-day, 10-day and end of the outbreak) and for various countries/regions. The values in parentheses are 80% prediction intervals based on 500 simulations using a negative binomial error structure. In Today's validation column, today's empirical data is presented below yesterday's 1-day predictive interval. "Not reliable" is declared if more than 10% of the simulations produce extreme numbers (larger than total population). All numbers are in thousands.

Country	Scenario*	Today's validation	21-May	25-May	30-May	Final Total Confirmed
	Positivo	(1840, 2000)	1940	1990	2050	2290
	POSITIVE	1900	(1850, 2020)	(1910, 2080)	(1960, 2150)	(2160, 2430)
Europa	Modium	(1850, 1970)	1930	1990	2050	2370
Europe	Medium	1900	(1870, 1980)	(1930, 2050)	(1990, 2120)	(2270, 2490)
	Negativo	(1600, 2050)	1850	2010	2200	Not Poliable
	Negative	1900	(1640, 2070)	(1770, 2240)	(1950, 2470)	NOT Reliable
	Positive	(1430, 1660)	1570	1630	1690	1930
		1530	(1440, 1680)	(1500, 1750)	(1550, 1830)	(1730, 2200)
United	Medium	(1460, 1620)	1570	1630	1700	2010
States		1530	(1490, 1650)	(1550, 1710)	(1610, 1790)	(1830, 2240)
	Nogativo	(1150, 1830)	1510	1650	1850	Not Poliable
	Negative	1530	(1170, 1910)	(1290, 2080)	(1430, 2320)	NOT RELIADE
	Positivo	(285, 301)	301	329	355	396
	POSITIVE	300	(293, 308)	(320, 338)	(343, 366)	(378, 417)
Russia	Madium	(289, 301)	304	337	370	454
	Medium	300	(298, 310)	(330, 344)	(362, 380)	(431, 479)
	Nogativo	(289, 329)	317	370	446	Not Poliable
	Negative	300	(299, 339)	(349, 396)	(418, 478)	NOT Reliable

	Positivo	(231, 256)	273	333	417	1270
	POSITIVE	272	(262, 286)	(301, 353)	(310, 461)	(310, 3600)
Brazil	Medium	(246, 268)	274	339	436	Not Poliphlo
Diazii	Wealum	272	(262, 285)	(322, 354)	(404, 459)	NOUNCIADIE
	Nogativo	(248, 270)	276	342	443	Not Poliable
	Negative	272	(263, 287)	(327, 358)	(422, 466)	NOT Reliable
	Desitive	(241, 266)	256	265	275	307
	Positive	249	(243, 267)	(253, 278)	(262, 288)	(288, 329)
United		(244, 260)	253	263	274	318
Kingdom	Medium	249	(245, 261)	(255, 272)	(265, 284)	(298, 337)
_		(208, 307)	256	280	310	
	Negative	249	(203, 307)	(221, 335)	(244, 373)	Not Reliable
		(229, 230)	231	232	232	232
	Positive	232	(225, 238)	(225, 238)	(225, 239)	(226, 239)
		(212, 258)	232	232	232	232
Spain	Medium	232	(209, 257)	(209, 257)	(209, 257)	(209, 257)
		(155, 260)	204	220	242	
	Negative	232	(156, 262)	(168, 282)	(183, 310)	Not Reliable
	- ···	(219, 234)	228	229	231	235
	Positive	227	(220, 236)	(222, 237)	(223, 239)	(227, 243)
		(220, 232)	227	229	231	236
Italy	Medium	227	(221, 233)	(223, 235)	(225, 237)	(230, 243)
		(181, 235)	209	223	241	
	Negative	227	(183, 237)	(195, 253)	(210, 274)	Not Reliable
	.	(166, 182)	175	175	176	176
	Positive	176	(167, 183)	(167, 183)	(168, 184)	(168, 184)
		(164, 189)	177	177	177	177
Germany	Medium	176	(164, 188)	(164, 188)	(164, 188)	(164, 188)
		(130, 196)	164	175	191	
	Negative	176	(134, 196)	(145, 211)	(157, 230)	Not Reliable
	- ···	(145, 155)	151	153	155	159
	Positive	152	(146, 156)	(148, 158)	(150, 160)	(154, 165)
Tankara		(146, 154)	151	153	156	161
Тигкеу	wealum	152	(146, 155)	(149, 158)	(151, 160)	(156, 167)
	Magativa	(127, 163)	145	158	175	Net Delieble
	Negative	152	(127, 164)	(138, 179)	(153, 198)	NOT Reliable
	Desitivo	(131, 157)	142	142	143	143
	Positive	143	(132, 152)	(132, 152)	(132, 153)	(133, 154)
France	Madium	(131, 150)	145	145	145	145
France	Medium	143	(131, 158)	(131, 158)	(131, 158)	(131, 158)
	Negativo	(107, 165)	137	146	158	Not Poliable
	Negative	143	(108, 166)	(115, 178)	(125, 195)	NOT Reliable
	Positivo	(99.9, 105)	108	130	162	634
	POSITIVE	107	(105, 111)	(122, 134)	(130, 169)	(131, 1570)
India	Madium	(100, 106)	108	131	164	Not Poliable
inula	Medium	107	(105, 111)	(127, 135)	(156, 170)	NOUNCIADIE
	Negativo	(99.9, 106)	109	132	166	Not Reliable
	Negative	107	(106, 111)	(128, 135)	(161, 172)	NOUNCIADIE
	Positivo	(94.9, 113)	110	125	142	208
	FOSITIVE	99.5	(100, 120)	(113, 139)	(126, 165)	(157, 514)
Poru	Medium	(90.2, 104)	102	117	138	Not Reliable
reiu	Wedium	99.5	(95.2, 109)	(108, 126)	(123, 151)	Not Kellable
	Negative	(91.5, 105)	103	120	144	Not Reliable
	- Tegacive	99.5	(95.8, 109)	(112, 128)	(133, 155)	NOT RELIANCE
	Positive	(76.2, 83.2)	80.7	84.4	88.3	104
	1 USILIVE	79.1	(77, 84.4)	(80.6, 88.2)	(84.1, 92.7)	(96.3, 114)
Canada	Medium	(76.5, 82)	80.2	84.2	88.3	110
Canada	medium	79.1	(77.3, 83.7)	(81, 87.7)	(85, 92.2)	(99.8, 121)
	Negative	(71.6, 89.2)	81	87.9	96.8	Not Reliable
	Regative	79.1	(72, 90.1)	(78.7, 98.1)	(86.3, 109)	Not Kellable
Saudi Arabia	Positive	(57.4, 61.2)	61.6	71.7	85.2	225
	1 OSICIVE	59.9	(59.5, 63.7)	(67.8, 74.7)	(71.5, 90.5)	(72.2, 794)

	Modium	(57.2, 61.7)	61.7	72.7	87.8	Not Poliable
	weaturn	59.9	(59.8, 63.9)	(70, 75.6)	(83.1, 92.6)	NOL REIIADIE
	Negative	(57.3, 62)	62.3	74	90.7	Not Reliable
	Negative	59.9	(60.1, 64.7)	(71.4, 76.7)	(87.3, 94.4)	NOL REIIADIE
	Positivo	(53, 58.5)	55.8	56.4	56.9	57.7
	POSITIVE	55.8	(53.1 <i>,</i> 58.4)	(53.6, 59)	(54, 59.4)	(54.8, 60.4)
Polgium	Modium	(53.3 <i>,</i> 58.3)	55.9	56.6	57.2	58.5
beigium	Medium	55.8	(53.4 <i>,</i> 58.5)	(53.9 <i>,</i> 59.2)	(54.4 <i>,</i> 59.9)	(55.6, 61.5)
	Negativo	(44.8, 68.3)	55.7	59.7	65	Not Doliable
	Negative	55.8	(44.2, 69.5)	(47.1, 74.8)	(50.8, 81.7)	NOL REIIADIE
	Positivo	(51.4, 54.1)	55.8	66.1	81.1	317
	Positive	54.3	(54.2, 57.4)	(62.9 <i>,</i> 68.5)	(66.8, 84.8)	(67.6, 437)
Movico	Modium	(51.5, 54.2)	55.6	66.4	81.4	Not Poliable
WEXICO	Medium	54.3	(54.3 <i>,</i> 57)	(64.6, 68.2)	(78, 84.7)	NOL REIIADIE
	Nogativo	(51.9, 54.8)	56.1	67.2	83.3	Not Poliable
	Negative	54.3	(54.7 <i>,</i> 57.7)	(65.4, 69.2)	(80.8, 86.1)	NOT Reliable
	Positivo	(40, 45)	46.7	57.8	73.1	188
	POSITIVE	49.6	(44.1, 49.2)	(51.1, 62.5)	(52.3, 84.7)	(52.3, 562)
Chilo	Modium	(41.4, 46.2)	46.5	59	78.2	Not Poliable
Crille	Medium	49.6	(43.9, 49.1)	(55.2 <i>,</i> 62.7)	(68.8, 85.3)	NOL REIIADIE
	Nogativo	(41.6, 46.5)	46.9	60.2	80.9	Not Poliable
	Negative	49.6	(44.3, 49.3)	(56.7 <i>,</i> 63.1)	(75.7, 86.1)	NOL REIIADIE
	Positivo	(42.3, 47.4)	47	53.8	61.9	90.8
	POSITIVE	45.9	(44.4, 50.1)	(50.8 <i>,</i> 57.9)	(57.2, 68.5)	(73, 132)
Pakistan	Modium	(44.2, 48)	48	55.5	64.7	109
Fakistali	Wealum	45.9	(46.2, 49.9)	(53.1 <i>,</i> 57.7)	(61.1, 68.8)	(88.1, 246)
	Nogativo	(44.1, 48.2)	48.1	56.8	68.9	Not Poliable
	Negative	45.9	(46.2, 50.2)	(54.2 <i>,</i> 59.3)	(65.3, 72.5)	NOL REIIADIE
	Positivo	(42.9, 46.2)	44.7	45	45.4	46.1
	10311140	44.2	(43.3, 46.3)	(43.6, 46.6)	(43.9, 47)	(44.6, 47.7)
Netherlands	Modium	(42.9, 46.1)	44.5	45	45.4	46.2
Nethenanus	weatan	44.2	(43.1, 46.1)	(43.5, 46.6)	(43.8, 47)	(44.6, 47.9)
	Negative	(35.1, 55)	43.6	46.6	50.4	Not Poliable
	Negative	44.2	(33.6, 55.7)	(36.1, 59.2)	(39, 64.5)	Not Kellable
	Positive	(31.2, 33.6)	33.4	36.8	40.7	61.7
		31.5	(32.1, 34.8)	(35.4, 38.4)	(38.9, 42.7)	(52.4, 83)
Belarus	Medium	(31.2, 33.6)	33.4	36.7	40.5	64.5
Delaras	Wealan	31.5	(32.2, 34.7)	(35.3, 38.1)	(38.2, 42.6)	(43.9, 99.7)
	Negative	(31, 34.3)	33.7	38.2	44.3	Not Reliable
	Heguire	31.5	(31.9, 35.8)	(36.1, 40.6)	(41.6, 46.9)	Hot Heliable
	Positive	(29.1, 32.1)	31	32.6	34.4	44.2
		30.8	(29.5, 32.6)	(31.1, 34.3)	(32.7, 36.3)	(40.1, 50.5)
Sweden	Medium	(29.2, 31.8)	30.8	32.5	34.3	45.4
		30.8	(29.5, 32.4)	(31, 34.2)	(32.6, 36.3)	(38.3, 55)
	Negative	(29.2, 33.2)	31.5	34.1	37.4	Not Reliable
		30.8	(29.6, 33.7)	(32, 36.6)	(35.1, 40.2)	
	Positive	(29.1, 32.2)	30.6	30.7	30.7	30.7
		30.5	(29.2, 32.3)	(29.2, 32.3)	(29.2, 32.3)	(29.2, 32.3)
Switzerland	Medium	(29.6, 32.1)	30.8	30.9	30.9	30.9
		30.5	(29.7, 32.2)	(29.7, 32.2)	(29.7, 32.3)	(29.8, 32.3)
	Negative	(19.6, 39.1)	28	30	32.6	Not Reliable
	-	30.5	(20.4, 38.9)	(22.1, 41.4)	(23.5, 45.4)	20.0
	Positive	(27.6, 31.1)	29.6	(29.9)	30.2	30.9
		(20. 21. 1)	(28.1, 31.4)	(28.3, 31.7)	(28.6, 32.1)	(29.2, 33)
Portugal	Medium	(28, 31.1)	(29.8	30.2	30.5	31.4
		(25.7.22.2)	(28.2, 31.4)	(28.5, 31.9)	(28.8, 32.3)	(29.6, 33.3)
	Negative	(25.7, 32.3)	(26.1.22.1)		34 (20.2.20.5)	Not Reliable
			(20.1, 33.1)	(27.9, 35.0)	(30.2, 38.5)	24.2
	Positive	(22.0, 25.4) 24.2	23.7 (22.2.51)	23.9 (22 E 25 2)	24 (22 6 25 2)	24.2 (22 0 25 5)
Ireland		(22 E 25)	(22.3, 25)	(22.3, 23.2)	(22.0, 23.3)	(22.8, 25.5)
	Medium	(22.5, 25)	23.8 (22.6.25.2)	23.9 (22 7 25 2)		24.2 (22.25.7)
1		24.3	(22.0, 23.2)	(22.1, 23.3)	(22.8, 25.4)	(23, 23.7)

	Negative	(21.2, 28.3)	24.2	26	28.2	Not Reliable
	Negative	24.3	(20.7, 28.3)	(22.2, 30.4)	(24.1, 33)	Not Kellable
	Positivo	(15.1, 18.8)	16.8	16.9	16.9	17
	FOSITIVE	16.6	(15.1, 19)	(15.1, 19.1)	(15.1, 19.1)	(15.2, 19.2)
Icrool	Modium	(15.3, 18.8)	16.9	16.9	16.9	17
ISI del	Wedlum	16.6	(15.2, 18.7)	(15.3, 18.7)	(15.3, 18.7)	(15.3, 18.8)
	Magativa	(10.4, 22.8)	15.8	17.1	18.7	Net Delieble
	Negative	16.6	(10.6, 23)	(11.4, 24.8)	(12.3, 27.4)	NOT Reliable
	Desitivo	(15.8, 17.4)	16.6	16.6	16.6	16.7
	Positive	16.4	(15.7, 17.4)	(15.8, 17.4)	(15.8, 17.5)	(15.8, 17.5)
lanan	Madium	(16.8, 19.2)	18.1	18.2	18.4	18.6
зарап	wealum	16.4	(17, 19)	(17.2, 19.2)	(17.3, 19.4)	(17.5, 19.6)
	Negative	(14.5, 20)	17.1	18.3	19.9	Not Reliable
		16.4	(14.3, 20.1)	(15.3, 21.5)	(16.6, 23.3)	
	Desitivo	(15.3, 17.2)	16.3	16.3	16.3	16.3
	POSICIVE	16.3	(15.3, 17.5)	(15.3, 17.5)	(15.3, 17.5)	(15.3, 17.5)
Austria	Madium	(15.3, 17.5)	16.3	16.3	16.3	16.3
Austria	Medium	16.3	(15.3, 17.3)	(15.3, 17.3)	(15.3, 17.3)	(15.3, 17.3)
	Negativo	(10.6, 20.5)	15.3	16.2	17.4	Not Poliable
	Negative	16.3	(11, 20.3)	(11.8, 21.6)	(12.7, 23.2)	NOT RELIADE
	Positivo	(117, 131)	126	130	134	156
Iran	POSITIVE	125	(119, 133)	(122, 137)	(125, 141)	(144, 174)
	Madium	(118, 128)	126	130	134	162
	Medium	125	(120, 131)	(124, 135)	(128, 140)	(148, 179)
	Nogativo	(109, 143)	127	135	145	Not Poliable
	Negative	125	(112, 144)	(119, 154)	(127, 166)	NOUREIIADIE

Table 3. Predictions for the number of total deaths at four time horizons (1-day, 5-day, 10-day and end of the outbreak) and for various countries/regions, based on the Generalised Richards model [1]. The values in parentheses are 80% prediction intervals based on 500 simulations using a negative binomial error structure. "Not reliable" is declared if more than 10% of the simulations produce extreme numbers (larger than total population). All numbers are in thousands. Note that there can be a large variation in reporting standard between countries. In the UK, it is made clear that reported deaths are for hospital deaths only and do not include deaths in the community⁸. Similarly, data for Belgium is allegedly being revised to account for community deaths.

Country	Scenario*	Today's validation	21-May	25-May	30-May	Final Total Confirmed
	Docitivo	(163, 173)	170	173	175	179
	Positive	169	(164, 177)	(166, 179)	(168, 181)	(172, 186)
Europo	Modium	(164, 170)	170	172	175	181
Europe	wealum	169	(165, 175)	(168, 177)	(170, 180)	(177, 187)
	Negativo	(112, 220)	167	180	197	Not Doliable
	Negative	169	(117, 223)	(129, 241)	(142, 267)	NOT Reliable
	Positivo	(87.5 <i>,</i> 97.9)	93.8	97.2	100	108
	Positive	91.9	(88.7, 100)	(91.7, 104)	(94.1, 107)	(99.9, 118)
United	Medium	(87.6, 96.4)	93.6	96.9	100	109
States		91.9	(88.9 <i>,</i> 98.6)	(91.8, 102)	(94.6, 105)	(102, 118)
	Negative	(77.1, 109)	93.9	102	114	Net Delistele
		91.9	(78.5, 113)	(85.8, 123)	(95.8, 137)	NOT REliable
	Positive	(2.7, 2.89)	2.91	3.3	3.77	6.96
	FOSITIVE	2.84	(2.81, 3.01)	(3.16, 3.44)	(3.34, 4.01)	(3.4, 16.5)
Russia	Modium	(2.69, 2.89)	2.91	3.32	3.82	6.99
	Wealum	2.84	(2.81, 3.02)	(3.2, 3.46)	(3.63, 4.02)	(5.27, 14)
	Nogotivo	(2.71, 2.92)	2.93	3.42	4.07	Not Doliable
	Negative	2.84	(2.83, 3.05)	(3.29, 3.56)	(3.9, 4.25)	NUL KEIIADIE

⁸ See Report (May 18, 2020): <u>Analysis of unreported Covid 19 mortality statistics for the United Kingdom of Great</u> <u>Britain and Northern Ireland</u> at

https://ethz.ch/content/dam/ethz/special-interest/mtec/chair-of-entrepreneurial-risks-dam/documents/Covid-19/ Reliability-reported-Covid%2019-confirmed-and-deaths_18May2020.pdf

	Positive	(16.4, 18.2)	17.9	20.5	23.4	30.9
	FOSILIVE	17.4	(16.8, 18.8)	(19.2, 21.7)	(21.5, 25.2)	(26, 38.3)
Brazil	Medium	(16, 17.8)	17.5	20.2	23.4	34.3
		17.4	(16.4, 18.3)	(18.9, 21.4)	(21.4, 25.5)	(27.2, 61.9)
	Negative	(16.5, 18.3)	18	21.6	26.5	Not Reliable
		1/.4 (22.2.27.4)	(17.1, 18.9)	(20.5, 22.7)	(25.1, 28.2)	20.2
	Positive	(55.5, 57.4)	(33.8.38)	(34.6. 38.8)	(35.3.39.5)	(36.6.41.7)
United		(33.4. 37.2)	35.8	36.7	37.5	39.6
Kingdom	Medium	35.3	(34, 37.7)	(34.8, 38.6)	(35.4, 39.5)	(37, 42)
	Negativo	(29.8, 40.3)	35	37.8	41.4	Not Poliable
	Negative	35.3	(30.1, 40.7)	(32.5, 44.1)	(35.5, 48.3)	NOT REliable
	Positive	(27.3, 29.1)	28.3	28.6	28.8	29.4
		27.8	(27.4, 29.2)	(27.7, 29.5)	(27.9, 29.7)	(28.4, 30.4)
Spain	Medium	(29.2, 33.3)	31.2	31.4	31.5	31.7
		(22.4.20.2)	(29.4, 33.2)	(29.5, 33.4)	(29.6, 33.6)	(29.7, 33.8)
	Negative	(22.4, 29.2)	(22,3, 29,7)	(24 32)	(26.2, 35)	Not Reliable
		(30.9, 33.5)	32.3	32.7	33	33.9
	Positive	32.2	(31.2, 33.5)	(31.5, 33.8)	(31.8, 34.1)	(32.5, 35.1)
Italy	Modium	(31.2, 33.1)	32.3	32.6	33	34.2
italy	weatum	32.2	(31.4, 33.2)	(31.7, 33.6)	(32.1, 34)	(33.1, 35.2)
	Negative	(27.6, 35.6)	31.6	33.6	36	Not Reliable
	Hebutite	32.2	(27.5, 36)	(29.2, 38.2)	(31.4, 41.1)	
	Positive	(7.64, 8.82)	8.29	8.46	8.61	8.93
		8.09	(7.75, 8.95)	(7.91, 9.11)	(8.01, 9.28)	(8.26, 9.8)
Germany	Medium	(7.82, 9.43) 8.09	0.05 (7 79 9 52)	(7 88 9 68)	0.05 (7.94, 9.8)	(8 04 9 97)
		(6.84, 9.76)	8.26	8.88	9.71	(0.04, 5.57)
	Negative	8.09	(6.93, 9.7)	(7.46, 10.4)	(8.14, 11.3)	Not Reliable
	Positivo	(4.1, 4.28)	4.22	4.31	4.4	4.62
	FOSICIVE	4.2	(4.13, 4.3)	(4.23, 4.41)	(4.32, 4.5)	(4.5, 4.74)
Turkey	Medium	(4.29, 4.65)	4.49	4.56	4.62	4.71
,		4.2	(4.33, 4.66)	(4.39, 4.73)	(4.45, 4.79)	(4.53, 4.89)
	Negative	(3.85, 4.59)	4.25	4.57	4.99 (4 E2 E 41)	Not Reliable
		4.2	(5.67, 4.01)	27.8	27 9	28.1
	Positive	28	(26.1, 29.3)	(26.2, 29.4)	(26.3, 29.5)	(26.4, 29.7)
_	Modium	(26, 30.6)	27.8	27.9	28	28.1
France	weulum	28	(26, 29.6)	(26.1, 29.7)	(26.2, 29.8)	(26.3 <i>,</i> 29.9)
	Negative	(20.4, 37.2)	27.7	29.8	32.7	Not Reliable
	Negative	28	(18.8, 38)	(20.3, 40.8)	(22.2, 44.8)	Not heliable
	Positive	(3.13, 3.48)	3.46	3.97	4.59	6.86
		3.3	(3.28, 3.64)	(3.75, 4.23)	(4.27, 5)	(5.56, 9.73)
India	Medium	(3.06, 3.36)	3.35	3.91 (3.7, 4, 12)	4.63 (1 29 1 98)	11.3 (6.9.28100)
		(3.1, 3.42)	3.4	4.02	4.91	(0.5, 20100)
	Negative	3.3	(3.23, 3.55)	(3.83, 4.22)	(4.63, 5.16)	Not Reliable
	Desitive	(2.77, 3.01)	3.01	3.53	4.24	16.8
	Positive	2.91	(2.88, 3.15)	(3.33, 3.72)	(3.52 <i>,</i> 4.55)	(3.54, 31.5)
Peru	Medium	(2.76, 3.01)	3.01	3.55	4.28	Not Reliable
		2.91	(2.88, 3.14)	(3.38, 3.72)	(4.01, 4.54)	
	Negative	(2.78, 3.03)	3.03	3.61	4.42	Not Reliable
		(5.61.6.33)	6 11	6 41	6 65	7.06
	Positive	5.91	(5.7.6.6)	(5.96, 6.92)	(6.12, 7.22)	(6.41, 7,88)
	A	(5.61, 6.33)	6.02	6.36	6.66	7.36
Canada	Iviedium	5.91	(5.66, 6.38)	(5.95, 6.74)	(6.21, 7.1)	(6.75, 8.12)
	Negativo	(5.26, 7.13)	6.19	6.9	7.86	Not Reliable
	Negative	5.91	(5.3, 7.1)	(5.91, 7.93)	(6.69, 9.11)	Not Kellable
Saudi Arabia	Positive	(0.308, 0.35)	0.467	0.51	0.571	Not Reliable
		0.329	(0.36, 0.703)	(0.395 <i>,</i> 0.743)	(0.432, 0.795)	

	Modium	(0.343, 0.691)	0.338	0.376	0.425	Not Poliable
	Wedium	0.329	(0.318, 0.357)	(0.353 <i>,</i> 0.399)	(0.394, 0.457)	NOT Reliable
	Nogativo	(0.307, 0.348)	0.337	0.378	0.431	Not Poliable
	Negative	0.329	(0.316, 0.358)	(0.353, 0.402)	(0.402, 0.463)	NOT Reliable
	Desitive	(8.49, 9.49)	8.99	9.05	9.1	9.16
	Positive	9.11	(8.49, 9.53)	(8.55 <i>,</i> 9.6)	(8.59 <i>,</i> 9.65)	(8.64, 9.74)
Deleium	A de alturna	(8.5, 9.46)	8.96	9.03	9.09	9.2
Beigium	iviedium	9.11	(8.53 <i>,</i> 9.46)	(8.6 <i>,</i> 9.55)	(8.64 <i>,</i> 9.62)	(8.71, 9.75)
		(7.67, 10.7)	9.01	9.7	10.6	Net Delieble
	Negative	9.11	(7.66, 10.6)	(8.27, 11.4)	(8.98, 12.5)	NOT Reliable
	Desitive	(5.07, 5.98)	5.97	6.97	8.14	11.9
	Positive	5.67	(5.46, 6.42)	(6.3 <i>,</i> 7.64)	(7.18, 9.42)	(8.9, 27.4)
Maviaa	Madium	(4.94, 5.71)	5.74	6.77	8.16	Not Polioblo
WIEXICO	weaturn	5.67	(5.31, 6.2)	(6.2, 7.41)	(7.18, 9.21)	NOT REliable
	Nogativo	(5.08, 5.88)	5.82	7.04	8.78	Not Poliable
	Negative	5.67	(5.38, 6.28)	(6.49, 7.62)	(7.98 <i>,</i> 9.6)	NOT REliable
	Positivo	(0.406, 0.494)	0.461	0.574	0.745	Not Poliable
	POSITIVE	0.509	(0.415, 0.506)	(0.512, 0.638)	(0.621, 0.875)	NOT REliable
Chilo	Modium	(0.454, 0.574)	0.526	0.631	0.793	Not Poliable
Crille	Wealum	0.509	(0.474, 0.582)	(0.568 <i>,</i> 0.698)	(0.674 <i>,</i> 0.89)	NOT REliable
	Negative	(0.406, 0.492)	0.46	0.58	0.772	Not Poliable
	Negative	0.509	(0.412, 0.509)	(0.521, 0.65)	(0.68, 0.892)	NOT REliable
	Positive	(0.975, 1.19)	1.02	1.16	1.34	2.74
	POSITIVE	0.985	(0.978, 1.07)	(1.09, 1.23)	(1.15, 1.45)	(1.17, 9.83)
Pakistan	Medium	(0.933, 1.02)	1.03	1.18	1.38	Not Reliable
Fakislall	Wealum	0.985	(0.978, 1.07)	(1.12, 1.24)	(1.27, 1.47)	NOT Reliable
	Nogativo	(0.933, 1.03)	1.03	1.19	1.41	Not Poliable
	Negative	0.985	(0.986, 1.07)	(1.14, 1.25)	(1.34, 1.48)	NOT REliable
	Positivo	(5.42, 6.12)	5.78	5.85	5.93	6.13
	1 Ositive	5.72	(5.46, 6.12)	(5.53 <i>,</i> 6.21)	(5.6, 6.29)	(5.76 <i>,</i> 6.5)
Nothorlands	Modium	(5.42, 6.07)	5.76	5.85	5.93	6.14
Nethenanus	weaturn	5.72	(5.44, 6.12)	(5.52, 6.21)	(5.59, 6.31)	(5.78, 6.58)
	Negative	(4.84, 6.66)	5.73	6.12	6.6	Not Reliable
		5.72	(4.84, 6.7)	(5.17, 7.2)	(5.57 <i>,</i> 7.77)	Not Kellable
	Positive	(2.85, 4.59)	3.73	3.88	4.01	4.47
		3.74	(2.88, 4.81)	(3.02, 4.95)	(3.12, 5.14)	(3.28, 7.54)
Sweden	Medium	(3.09, 5.73)	3.99	4.11	4.2	4.47
oweden	meanan	3.74	(3.04, 5.42)	(3.11, 5.65)	(3.17, 5.89)	(3.26, 7.59)
	Negative	(2.96, 4.62)	3.81	4.16	4.57	Not Reliable
	Hegatire	3.74	(2.92, 4.71)	(3.2, 5.17)	(3.5, 5.71)	
	Positive	(1.76, 2.07)	1.91	1.93	1.94	1.95
		1.89	(1.76, 2.1)	(1.77, 2.11)	(1.77, 2.13)	(1.78, 2.15)
Switzerland	Medium	(1.75, 2.2)	1.99	2	2	2.01
		1.89	(1.78, 2.23)	(1.79, 2.24)	(1.79, 2.25)	(1.79, 2.26)
	Negative	(1.47, 2.38)	1.88	2.02	2.2	Not Reliable
		1.89	(1.46, 2.43)	(1.55, 2.6)	(1.66, 2.81)	
	Positive	(1.22, 1.34)	1.29	1.32	1.36	1.45
		1.25	(1.23, 1.35)	(1.26, 1.38)	(1.29, 1.42)	(1.37, 1.54)
Portugal	Medium	(1.38, 1.58)	1.51	1.53	1.56	1.61
_		1.25	(1.41, 1.6)	(1.43, 1.63)	(1.45, 1.66)	(1.49, 1.72)
	Negative	(1.18, 1.4)	1.3	1.39	1.51	Not Reliable
	-	1.25	(1.19, 1.42)	(1.28, 1.52)	(1.38, 1.65)	4.57
	Positive	(1.39, 1.69)	1.53	1.55	1.56	1.5/
			(1.38, 1.68)	(1.39, 1.7)	(1.4, 1./1)	(1.41, 1.73)
Ireland	Medium	(1.42, 1.73)	1.58	1.6	1.61	1.63
		1.56	(1.43, 1.74)	(1.44, 1.76)	(1.45, 1.78)	(1.46, 1.79)
	Negative	(1.35, 1.9)	1.01 (1.27, 1.00)		1.94	Not Reliable
			(1.57, 1.88)	(1.49, 2.05)	(1.04, 2.26)	0.210
	Positive	(U.249, U.309) 0 277	U.288	U.294	U.3	U.319
Israel		(0.201.200)	(0.203, 0.30)	(U.204, U.324)	(0.207, 0.332)	0 562
	Medium	(U.234, 2.83)	U.338 (0.212 - 0.2)	U.344 (0.210.2.04)		202.U
		0.277	(50.5, 516.0)	(0.210, 3.84)	נט.גדד (גאט)	(0.521, 3.89)

	Negotivo	(0.254, 0.327)	0.295	0.32	0.35	Nat Daliable
	Negative	0.277	(0.262, 0.334)	(0.284, 0.36)	(0.309, 0.398)	NOT Reliable
	Positivo	(0.719, 0.926)	0.827	0.852	0.871	0.898
	POSITIVE	0.771	(0.718, 0.937)	(0.745, 0.972)	(0.762, 1)	(0.773, 1.11)
lanan	Modium	(0.751, 0.968)	0.86	0.907	0.948	1.04
Jahan	Weulum	0.771	(0.757, 0.973)	(0.798, 1.02)	(0.835, 1.08)	(0.908, 1.29)
	Nogativo	(0.713, 0.954)	0.833	0.928	1.05	Not Poliable
	Negative	0.771	(0.722, 0.966)	(0.801, 1.08)	(0.906, 1.23)	NOT Reliable
	Positive	(0.584, 0.724)	0.655	0.661	0.666	0.675
	FOSILIVE	0.632	(0.586, 0.73)	(0.591, 0.737)	(0.594, 0.743)	(0.598, 0.756)
Austria	Medium	(0.608, 0.81)	0.714	0.717	0.719	0.722
Austria		0.632	(0.622, 0.828)	(0.623, 0.833)	(0.625, 0.839)	(0.626, 0.846)
	Nogativo	(0.518, 0.808)	0.663	0.712	0.771	Not Poliable
	Negative	0.632	(0.539, 0.809)	(0.575, 0.868)	(0.621, 0.949)	NOT Reliable
	Positivo	(6.98, 7.54)	7.28	7.38	7.49	7.82
	POSITIVE	7.12	(6.99, 7.59)	(7.09, 7.69)	(7.19, 7.8)	(7.48, 8.17)
Iran	Modium	(7.03, 7.5)	7.34	7.45	7.56	7.98
	weulum	7.12	(7.07, 7.58)	(7.18, 7.7)	(7.28, 7.81)	(7.64, 8.32)
	Nogativo	(6.45, 8.01)	7.27	7.67	8.18	Not Poliable
	Negative	7.12	(6.5, 8.08)	(6.86, 8.52)	(7.31, 9.1)	Not Keliable

* Note:

-The scenarios are based on the final total confirmed numbers. On April 11, 2020, we introduced the Generalized Richards Model in addition to our existing three models: Generalized Logistic Model, Logistic Model and Generalized Growth model (see [1] for their presentation). We remove the lowest mean predicted final total confirmed number K among the four models (which is a classical statistical method ensuring robustness). Then, the model with the second lowest mean predicted final total confirmed as the positive scenario, and the third lowest one is classified as the medium scenario. The negative scenario is based on the Generalized Growth model, which should only describe the early stage of the epidemic outbreak and is therefore least reliable for countries in the more mature stage.

-Trajectories from Iran have largely deviated from a typical logistic type growth (S curve), and can't be properly described by our models. Although we still report its calibration results in Table 1, they should not be taken as reliable in all scenarios and time horizons. This is probably a result of unreliable reported data from Iran.

Limitations of using the statistics of reported confirmed number

It is important to understand what our prediction models show. The predictions are based on cases identified on the basis of testing and they therefore predict the numbers of future positive tests. Relating positive test results to real levels of infection is subject to a large number of biases. It is a fact that the real number of infections is far higher than those recorded in positive tests since only a limited fraction of the population has been tested in many countries. It is also the case that, in most countries, testing is biased towards those who think they are infected. The first bias, therefore, will underestimate the real number of infections while the second bias will tend to overestimate since it is biased towards those who think they are ill.

There are further complications. Depending on the testing protocols used, in some instances false positive results have been obtained. In other words, someone without the disease tested positive, probably because they were infected with some other coronavirus. And in other cases, false negative results were obtained, as was the case with the early testing deployed in the USA.

One final complication is the fact that tests are conducted sequentially over time. They do not represent a snapshot of a day in time. Many of those tested early, giving a negative result, may today get a positive result. And many, who tested positive early on, may today be cured.

We anticipate that, over time, our methodology will improve and will provide a more accurate picture of the true levels of infection and where they are headed.

[1] Ke Wu, Didier Darcet, Qian Wang and Didier Sornette, Generalized logistic growth modeling of the COVID-19 outbreak in 29 provinces in China and in the rest of the world, preprint at http://arxiv.org/abs/2003.05681 and

medRxiv: https://medrxiv.org/cgi/content/short/2020.03.11.20034363v1

[2] https://www.ecdc.europa.eu/en/geographical-distribution-2019-ncov-cases

[3] https://en.wikipedia.org/wiki/COVID-19 testing

Europe



Europe



United States



K=110982, r=1.02, p=1.00, a=0.06

-**I**-- GLM K=62696114000, r=0.84, p=0.78 **-1**-- r=0.84, p=0.78

United Kingdom

United Kingdom

K=159028, r=3.52, p=0.69

Turkey

K=28022, r=0.66, p=0.83

Belgium

Mexico

-I-- GLM K=18929241122, r=0.36, p=0.84

r=0.36, p=0.84

K=5941, r=0.77, p=0.59

Netherlands

Netherlands

Sweden

Portugal

K=1456, r=1.70, p=0.54

Ireland

- ±-- К=24251, r=0.47, р=0.86

