

Publications list

2025

- Cereghetti, E., Ajvazi, X., Keck, F., Patrignani, A., Tartini, N., Altermatt, F., & Carraro, L. (2025). Tracking the phenology of riverine insect communities using environmental DNA. *BioRxiv*, 2025.01.10.632357. <https://doi.org/10.1101/2025.01.10.632357>
- Crivelli, S., Bartusch, K., Ruiz-Sola, M. A., Coiro, M., Schmidt Kjølner Hansen, S., & Truernit, E. (2025). Distinct and redundant roles of the *Arabidopsis OCTOPUS* gene family in plant growth beyond phloem development. *Journal of Experimental Botany*, eraf010. <https://doi.org/10.1093/jxb/eraf010>
- Gfeller, V., Schneider, M., Bodenhausen, N., Horton, M. W., Wille, L., Oldach, K. H., Studer, B., Hartmann, M., Messmer, M. M., & Hohmann, P. (2025). Crop genotype modulates root rot resistance-associated microbial community composition and abundance of key taxa. *BioRxiv*, 2025.01.16.633298. <https://doi.org/10.1101/2025.01.16.633298>
- Jung, M., Hodel, M., Knauf, A., Kupper, D., Neuditschko, M., Bühlmann-Schütz, S., Studer, B., Patocchi, A., & Broggini, G. A. L. (2025). Evaluation of genomic and phenomic prediction for application in apple breeding. *BMC Plant Biology*, 25(1), 103. <https://doi.org/10.1186/s12870-025-06104-w>
- Keppler, A., Roulier, M., Pfeilmeier, S., Petti, G. C., Sintsova, A., Maier, B. A., Bortfeld-Miller, M., Sunagawa, S., Zipfel, C., & Vorholt, J. A. (2025). Plant microbiota feedbacks through dose-responsive expression of general non-self response genes. *Nature Plants*, 11(1), 74–89. <https://doi.org/10.1038/s41477-024-01856-z>
- Kramp, R. D., Janecka, M. J., Tardent, N., Jokela, J., Kohl, K. D., & Stephenson, J. F. (2025). Artificial Selection and the Skin Microbiome Independently Predict Parasite Resistance. *BioRxiv*, 2024.10.19.619196. <https://doi.org/10.1101/2024.10.19.619196>
- Minana-Posada, S., Lorrain, C., McDonald, B. A., & Feurtey, A. (2025). Thermal Adaptation in Worldwide Collections of a Major Fungal Pathogen. *Molecular Plant-Microbe Interactions*. <https://doi.org/10.1094/MPMI-09-24-0112-FI>
- Rogivue, A., Leempoel, K., Guillaume, A. S., Choudhury, R. R., Felber, F., Kasser, M., Joost, S., Parisod, C., & Gugerli, F. (2025). Locally Specific Genome-Wide Signatures of Adaptation to Environmental Variation at High Resolution in an Alpine Plant. *Molecular Ecology*, n/a(n/a), e17646. <https://doi.org/https://doi.org/10.1111/mec.17646>
- Sellitto, S., Caredio, D., Bimbati, M., Mariutti, G., Cerisoli, M., Frick, L., Bouris, V., Morales, C. O. O., Vena, D. L., Neupane, S., Baroni, F., Ging, K., Yin, J.-A., de Cecco, E., Armani, A., & Aguzzi, A. (2025). Prion propagation is controlled by a hierarchical network involving the nuclear Tfap2c and hnRNP K factors and the cytosolic mTORC1 complex. *BioRxiv*, 2024.10.21.619371. <https://doi.org/10.1101/2024.10.21.619371>
- Symanczik, S., Krauss, M., Bodenhausen, N., Declerck, S., Doubell, M., Faist, H., Sessitsch, A., Trognitz, F., & Kundel, D. (2025). Performance of different wheat varieties and their associated microbiome under contrasting tillage and fertilization intensities: Insights from a Swiss long-term field experiment. *Soil and Tillage Research*, 246, 106328. <https://doi.org/https://doi.org/10.1016/j.still.2024.106328>

2024

- Ajalooeian, F., Deng, L., Lever, M. A., & de Jonge, C. (2024). Seasonal temperature dependency of aquatic branched glycerol dialkyl glycerol tetraethers: A mesocosm approach. *Organic Geochemistry*, 189, 104742.
<https://doi.org/https://doi.org/10.1016/j.orggeochem.2024.104742>
- Alassimone, J., Praz, C., Lorrain, C., Francesco, A. de, Carrasco-López, C., Faino, L., Meile, L., & Sánchez-Vallet, A. (2024). The Zymoseptoria tritici avirulence factor AvrStb6 accumulates in hyphae close to stomata and triggers a wheat defense response hindering fungal penetration. *BioRxiv*, 2024.01.11.575168.
<https://doi.org/10.1101/2024.01.11.575168>
- Alessio, C., Marco, G., Frederik, H., & J, R. W. (2024). The impact of DNA extraction on the quantification of Legionella, with implications for ecological studies. *Microbiology Spectrum*, 12(8), e00713-24. <https://doi.org/10.1128/spectrum.00713-24>
- Attrah, M., Schärer, M. R., Esposito, M., Gionchetta, G., Bürgmann, H., Lens, P. N. L., Fenner, K., van de Vossenberg, J., & Robinson, S. L. (2024). Disentangling abiotic and biotic effects of treated wastewater on stream biofilm resistomes enables the discovery of a new planctomycete beta-lactamase. *Microbiome*, 12(1), 164.
<https://doi.org/10.1186/s40168-024-01879-w>
- Banerjee, S., Zhao, C., Garland, G., Edlinger, A., García-Palacios, P., Romdhane, S., Degrune, F., Pescador, D. S., Herzog, C., Camuy-Velez, L. A., Bascompte, J., Hallin, S., Philippot, L., Maestre, F. T., Rillig, M. C., & van der Heijden, M. G. A. (2024). Biotic homogenization, lower soil fungal diversity and fewer rare taxa in arable soils across Europe. *Nature Communications*, 15(1), 327. <https://doi.org/10.1038/s41467-023-44073-6>
- Bartosiewicz, M., Przytulska, A., Birkholz, A., Zopfi, J., & Lehmann, M. F. (2024). Controls and significance of priming effects in lake sediments. *Global Change Biology*, 30(1), e17076. <https://doi.org/https://doi.org/10.1111/gcb.17076>
- Baumann, K. B. L., Mazzoli, A., Salazar, G., Ruscheweyh, H.-J., Müller, B., Niederdorfer, R., Sunagawa, S., Lever, M. A., Lehmann, M. F., & Bürgmann, H. (2024). Metagenomic and -transcriptomic analyses of microbial nitrogen transformation potential, and gene expression in Swiss lake sediments. *ISME Communications*, 4(1), ycae110.
<https://doi.org/10.1093/ismeco/ycae110>
- Bizzozzero, M. R., Altermatt, F., Cicciarella, R., Walser, J.-C., Willems, E. P., & Krützen, M. (2024). Enhancing environmental DNA metabarcoding from marine ecosystems: Impact of filter type, storage method, and storage time on the assessment of fish alpha and beta diversity. *Environmental DNA*, 6(3), e570.
<https://doi.org/https://doi.org/10.1002/edn3.570>
- Blackman, R. C., Carraro, L., Keck, F., & Altermatt, F. (2024). Measuring the state of aquatic environments using eDNA—upscale spatial resolution of biotic indices. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 379(1904), 20230121.
<https://doi.org/10.1098/rstb.2023.0121>
- Blackman, R. C., Weisse, B., & Altermatt, F. (2024). Drivers of spatio-temporal variation in organic matter decomposition across a river network. *Ecological Indicators*, 166, 112502. <https://doi.org/https://doi.org/10.1016/j.ecolind.2024.112502>
- Boluda, C. G., Naciri, Y., & Gautier, L. (2024). A phylogenomic reconstruction of the Endangered Malagasy tree genus *Capurodendron* (Sapotaceae) with nine new species

- and an identification key. *Botanical Journal of the Linnean Society*, 205(2), 85–115.
<https://doi.org/10.1093/botlinnean/boad073>
- Brantschen, J., Fopp, F., Adde, A., Keck, F., Guisan, A., Pellissier, L., & Altermatt, F. (2024). Habitat suitability models reveal the spatial signal of environmental DNA in riverine networks. *Ecography*, 2024(8), e07267.
<https://doi.org/https://doi.org/10.1111/ecog.07267>
- Büchel, J., Mingard, C., Takhayev, V., Reinert, P. B., Keller, G., Kloster, T., Huber, S. M., McKeague, M., & Sturla, S. J. (2024). Single-nucleotide-resolution genomic maps of 6-methylguanine from the glioblastoma drug temozolomide. *BioRxiv*, 2023.12.12.571283. <https://doi.org/10.1101/2023.12.12.571283>
- Büttner, K., Bregy, V., Wegner, F., Purushothaman, S., Imkamp, F., Roloff Handschin, T., Puolakkainen, M. H., Hiltunen-Back, E., Braun, D., Kisakesen, I., Schreiber, A., Entrocassi, A. C., Gallo Vaulet, M. L., Aquino, D. L., Svidler López, L., la Rosa, L., Egli, A., Rodriguez Fermepin, M., Seth-Smith, H. M. B., ... (ESGMAC), C. infections. (2024). The challenge of sequencing Chlamydia trachomatis and other bacterial sexually transmitted infections genomes directly from clinical swabs: the optimum solution. *BioRxiv*, 2024.11.23.624631.
<https://doi.org/10.1101/2024.11.23.624631>
- Cadot, S., Hohmann, P., Hsung, M.-H., Hartmann, M., Haug, B., Wille, L., Messmer, M. M., & Bodenhausen, N. (2024). Fungal Microbiome Indicators Are Associated with Genotypic Variation in Pea Root Rot Susceptibility when Intercropped with Barley. *Phytobiomes Journal*, 8(1), 97–109. <https://doi.org/10.1094/PBIOMES-07-23-0066-MF>
- Çetin, C., Jokela, J., Feulner, P. G. D., Schlegel, T., Tardent, N., & Seppälä, O. (2024). Population genetic structure in a self-compatible hermaphroditic snail is driven by drift independently of its contemporary mating system. *Ecology and Evolution*, 14(8), e70162. <https://doi.org/https://doi.org/10.1002/ece3.70162>
- Courtaillac, K.-L., Landschoff, J., Hull, K., & von der Heyden, S. (2024). The Effect of Spatio-Temporal Sampling and Biological Replication on the Detection of Kelp Forest Fish Communities Using eDNA Metabarcoding. *Environmental DNA*, 6(5), e70023.
<https://doi.org/https://doi.org/10.1002/edn3.70023>
- Crivelli, S., Bartusch, K., Ruiz-Sola, M. A., Coiro, M., Schmidt Kjølner Hansen, S., & Truernit, E. (2024). Beyond the phloem: A general role of the *Arabidopsis OCTOPUS* gene family in controlling plant growth vigour. *BioRxiv*, 2024.05.17.594124. <https://doi.org/10.1101/2024.05.17.594124>
- Daniels, R. J., Meyer, B. S., Giulio, M., Signorini, S. G., Riccardi, N., Della Torre, C., & Weber, A. A.-T. (2024). Benchmarking sample pooling for epigenomics of natural populations. *Molecular Ecology Resources*, 24(8), e14021.
<https://doi.org/https://doi.org/10.1111/1755-0998.14021>
- Deng, L., Bölslerli, D., Glombitza, C., Jørgensen, B. B., Røy, H., & Lever, M. A. (2024). Drivers of methane-cycling archaeal abundances, community structure, and catabolic pathways in continental margin sediments. *BioRxiv*, 2024.11.29.625990.
<https://doi.org/10.1101/2024.11.29.625990>
- Eichenauer, H., Fischer, S., Gardini, E., Onsongo, S., & Ehlert, U. (2024). Effects of improved on-farm crop storage on DNA methylation of mothers and their infants: evidence from a randomized controlled trial in Kenya. *Clinical Epigenetics*, 16(1), 90.
<https://doi.org/10.1186/s13148-024-01693-z>

- Emmenegger, M., Zografoiu, C., Dai, Y., Hoyt, L. R., Gudneppanavar, R., Chincisan, A., Rehrauer, H., Noé, F. J., Zajac, N., Meisl, G., Schneider, M. M., Nguyen, H., Höpker, K., Knowles, T. P. J., Sospedra, M., Martin, R., Ring, A. M., Leeds, S., Eisenbarth, S. C., ... Aguzzi, A. (2024). The Cystic Fibrosis Transmembrane Regulator Controls Tolerogenic Responses to Food Allergens in Mice and Humans. *MedRxiv*, 2024.06.17.24309019. <https://doi.org/10.1101/2024.06.17.24309019>
- Feller, A. F., Peichel, C. L., & Seehausen, O. (2024). Testing for a role of postzygotic incompatibilities in rapidly speciated Lake Victoria cichlids. *Evolution*, 78(4), 652–664. <https://doi.org/10.1093/evolut/qpae007>
- Flörl, L., & Bokulich, N. A. (2024). Is the Juice Worth the Squeeze? Evaluating Peptide Nucleic Acid (PNA) Blockers for Reducing Plant DNA Contamination in 16S rRNA Gene Sequencing. *PhytoFrontiersTM*. <https://doi.org/10.1094/PHYTOFR-11-24-0124-SC>
- Flörl, L., Cabrera, P. M., Moccia, M. D., Plüss, S., & Bokulich, N. A. (2024). HighALPS: Ultra-High-Throughput Marker-Gene Amplicon Library Preparation and Sequencing on the Illumina NextSeq and NovaSeq Platforms. *BioRxiv*, 2024.10.10.617643. <https://doi.org/10.1101/2024.10.10.617643>
- Fontana, S., Schmitz, D. A., Daniels, M., Danza, F., Röösli, T., Bruderer, H., Walser, J.-C., Dekaezemacker, J., Escrig, S., Meibom, A., Pomati, F., & Schreiber, F. (2024). Single-cell trait diversity explains niche and fitness differences in aquatic microbial communities. *BioRxiv*, 2024.02.07.579265. <https://doi.org/10.1101/2024.02.07.579265>
- Fortezza, M. Ia, Verwilt, J., Cossey, S., Eisner, S., Velicer, G. J., & Yu, Y.-T. N. (2024). Deletion of an sRNA primes development in a multicellular bacterium. *BioRxiv*, 2024.05.04.592516. <https://doi.org/10.1101/2024.05.04.592516>
- Frei, D., Mwaiko, S., Seehausen, O., & Feulner, P. G. D. (2024). Ecological disturbance reduces genomic diversity across an Alpine whitefish adaptive radiation. *Evolutionary Applications*, 17(2), e13617. <https://doi.org/https://doi.org/10.1111/eva.13617>
- Gekenidis, M.-T., Vollenweider, V., Joyce, A., Murphy, S., Walser, J.-C., Ju, F., Bürgmann, H., Hummerjohann, J., Walsh, F., & Drissner, D. (2024). Unde venis? Bacterial resistance from environmental reservoirs to lettuce: tracking microbiome and resistome over a growth period. *FEMS Microbiology Ecology*, 100(10), fiae118. <https://doi.org/10.1093/femsec/fiae118>
- Gimmi, E., Wallisch, J., & Vorburger, C. (2024). Ecological divergence despite common mating sites: Genotypes and symbiotypes shed light on cryptic diversity in the black bean aphid species complex. *Heredity*, 132(6), 320–330. <https://doi.org/10.1038/s41437-024-00687-0>
- Halstead-Nussloch, G., Signorini, S. G., Giulio, M., Crocetta, F., Munari, M., della Torre, C., & Weber, A. A.-T. (2024). The genome of the rayed Mediterranean limpet *Patella caerulea* (Linnaeus, 1758). *Genome Biology and Evolution*, 16(4), evae070. <https://doi.org/10.1093/gbe/evae070>
- Haltiner, L., Spaak, P., Dennis, S. R., & Feulner, P. G. D. (2024). Population genetic insights into establishment, adaptation, and dispersal of the invasive quagga mussel across perialpine lakes. *Evolutionary Applications*, 17(1), e13620. <https://doi.org/https://doi.org/10.1111/eva.13620>
- Horváthová, T., Lafuente, E., Bartels, J.-A., Wallisch, J., & Vorburger, C. (2024). Tolerance to environmental pollution in the freshwater crustacean *Asellus aquaticus*: A role for the microbiome. *Environmental Microbiology Reports*, 16(3), e13252. <https://doi.org/https://doi.org/10.1111/1758-2229.13252>

- Jeevannavar, A., Narwani, A., Matthews, B., Spaak, P., Brantschen, J., Mächler, E., Altermatt, F., & Tamminen, M. (2024). Foundation species stabilize an alternative eutrophic state in nutrient-disturbed ponds via selection on microbial community. *Frontiers in Microbiology*, 15. <https://doi.org/10.3389/fmicb.2024.1310374>
- Kirtane, A., & Deiner, K. (2024). Improving the recovery for dissolved eDNA state: A comparative analysis of isopropanol precipitation, magnetic bead extraction, and centrifugal dialysis. *Environmental DNA*, 6(3), e572. <https://doi.org/https://doi.org/10.1002/edn3.572>
- Kläui, A., Bütkofer, U., Naskova, J., Wagner, E., & Marti, E. (2024). Fresh produce as a reservoir of antimicrobial resistance genes: A case study of Switzerland. *Science of The Total Environment*, 907, 167671. <https://doi.org/https://doi.org/10.1016/j.scitotenv.2023.167671>
- Kofler, X. v., Grossniklaus, U., Schiestl, F. P., & Frachon, L. (2024). Uncovering genes involved in pollinator-driven mating system shifts and selfing syndrome evolution in *Brassica rapa*. *New Phytologist*, 243(3), 1220–1230. <https://doi.org/https://doi.org/10.1111/nph.19880>
- Kundra, P., Geirnaert, A., Pugin, B., Plüss, S., Kariluoto, S., Lacroix, C., & Greppi, A. (2024). Microbially-produced folate forms support the growth of *Roseburia intestinalis* but not its competitive fitness in fecal batch fermentations. *BMC Microbiology*, 24(1), 366. <https://doi.org/10.1186/s12866-024-03528-6>
- Le Pennec, G., Retel, C., Kowallik, V., Becks, L., & Feulner, P. G. D. (2024). Demographic fluctuations and selection during host–parasite co-evolution interactively increase genetic diversity. *Molecular Ecology*, 33(10), e16939. <https://doi.org/https://doi.org/10.1111/mec.16939>
- Leugger, F., Schmidlin, M., Lüthi, M., Kontarakis, Z., & Pellissier, L. (2024). Scanning amplicons with CRISPR-Dx detects endangered amphibians in environmental DNA. *Molecular Ecology Resources*, 24(8), e14009. <https://doi.org/https://doi.org/10.1111/1755-0998.14009>
- Lievens, E. J. P., Kühn, S., Horas, E. L., le Pennec, G., Peter, S., Petrosky, A. D., Künzel, S., Feulner, P. G. D., & Becks, L. (2024). High parasite diversity maintained after an alga-virus coevolutionary arms race. *Journal of Evolutionary Biology*, 37(7), 795–806. <https://doi.org/10.1093/jeb/voae053>
- Lori, M., Kundel, D., Mäder, P., Singh, A., Patel, D., Sisodia, B. S., Riar, A., & Krause, H.-M. (2024). Organic farming systems improve soil quality and shape microbial communities across a cotton-based crop rotation in an Indian Vertisol. *FEMS Microbiology Ecology*, 100(11), fiae127. <https://doi.org/10.1093/femsec/fiae127>
- Marfurt, S. M., Chabanne, D. B. H., Wittwer, S., Bizzozzero, M. R., Allen, S. J., Gerber, L., Nicholson, K., & Krützen, M. (2024). Demographic History and Adaptive Evolution of Indo-Pacific Bottlenose Dolphins (*Tursiops aduncus*) in Western Australia. *Molecular Ecology*, 33(22), e17555. <https://doi.org/https://doi.org/10.1111/mec.17555>
- Margot, C., Rhoads, W., Gabrielli, M., Olive, M., & Hammes, F. (2024). Dynamics of drinking water biofilm formation associated with *Legionella* spp. colonization. *Npj Biofilms and Microbiomes*, 10(1), 101. <https://doi.org/10.1038/s41522-024-00573-x>
- Meynet, P., Joss, A., Davenport, R. J., & Fenner, K. (2024). Impact of long-term temperature shifts on activated sludge microbiome dynamics and micropollutant removal. *Water Research*, 258, 121790. <https://doi.org/https://doi.org/10.1016/j.watres.2024.121790>

- Mikulic, N., Uyoga, M. A., Stoffel, N. U., Derrien, M., Nyilima, S., Kostopoulos, I., Roeselers, G., Chenoll, E., Mwasi, E., Pironaci, G., Karanja, S., Bourdet-Sicard, R., & Zimmermann, M. B. (2024). Prebiotics increase iron absorption and reduce the adverse effects of iron on the gut microbiome and inflammation: a randomized controlled trial using iron stable isotopes in Kenyan infants. *The American Journal of Clinical Nutrition*, 119(2), 456–469. <https://doi.org/https://doi.org/10.1016/j.ajcnut.2023.11.018>
- Milesi, P., Kastally, C., Dauphin, B., Cervantes, S., Bagnoli, F., Budde, K. B., Cavers, S., Fady, B., Faivre-Rampant, P., González-Martínez, S. C., Grivet, D., Gugerli, F., Jorge, V., Lesur, Kupin, I., Ojeda, D. I., Olsson, S., Opogenorth, L., Pinosio, S., Plomion, C., ... Consortium, O. behalf of the G. (2024). Resilience of genetic diversity in forest trees over the Quaternary. *Nature Communications*, 15(1), 8538. <https://doi.org/10.1038/s41467-024-52612-y>
- Momo Cabrera, P., Rachmühl, C., Derrien, M., Bourdet-Sicard, R., Lacroix, C., & Geirnaert, A. (2024). Comparative prebiotic potential of galacto- and fructo-oligosaccharides, native inulin, and acacia gum in Kenyan infant gut microbiota during iron supplementation. *ISME Communications*, 4(1), ycae033. <https://doi.org/10.1093/ismeco/ycae033>
- Müller, N. D., Kirtane, A., Schefer, R. B., & Mitrano, D. M. (2024). eDNA Adsorption onto Microplastics: Impacts of Water Chemistry and Polymer Physicochemical Properties. *Environmental Science & Technology*, 58(17), 7588–7599. <https://doi.org/10.1021/acs.est.3c10825>
- Nanchira, A. L., Ursula, O., & Daniel, C. (2024). Population-level transposable element expression dynamics influence trait evolution in a fungal crop pathogen. *MBio*, 15(3), e02840-23. <https://doi.org/10.1128/mbio.02840-23>
- Oberholzer, S., Herrmann, C., Bodenhausen, N., Krause, H.-M., Mestrot, A., Ifejika Speranza, C., & Jarosch, K. A. (2024). No effect on biological or chemical soil properties when amended with effective microorganisms for improved cover crop decomposition. *Applied Soil Ecology*, 197, 105358. <https://doi.org/https://doi.org/10.1016/j.apsoil.2024.105358>
- Otaru, N., Greppi, A., Plüss, S., Zünd, J., Mujezinovic, D., Baur, J., Koleva, E., Lacroix, C., & Pugin, B. (2024). Intestinal bacteria-derived tryptamine and its impact on human gut microbiota. *Frontiers in Microbiomes*, 3. <https://doi.org/10.3389/frmbi.2024.1373335>
- Otaru, N., Kourouma, L., Pugin, B., Constancias, F., Braegger, C., Mansuy, I. M., & Lacroix, C. (2024). Transgenerational effects of early life stress on the fecal microbiota in mice. *Communications Biology*, 7(1), 670. <https://doi.org/10.1038/s42003-024-06279-2>
- Parrella, F., Brizzolara, S., Holzner, M., & Mitrano, D. M. (2024). Impact of heteroaggregation between microplastics and algae on particle vertical transport. *Nature Water*, 2(6), 541–552. <https://doi.org/10.1038/s44221-024-00248-z>
- Pedrazzini, C., Rehner, S. A., Strasser, H., Zemp, N., Holderegger, R., Widmer, F., & Enkerli, J. (2024). Clonal genomic population structure of *Beauveria brongniartii* and *Beauveria pseudobassiana*: Pathogens of the common European cockchafer (*Melolontha melolontha* L.). *Environmental Microbiology*, 26(4), e16612. <https://doi.org/https://doi.org/10.1111/1462-2920.16612>
- Pfeilmeier, S., Werz, A., Ote, M., Bortfeld-Miller, M., Kirner, P., Keppler, A., Hemmerle, L., Gäbelein, C. G., Petti, G. C., Wolf, S., Pestalozzi, C. M., & Vorholt, J. A. (2024). Leaf microbiome dysbiosis triggered by T2SS-dependent enzyme secretion from opportunistic *Xanthomonas* pathogens. *Nature Microbiology*, 9(1), 136–149. <https://doi.org/10.1038/s41564-023-01555-z>

- Rajarajan, A., Decaestecker, E., Bulteel, L., Walser, J.-C., Spaak, P., & Wolinska, J. (2024). Host genotype and infection status interact to shape microbiomes in *Daphnia magna*. *Parasitology*, 1–11. <https://doi.org/DOI: 10.1017/S0031182024000787>
- Rajarajan, A., Wolinska, J., Walser, J.-C., Tardent, N., Käser, S., Keller, E., & Spaak, P. (2024). *Daphnia* associated bacterial communities are influenced by infection status, environmental conditions and diet quantity across natural epidemics. *BioRxiv*, 2024.06.10.598240. <https://doi.org/10.1101/2024.06.10.598240>
- Rayo, E., Ulrich, G. F., Zemp, N., Greeff, M., Schuenemann, V. J., Widmer, A., & Fischer, M. C. (2024). Minimally destructive hDNA extraction method for retrospective genetics of pinned historical Lepidoptera specimens. *Scientific Reports*, 14(1), 12875. <https://doi.org/10.1038/s41598-024-63587-7>
- Reinula, I., Träger, S., Järvine, H.-T., Kuningas, V.-M., Kaldra, M., & Aavik, T. (2024). Beware of the impact of land use legacy on genetic connectivity: A case study of the long-lived perennial *Primula veris*. *Biological Conservation*, 292, 110518. <https://doi.org/https://doi.org/10.1016/j.biocon.2024.110518>
- Reyes-Avila, C. S., Waldvogel, D., Pradervand, N., Aubry, S., & Croll, D. (2024). Detection of genetically modified organisms using highly multiplexed amplicon sequencing. *Food Control*, 165, 110670. <https://doi.org/https://doi.org/10.1016/j.foodcont.2024.110670>
- Scheuchzer, P., Sinawat, S., Donzé, A.-S., Zeder, C., Sabatier, M., Garcia-Garcera, M., Ricci, C., Kamontham, T., Zimmermann, M. B., & Baumgartner, J. (2024). Iron Absorption from an Iron-Fortified Follow-Up Formula with and without the Addition of a Synbiotic or a Human-Identical Milk Oligosaccharide: A Randomized Crossover Stable Isotope Study in Young Thai Children. *The Journal of Nutrition*, 154(10), 2988–2998. <https://doi.org/https://doi.org/10.1016/j.tjnut.2024.08.016>
- Schlegel, M., Treindl, A. D., Panziera, J., Zengerer, V., Zani, D., Brännhage, J., & Gross, A. (2024). A case study on the application of spore sampling for the monitoring of macrofungi. *Molecular Ecology Resources*, 24(4), e13941. <https://doi.org/https://doi.org/10.1111/1755-0998.13941>
- Son, K., Takhayev, V., Mor, V., Yu, H., Dillier, E., Zilio, N., Püllen, N. J. L., Ivanov, D., Ulrich, H. D., Sturla, S. J., & Schärer, O. D. (2024). Trabectedin derails transcription-coupled nucleotide excision repair to induce DNA breaks in highly transcribed genes. *Nature Communications*, 15(1), 1388. <https://doi.org/10.1038/s41467-024-45664-7>
- Srikant, T., Gonzalo, A., & Bomblies, K. (2024). Chromatin Accessibility and Gene Expression Vary Between a New and Evolved Autopolyploid of *Arabidopsis arenosa*. *Molecular Biology and Evolution*, 41(10), msae213. <https://doi.org/10.1093/molbev/msae213>
- Strohaker, S., Dubach, V., Schlegel, M., & Sieber, T. N. (2024). Root contact dominates vegetative transmission of the *Phialocephala fortinii* s.l. – *Acephala applanata* species complex (PAC). *Fungal Ecology*, 70, 101351. <https://doi.org/https://doi.org/10.1016/j.funeco.2024.101351>
- Takhayev, V., Püllen, N. J. L., Singh, N. K., Huber, S. M., Schauer, S., Gahlon, H. L., Poetsch, A. R., & Sturla, S. J. (2024). Click-chemistry-aided quantitation and sequencing of oxidized guanines and apurinic sites uncovers their transcription-linked strand bias in human cells. *BioRxiv*, 2024.07.21.604463. <https://doi.org/10.1101/2024.07.21.604463>
- Thieme, M., Minadakis, N., Himber, C., Keller, B., Xu, W., rutowicz, K., Matteoli, C., Boehrer, M., Rymen, B., Laudencia-Chingcuanco, D., Vogel, J. P., Sibout, R., Stritt, C., Blevins, T., & Roulin, A. C. (2024). Transposition of HOPPLA in siRNA-deficient plants suggests a

- limited effect of the environment on retrotransposon mobility in *Brachypodium distachyon*. *BioRxiv*, 2023.09.25.559196. <https://doi.org/10.1101/2023.09.25.559196>
- Treindl, A. D., Stapley, J., Croll, D., & Leuchtmann, A. (2024). Two-speed genomes of *Epichloë* fungal pathogens show contrasting signatures of selection between species and across populations. *Molecular Ecology*, 33(4), e17242.
<https://doi.org/https://doi.org/10.1111/mec.17242>
- vanDeurs, S., Reutimann, O., Luqman, H., Lifshitz, D., Gati, E. M., Alexander, J., & Fior, S. (2024). Adaptation across a precipitation gradient from niche center to niche edge. *BioRxiv*, 2024.04.15.589238. <https://doi.org/10.1101/2024.04.15.589238>
- Vega-Cabrera, L., Skovgaard, O., & Toll-Riera, M. (2024). Chromosomal plasticity can drive rapid adaptation in bacteria. *BioRxiv*, 2024.12.11.627208.
<https://doi.org/10.1101/2024.12.11.627208>
- Wasimuddin, Chiaia-Hernandez, A., Terrettaz, C., Thoenen, L., Caggia, V., Matteo, P., Coll-Crespi, M., Notter, M., Mukherjee, M., Chavez-Capilla, T., Ronchi, F., Ganal-Vonarburg, S. C., Grosjean, M., Bigalke, M., Spielvogel, S., Macpherson, A., Mestrot, A., Hafelmeier, S., Erb, M., ... Ramette, A. (2024). Component specific responses of the microbiomes to common chemical stressors in the human food chain. *BioRxiv*, 2024.04.20.590402. <https://doi.org/10.1101/2024.04.20.590402>
- Zünd, J. N., Plüss, S., Mujezinovic, D., Menzi, C., von Bieberstein, P. R., de Wouters, T., Lacroix, C., Leventhal, G. E., & Pugin, B. (2024). A flexible high-throughput cultivation protocol to assess the response of individuals' gut microbiota to diet-, drug-, and host-related factors. *ISME Communications*, 4(1), ycae035.
<https://doi.org/10.1093/ismeco/ycae035>
- Zwyssig, M., Spescha, A., Patt, T., Belosevic, A., Machado, R. A. R., Regaiolo, A., Keel, C., & Maurhofer, M. (2024). Entomopathogenic pseudomonads can share an insect host with entomopathogenic nematodes and their mutualistic bacteria. *The ISME Journal*, 18(1), wrae028. <https://doi.org/10.1093/ismejo/wrae028>

2023

- Abraham, L. N., & Croll, D. (2023). Genome-wide expression QTL mapping reveals the highly dynamic regulatory landscape of a major wheat pathogen. *Bmc Biology*, 21(1), 263. doi:10.1186/s12915-023-01763-3
- Alkemade, J. A., Baroncelli, R., Messmer, M. M., & Hohmann, P. (2023). Attack of the clones: Population genetics reveals clonality of *Colletotrichum lupini*, the causal agent of lupin anthracnose. *Molecular Plant Pathology*, 24(6), 616-627. doi:<https://doi.org/10.1111/mpp.13332>
- Asare, P. T., Greppi, A., Geirnaert, A., Pennacchia, A., Babst, A., & Lacroix, C. (2023). Glycerol and reuterin-producing *Limosilactobacillus reuteri* enhance butyrate production and inhibit Enterobacteriaceae in broiler chicken cecal microbiota PolyFermS model. *Bmc Microbiology*, 23(1), 384. doi:10.1186/s12866-023-03091-6
- Attrah, M., Schärer, M. R., Esposito, M., Gionchetta, G., Bürgmann, H., Lens, P., . . . Robinson, S. L. (2023). Disentangling abiotic and biotic effects of treated wastewater on stream biofilm resistomes enables the discovery of a new planctomycete beta-lactamase. *BioRxiv*, 2023.2011.2020.567610. doi:10.1101/2023.11.20.567610

- Bartosiewicz, M., Venetz, J., Läubli, S., Sepúlveda Steiner, O., Bouffard, D., Zopfi, J., & Lehmann, M. F. (2023). Detritus-hosted methanogenesis sustains the methane paradox in an alpine lake. *Limnology and Oceanography*, 68(1), 248-264. doi:<https://doi.org/10.1002/lno.12263>
- Bernasconi, A., Lorrain, C., Flury, P., Alassimone, J., McDonald, B. A., & Sánchez-Vallet, A. (2023). Virulent strains of *Zymoseptoria tritici* suppress the host immune response and facilitate the success of avirulent strains in mixed infections. *Plos Pathogens*, 19(11). doi: [10.1371/journal.ppat.1011767](https://doi.org/10.1371/journal.ppat.1011767)
- Bischofberger, A. M., & Hall, A. R. (2023). Community composition of bacteria isolated from Swiss banknotes varies depending on collection environment. *Molecular Ecology*, 32(10), 2619-2632. doi:<https://doi.org/10.1111/mec.16456>
- Blackman, R. C., Walser, J.-C., Rüber, L., Brantschen, J., Villalba, S., Brodersen, J., . . . Altermatt, F. (2023). General principles for assignments of communities from eDNA: Open versus closed taxonomic databases. *Environmental DNA*, 5(2), 326-342. doi:<https://doi.org/10.1002/edn3.382>
- Bodenhausen, N., Hess, J., Valzano, A., Deslandes-Hérold, G., Waelchli, J., Furrer, R., . . . Schlaeppi, K. (2023). Predicting soil fungal communities from chemical and physical properties. *Journal of Sustainable Agriculture and Environment*, 2(3), 225-237. doi:<https://doi.org/10.1002/sae2.12055>
- Brantschen, J., & Altermatt, F. (2023). Contrasting strengths of eDNA and electrofishing compared to historic records for assessing fish community diversity and composition. *Canadian Journal of Fisheries and Aquatic Sciences*. doi:[10.1139/cjfas-2023-0053](https://doi.org/10.1139/cjfas-2023-0053)
- Carraro, L., Blackman, R. C., & Altermatt, F. (2023). Modelling environmental DNA transport in rivers reveals highly resolved spatio-temporal biodiversity patterns. *Scientific Reports*, 13(1). doi: [10.1038/s41598-023-35614-6](https://doi.org/10.1038/s41598-023-35614-6)
- Cavallaro, A., Rhoads, W. J., Sylvestre, É., Marti, T., Walser, J.-C., & Hammes, F. (2023). Legionella relative abundance in shower hose biofilms is associated with specific microbiome members. *FEMS Microbes*, 4. doi:[10.1093/femsma/xtad016](https://doi.org/10.1093/femsma/xtad016)
- Chen, C., Keunecke, H., Bemm, F., Gyevai, G., Neu, E., Kopisch-Obuch, F. J., . . . Stapley, J. (2023). GWAS reveals a rapidly evolving candidate avirulence effector in the Cercospora leaf spot pathogen. *Molecular Plant Pathology*. doi:[10.1111/mpp.13407](https://doi.org/10.1111/mpp.13407)
- Chen, C., Keunecke, H., Neu, E., Kopisch-Obuch, F. J., McDonald, B. A., & Stapley, J. (2023). Molecular epidemiology of Cercospora leaf spot on resistant and susceptible sugar beet hybrids. *BioRxiv*, 2023.2010.2030.564591. doi:[10.1101/2023.10.30.564591](https://doi.org/10.1101/2023.10.30.564591)
- Clerc, E. E., Raina, J.-B., Keegstra, J. M., Landry, Z., Pontrelli, S., Alcolombri, U., . . . Stocker, R. (2023). Strong chemotaxis by marine bacteria towards polysaccharides is enhanced by the abundant organosulfur compound DMSP. *Nature Communications*, 14(1), 8080. doi:[10.1038/s41467-023-43143-z](https://doi.org/10.1038/s41467-023-43143-z)
- Couton, M., Hürlemann, S., Studer, A., Alther, R., & Altermatt, F. (2023). Groundwater environmental DNA metabarcoding reveals hidden diversity and reflects land-use and geology. *Molecular Ecology*, 32(13), 3497-3512. doi:[10.1111/mec.16955](https://doi.org/10.1111/mec.16955)
- Couton, M., Studer, A., Hürlemann, S., Locher, N., Knüsel, M., Alther, R., & Altermatt, F. (2023). Integrating citizen science and environmental DNA metabarcoding to study biodiversity of groundwater amphipods in Switzerland. *Scientific Reports*, 13(1). doi: [10.1038/s41598-023-44908-8](https://doi.org/10.1038/s41598-023-44908-8)

- Daniels, R. J., Meyer, B. S., Giulio, M., Signorini, S. G., Riccardi, N., Torre, C. D., & Weber, A. A.-T. (2023). Benchmarking sample pooling for epigenomics of natural populations. *BioRxiv*, 2023.2011.2023.568483. doi:10.1101/2023.11.23.568483
- Deng, L. H., Fiskal, A., Bölslerli, D., Meier, D., Meile, C., & Lever, M. A. (2023). Differential impact of two major polychaete guilds on microbial communities in marine sediments: a microcosm study. *Frontiers in Marine Science*, 10. doi: 10.3389/fmars.2023.1119331
- Faust, V., Vlaeminck, S. E., Ganigüé, R., & Udert, K. M. (2023). Influence of pH on Urine Nitrification: Community Shifts of Ammonia-Oxidizing Bacteria and Inhibition of Nitrite-Oxidizing Bacteria. *ACS ES&T Engineering*. doi:10.1021/acsestengg.3c00320
- Feller, A. F., Peichel, C. L., & Seehausen, O. (2023). Testing for a role of postzygotic incompatibilities in rapidly speciated Lake Victoria cichlids. *BioRxiv*, doi:10.1101/2023.09.26.559612
- Felmy, A., Streiff, A. B., & Jokela, J. (2023). Propensity for selfing varies within a population of hermaphroditic snails: coexistence of selfers, outcrossers and mixed-mating individuals. *Royal Society Open Science*, 10(10), 230532. doi:doi:10.1098/rsos.230532
- Feurtey, A., Lorrain, C., McDonald, M. C., Milgate, A., Solomon, P. S., Warren, R., . . . Croll, D. (2023). A thousand-genome panel retraces the global spread and adaptation of a major fungal crop pathogen. *Nature Communications*, 14(1). doi: 10.1038/s41467-023-36674-y
- Frachon, L., Arrigo, L., Rusman, Q., Poveda, L., Qi, W., Scopece, G., & Schiestl, F. P. (2023). Putative Signals of Generalist Plant Species Adaptation to Local Pollinator Communities and Abiotic Factors. *Molecular Biology and Evolution*, 40(3). doi:10.1093/molbev/msad036
- Francisco, C. S., McDonald, B. A., & Palma-Guerrero, J. (2023). A transcription factor and a phosphatase regulate temperature-dependent morphogenesis in the fungal plant pathogen. *Fungal Genetics and Biology*, 167. doi: 10.1016/j.fgb.2023.103811
- Franić, I., Allan, E., Prospero, S., Adamson, K., Attorre, F., Auger-Rozenberg, M.-A., . . . Eschen, R. (2023). Climate, host and geography shape insect and fungal communities of trees. *Scientific Reports*, 13(1), 11570. doi:10.1038/s41598-023-36795-w
- Franzoni, J., Astuti, G., & Peruzzi, L. (2023). Weak Genetic Isolation and Putative Phenotypic Selection in the Wild Carnation (Caryophyllaceae). *Biology-Basel*, 12(10). doi: 10.3390/biology12101355
- Frei, D., Mwaiko, S., Seehausen, O., & Feulner, P. G. D. (2023). Ecological disturbance reduces genomic diversity across an Alpine whitefish adaptive radiation. *Evolutionary Applications*. doi:10.1111/eva.13617
- Frei, D., Reichlin, P., Seehausen, O., & Feulner, P. G. D. (2023). Introgression from extinct species facilitates adaptation to its vacated niche. *Molecular Ecology*, 32(4), 841-853. doi:10.1111/mec.16791
- Halstead-Nussloch, G., Signorini, S. G., Giulio, M., Crocetta, F., Munari, M., Della Torre, C., & Weber, A. A. (2023). The genome of the rayed Mediterranean limpet Patella caerulea (Linnaeus, 1758). *biorR*. doi:<https://doi.org/10.1101/2023.12.18.572124>
- Jiang, Y., Mingard, C., Huber, S. M., Takhayev, V., McKeague, M., Kizaki, S., . . . Sturla, S. J. (2023). Quantification and Mapping of Alkylation in the Human Genome Reveal Single Nucleotide Resolution Precursors of Mutational Signatures. *ACS Central Science*, 9(3), 362-372. doi:10.1021/acscentsci.2c01100

- Kaczmarek, T., Chen, X., Fior, S., Venon, A., Roman, A., Ursu, T., . . . Cornille, A. (2023). Sequential colonization events with restricted gene flow in a widespread European carnation species. *BioRxiv*, doi:10.1101/2023.07.23.550186
- Kaldra, M., Träger, S., Reinula, I., Keller, B., Conti, E., & Aavik, T. (2023). Skewed morph ratios lead to lower genetic diversity of the heterostylous *Primula veris* in fragmented grasslands. *Plant Biology*, 25(5), 703-714. doi:<https://doi.org/10.1111/plb.13531>
- Keck, F., Brantschen, J., & Altermatt, F. (2023). A combination of machine-learning and eDNA reveals the genetic signature of environmental change at the landscape levels. *Molecular Ecology*, 32(17), 4791-4800. doi:<https://doi.org/10.1111/mec.17073>
- Kerstetter, J., Reid, A., Armstrong, J., Zallek, T., Hobble, T., & Turcotte, M. (2023). Characterization of microsatellite markers for the duckweed *Spirodela polyrhiza* and *Lemna minor* tested on samples from Europe and the United States of America. *Genetic Resources*, 4(7), 46-55. doi:10.46265/genresj.ALFV3636
- Kirtane, A., Kleyer, H., & Deiner, K. (2023a). Can we sort states of environmental DNA (eDNA) from a single sample? *BioRxiv*, doi:10.1101/2023.01.13.523867
- Kirtane, A., Kleyer, H., & Deiner, K. (2023b). Sorting states of environmental DNA: Effects of isolation method and water matrix on the recovery of membrane-bound, dissolved, and adsorbed states of eDNA. *Environmental DNA*, 5(3), 582-596. doi:<https://doi.org/10.1002/edn3.417>
- Krause, H.-M., Ono-Raphel, J. G., Karanja, E., Matheri, F., Lori, M., Cifuentes, Y., . . . Mäder, P. (2023). Organic and conventional farming systems shape soil bacterial community composition in tropical arable farming. *Applied Soil Ecology*, 191, 105054. doi:<https://doi.org/10.1016/j.apsoil.2023.105054>
- Lafuente, E., Carles, L., Walser, J.-C., Giulio, M., Wullschleger, S., Stamm, C., & Räsänen, K. (2023). Effects of anthropogenic stress on hosts and their microbiomes: Treated wastewater alters performance and gut microbiome of a key detritivore (*Asellus aquaticus*). *Evolutionary Applications*, 16(4), 824-848. doi:<https://doi.org/10.1111/eva.13540>
- Le Pennec, G., Retel, C., Kowallik, V., Becks, L., & Feulner, P. G. D. (2023). Demographic fluctuations and selection during host-parasite co-evolution interactively increase genetic diversity. *Molecular Ecology*. doi:10.1111/mec.16939
- Lee, J., Ju, F., Beck, K., & Bürgmann, H. (2023). Differential effects of wastewater treatment plant effluents on the antibiotic resistomes of diverse river habitats. *The ISME Journal*, 17(11), 1993-2002. doi:10.1038/s41396-023-01506-w
- Li, H., Duijts, K., Pasini, C., van Santen, J. E., Lamers, J., de Zeeuw, T., . . . Testerink, C. (2023). Effective root responses to salinity stress include maintained cell expansion and carbon allocation. *New Phytologist*, 238(5), 1942-1956. doi:<https://doi.org/10.1111/nph.18873>
- Liao, A., Hartikainen, H., & Buser, C. C. (2023). Individual level microbial communities in the digestive system of the freshwater isopod *Asellus aquaticus*: Complex, robust and prospective. *Environmental Microbiology Reports*, 15(3), 188-196. doi:<https://doi.org/10.1111/1758-2229.13142>
- Lohn, A. F., Trtikova, M., Chapela, I., van den Berg, J., du Plessis, H., & Hilbeck, A. (2023). Effect of herbivore stress on transgene behaviour in maize crosses with different genetic backgrounds: cry1Ab transgene transcription, insecticidal protein expression and bioactivity against insect pests. *Environmental Sciences Europe*, 35(1), 106. doi:10.1186/s12302-023-00815-3

- Lori, M., Hartmann, M., Kundel, D., Mayer, J., Müller, R. C., Mäder, P., & Krause, H. M. (2023). Soil microbial communities are sensitive to differences in fertilization intensity in organic and conventional farming systems. *Fems Microbiology Ecology*, 99(6). doi:10.1093/femsec/fiad046
- Luqman, H., Wegmann, D., Fior, S., & Widmer, A. (2023). Climate-induced range shifts drive adaptive response via spatio-temporal sieving of alleles. *Nature Communications*, 14(1). doi: 10.1038/s41467-023-36631-9
- Lutz, S., Bodenhausen, N., Hess, J., Valzano-Held, A., Waelchli, J., Deslandes-Hérolde, G., . . . van der Heijden, M. G. A. (2023). Soil microbiome indicators can predict crop growth response to large-scale inoculation with arbuscular mycorrhizal fungi. *Nature Microbiology*, 8(12), 2277-2289. doi:10.1038/s41564-023-01520-w
- Manlik, O., Mundra, S., Schmid-Hempel, R., & Schmid-Hempel, P. (2023). Impact of climate change on parasite infection of an important pollinator depends on host genotypes. *Global Change Biology*, 29(1), 69-80. doi:<https://doi.org/10.1111/gcb.16460>
- Maritz, C., Khaleghi, R., Yancoskie, M. N., Diethelm, S., Brülisauer, S., Ferreira, N. S., . . . Naegeli, H. (2023). ASH1L-MRG15 methyltransferase deposits H3K4me3 and FACT for damage verification in nucleotide excision repair. *Nature Communications*, 14(1), 3892. doi:10.1038/s41467-023-39635-7
- Meier, J. I., McGee, M. D., Marques, D. A., Mwaiko, S., Kishe, M., Wandera, S., . . . Seehausen, O. (2023). Cycles of fusion and fission enabled rapid parallel adaptive radiations in African cichlids. *Science*, 381(6665), 1428-+. doi: 310.1126/science.adc2833
- Meile, L., Garrido-Arandia, M., Bernasconi, Z., Peter, J., Schneller, A., Bernasconi, A., . . . Sanchez-Vallet, A. (2023). Natural variation in Avr3D1 from Zymoseptoria sp. contributes to quantitative gene-for-gene resistance and to host specificity. *New Phytol*, 238(4), 1562-1577. doi:10.1111/nph.18690
- Milesi, P., Kastally, C., Dauphin, B., Cervantes, S., Bagnoli, F., Budde, K. B., . . . Pyhäjärvi, T. (2023). Synchronous effective population size changes and genetic stability of forest trees through glacial cycles. *BioRxiv*, 2023.2001.2005.522822. doi:10.1101/2023.01.05.522822
- Morgan, E. J., Kaiser-Bunbury, C. N., Edwards, P. J., Fleischer-Dogley, F., & Kettle, C. J. (2023). Mate-choice for close kin is associated with improved offspring survival in *Lodoicea maldivica*, the largest-seeded plant in the world. *Scientific Reports*, 13(1), 15305. doi:10.1038/s41598-023-41419-4
- Mueller, C., Moser, F. N., Frei, D., & Seehausen, O. (2023). Constraints to speciation despite divergence in an old haplochromine cichlid lineage. *Evolution*, 77(3), 823-835. doi:10.1093/evolut/qpad001
- Mühlematter, C., Nielsen, D. S., Castro-Mejía, J. L., Brown, S. A., Rasch, B., Wright, K. P., Jr., . . . Kurth, S. (2023). Not simply a matter of parents—Infants' sleep-wake patterns are associated with their regularity of eating. *Plos One*, 18(10), e0291441. doi:10.1371/journal.pone.0291441
- Muschick, M., Jemmi, E., Lengacher, N., Hänsch, S., Wales, N., Kishe, M. A., . . . Seehausen, O. (2023). Ancient DNA is preserved in fish fossils from tropical lake sediments. *Molecular Ecology*, 32(22), 5913-5931. doi:10.1111/mec.17159
- Nomoto, H., Fior, S., & Alexander, J. (2023). Competitors alter selection on alpine plants exposed to experimental climate change. *Evolution Letters*. doi:10.1093/evlett/qrad066

- Nussberger, B., Hertwig, S. T., & Roth, T. (2023). Monitoring distribution, density and introgression in European wildcats in Switzerland. *Biological Conservation*, 281, 110029. doi:<https://doi.org/10.1016/j.biocon.2023.110029>
- Otaru, N., Kourouma, L., Pugin, B., Constancias, F., Braegger, C., Mansuy, I. M., & Lacroix, C. (2023). Transgenerational effects of early life stress on the fecal microbiota in mice. *BioRxiv*, 2023. doi:10.1101/2023.12.17.572037
- Pedrazzini, C., Strasser, H., Zemp, N., Holderegger, R., Widmer, F., & Enkerli, J. (2023). Spatial and temporal patterns in the population genomics of the European cockchafer in the Alpine region. *Evolutionary Applications*, 16(9), 1586-1597. doi:10.1111/eva.13588
- Perrier, A., & Willi, Y. (2023). Intraspecific variation in reproductive barriers between two closely related *Arabidopsis* sister species. *Journal of Evolutionary Biology*, 36(1), 121-130. doi:10.1111/jeb.14122
- Pfeilmeier, S., Werz, A., Ote, M., Bortfeld-Miller, M., Kirner, P., Keppler, A., . . . Vorholt, J. A. (2023). Dysbiosis of a leaf microbiome is caused by enzyme secretion of opportunistic *Xanthomonas* strains. *BioRxiv*, 2023..doi:10.1101/2023.05.09.539948
- Piro, L., Flütsch, S., & Santelia, D. (2023). *Arabidopsis* Sucrose Synthase 3 (SUS3) regulates starch accumulation in guard cells at the end of day. *Plant Signaling & Behavior*, 18(1), 2171614. doi:10.1080/15592324.2023.2171614
- Pitteloud, C., Defossez, E., Albouy, C., Descombes, P., Rasmann, S., & Pellissier, L. (2023). DNA-based networks reveal the ecological determinants of plant–herbivore interactions along environmental gradients. *Molecular Ecology*, 32(23), 6436-6448. doi:<https://doi.org/10.1111/mec.16545>
- Prairie, Y. T., Risgaard-Petersen, N., de Beer, D., van Grinsven, S., Lever, M. A., Han, X., . . . Han, X. (2023). frontiers ORIGINAL RESEARCH in Environmental Science. *Physical and biogeochemical processes driving methane sources, sinks and emissions in aquatic systems: The past, present and future under global change*, 117.
- Prentout, D., Muyle, A., Zemp, N., Filali, A. e., Boussau, B., Touzet, P., . . . Marais, G. A. B. (2023). Evolution of sex-biased gene expression during transitions to separate sexes in the *Silene* genus. *BioRxiv*, 2023. doi:10.1101/2023.10.02.560480
- Rachmühl, C., Lacroix, C., Cabrera, P. M., & Geirnaert, A. (2023). Long-term continuous cultivation of Kenyan infant fecal microbiota using the host adapted PolyFermS model. *Scientific Reports*, 13(1), 20563. doi:10.1038/s41598-023-47131-7
- Rachmühl, C., Lacroix, C., Giorgetti, A., Stoffel, N. U., Zimmermann, M. B., Brittenham, G. M., & Geirnaert, A. (2023). Validation of a batch cultivation protocol for fecal microbiota of Kenyan infants. *Bmc Microbiology*, 23(1), 174. doi:10.1186/s12866-023-02915-9
- Rajarajan, A., Wolinska, J., Walser, J.-C., Dennis, S. R., & Spaak, P. (2023). Host-Associated Bacterial Communities Vary Between *Daphnia galeata* Genotypes but Not by Host Genetic Distance. *Microbial Ecology*, 85(4), 1578-1589. doi:10.1007/s00248-022-02011-x
- Reyes-Avila, C. S., Waldvogel, D., Pradervand, N., Aubry, S., & Croll, D. (2023). Detection of genetically modified organisms using highly multiplexed amplicon sequencing. *BioRxiv*, 2023. doi:10.1101/2023.12.22.573157
- Riedo, J., Yokota, A., Walther, B., Bartolomé, N., van der Heijden, M. G. A., Bucheli, T. D., & Walder, F. (2023). Temporal dynamics of total and bioavailable fungicide concentrations in soil and their effect upon nine soil microbial markers. *Science of The Total Environment*, 878, 162995. doi:<https://doi.org/10.1016/j.scitotenv.2023.162995>

- Rohner, M., Manzanares, C., Yates, S., Thorogood, D., Copetti, D., Lübbertedt, T., . . . Studer, B. (2023). Fine-Mapping and Comparative Genomic Analysis Reveal the Gene Composition at the S and Z Self-incompatibility Loci in Grasses. *Molecular Biology and Evolution*, 40(1). doi: 10.1093/molbev/msac259
- Romano, I., Bodenhausen, N., Basch, G., Soares, M., Faist, H., Trognitz, F., . . . Symanczik, S. (2023). Impact of conservation tillage on wheat performance and its microbiome. *Frontiers in Plant Science*, 14. doi: 10.3389/fpls.2023.1211758
- Romero, F., Hilfiker, S., Edlinger, A., Held, A., Hartman, K., Labouyrie, M., & van der Heijden, M. G. A. (2023). Soil microbial biodiversity promotes crop productivity and agro-ecosystem functioning in experimental microcosms. *Science of The Total Environment*, 885, 163683. doi:<https://doi.org/10.1016/j.scitotenv.2023.163683>
- Sägesser, C., Kallfelz, J. M., Boulos, S., Hammer, L., Böcker, L., Portmann, R., . . . Mathys, A. (2023). A novel approach for the protein determination in food-relevant microalgae. *Bioresource Technology*, 390, 129849. doi:<https://doi.org/10.1016/j.biortech.2023.129849>
- Scharmann, M., Metali, F., Grafe, T. U., & Widmer, A. (2023a). Adaptive evolution of carnivory in *Nepenthes* pitcher plants: a comparative transcriptomics and proteomics perspective. *BioRxiv*, 2023.2doi:10.1101/2023.01.07.523112
- Scharmann, M., Metali, F., Grafe, T. U., & Widmer, A. (2023b). Genomic evidence for rapid speciation and gene flow between sympatric carnivorous *Nepenthes* pitcher plants. *BioRxiv*, 2023. doi:10.1101/2023.01.07.522986
- Schnyder, E., Bodelier, P. L. E., Hartmann, M., Henneberger, R., & Niklaus, P. A. (2023a). Do temporal and spatial heterogeneity modulate biodiversity–functioning relationships in communities of methanotrophic bacteria? *Soil Biology and Biochemistry*, 185, 109141. doi:<https://doi.org/10.1016/j.soilbio.2023.109141>
- Schnyder, E., Bodelier, P. L. E., Hartmann, M., Henneberger, R., & Niklaus, P. A. (2023b). Experimental erosion of microbial diversity decreases soil CH₄ consumption rates. *Ecology*, 104(12), e4178. doi:<https://doi.org/10.1002/ecy.4178>
- Sodnikar, K., Kaegi, R., Christl, I., Schroth, M. H., & Sander, M. (2023). Transport of double-stranded ribonucleic acids (dsRNA) and deoxyribonucleic acids (DNA) in sand and iron oxide-coated sand columns under varying solution chemistries. *Environmental Science: Processes & Impacts*, 25(12), 2067-2080.
- Son, K., Takhayev, V., Mor, V., Yu, H., Dillier, E., Zilio, N., . . . Schärer, O. D. (2023). Trabectedin derails transcription-coupled nucleotide excision repair to induce DNA breaks in highly transcribed genes. *BioRxiv*, 2023. doi:10.1101/2023.07.10.548294
- Spescha, A., Weibel, J., Wyser, L., Brunner, M., Hess Hermida, M., Moix, A., . . . Maurhofer, M. (2023). Combining entomopathogenic *Pseudomonas* bacteria, nematodes and fungi for biological control of a below-ground insect pest. *Agriculture, Ecosystems & Environment*, 348, 108414. doi:<https://doi.org/10.1016/j.agee.2023.108414>
- Spescha, A., Zwyssig, M., Hess Hermida, M., Moix, A., Bruno, P., Enkerli, J., . . . Maurhofer, M. (2023). When Competitors Join Forces: Consortia of Entomopathogenic Microorganisms Increase Killing Speed and Mortality in Leaf- and Root-Feeding Insect Hosts. *Microbial Ecology*, 86(3), 1947-1960. doi:10.1007/s00248-023-02191-0
- Stalder, L., Maurhofer, M., & Croll, D. (2023). High-resolution profiling of bacterial and fungal communities using pangenome-informed taxon-specific amplicons and long-read sequencing. *BioRxiv*, 2023.2007.2017.549274. doi:10.1101/2023.07.17.549274

- Su, G., Lehmann, M. F., Tischer, J., Weber, Y., Lepori, F., Walser, J.-C., . . . Zopfi, J. (2023). Water column dynamics control nitrite-dependent anaerobic methane oxidation by *Candidatus "Methylomirabilis"* in stratified lake basins. *The ISME Journal*, 17(5), 693-702. doi:10.1038/s41396-023-01382-4
- Treindl, A. D., Stapley, J., Croll, D., & Leuchtmann, A. (2023). Two-speed genomes of fungal pathogens show contrasting signatures of selection between species and across populations. *Molecular Ecology*. doi:10.1111/mec.17242
- Treindl, A. D., Stapley, J., & Leuchtmann, A. (2023). Genetic diversity and population structure of fungal pathogens of plants in natural ecosystems. *Frontiers in Ecology and Evolution*, 11. doi: 10.3389/fevo.2023.1129867
- Vilcot, M., Albouy, C., Donati, G. F. A., Claverie, T., Julius, P., Manel, S., . . . Leprieur, F. (2023). Spatial genetic differentiation correlates with species assemblage turnover across tropical reef fish lineages. *Global Ecology and Biogeography*, 32(4), 535-547. doi:<https://doi.org/10.1111/geb.13637>
- Voisin, A. S., Fasel, M., Beauvais, R., Kienle, C., Ferrari, B., & Werner, I. (2023). Biomarqueurs moléculaires. Application pour la surveillance de la qualité de l'eau avec la truite de rivière. *Aqua & Gas*, 103(4), 42-48. doi: <https://www.dora.lib4ri.ch/eawag/islandora/object/eawag:30479>
- Wittwer, S., Gerber, L., Allen, S. J., Willems, E. P., Marfurt, S. M., & Krützen, M. (2023). Reconstructing the colonization history of Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) in Northwestern Australia. *Molecular Ecology*, 32(14), 3826-3841. doi:<https://doi.org/10.1111/mec.16984>
- Zünd, J. N., Plüss, S., Mujezinovic, D., Menzi, C., Bieberstein, P. R. v., Wouters, T. d., . . . Pugin, B. (2023). A flexible high-throughput cultivation protocol to assess the response of individuals' gut microbiota to diet-, drug-, and host-related factors. *BioRxiv*, 2023. doi:10.1101/2023.07.11.548549

2022

- Allen, J. L., & Scheidegger, C. (2022). Short Communication: Co-occurring *Lobaria pulmonaria* and *Ricasolia quercizans* share green algal photobionts: Consequences for conservation. *The Bryologist*, 125(2), 219-221, 213.
- Athanasiakoglou, A., & Fenner, K. (2022). Toward Characterizing the Genetic Basis of Trace Organic Contaminant Biotransformation in Activated Sludge: The Role of Multicopper Oxidases as a Case Study. *Environmental Science & Technology*, 56(1), 313-324. doi:10.1021/acs.est.1c05803
- Barrièreau, S. M., Schmid-Hempel, P., Walser, J.-C., Zoller, S., Berchtold, M., Schmid-Hempel, R., & Zemp, N. (2022). Genetic variation and microbiota in bumble bees cross-infected by different strains of *C. bombi*. *Plos One*, 17(11), e0277041. doi:10.1371/journal.pone.0277041
- Baumann, K. B. L., Thoma, R., Callbeck, C. M., Niederdorfer, R., Schubert, C. J., Muller, B., . . . Burgmann, H. (2022). Microbial Nitrogen Transformation Potential in Sediments of Two Contrasting Lakes Is Spatially Structured but Seasonally Stable. *mSphere*, 7(1), e01013-01021. doi:10.1128/msphere.01013-21
- Benz, F., & Hall, A. R. (2022). Host-specific plasmid evolution explains the variable spread of clinical antibiotic-resistance plasmids. *BioRxiv*. doi:10.1101/2022.07.06.498992

- Bernasconi, A., Alassimone, J., McDonald, B. A., & Sanchez-Vallet, A. (2022). Asexual reproductive potential trumps virulence as a predictor of competitive ability in mixed infections. *Environmental Microbiology*, 24(9), 4369-4381. doi:10.1111/1462-2920.16018
- Blackman, R. C., Brantschen, J., Walser, J. C., Wuthrich, R., & Altermatt, F. (2022). Monitoring invasive alien macroinvertebrate species with environmental DNA. *River Research and Applications*, 38(8), 1400-1412. doi:10.1002/rra.3947
- Blackman, R. C., Ho, H. C., Walser, J. C., & Altermatt, F. (2022). Spatio-temporal patterns of multi-trophic biodiversity and food-web characteristics uncovered across a river catchment using environmental DNA. *Communications biology*, 5(1). doi:10.1038/s42003-022-03216-z
- Boluda, C. G., Christe, C., Naciri, Y., & Gautier, L. (2022). A 638-gene phylogeny supports the recognition of twice as many species in the Malagasy endemic genus Capurodendron (Sapotaceae). *Taxon*, 71(2), 360-395. doi:10.1002/tax.12676
- Borer, B., Kleyer, H., & Dani, O. (2022). Primary carbon sources and self-induced metabolic landscapes shape community structure in soil bacterial hotspots. *Soil Biology and Biochemistry*, 168, 108620. doi:10.1016/j.soilbio.2022.108620
- Brantschen, J., Pellissier, L., Walser, J.-C., & Altermatt, F. (2022). Evaluation of primer pairs for eDNA-based assessment of Ephemeroptera, Plecoptera, and Trichoptera across a biogeographically diverse region. *Environmental DNA*, 4, 1356-1368. doi:10.1002/edn3.342
- Carles, L., Wullschleger, S., Joss, A., Eggen, R., Schirmer, K., Schuwirth, N., . . . Tlili, A. (2022). Wastewater microorganisms impact microbial diversity and important ecological functions of stream periphyton. *Water Research*, 225. doi:10.1016/j.watres.2022.119119
- Cilingir, F. G., A'Bear, L., Hansen, D., Davis, L. F., Bunbury, N., Ozgul, A., . . . Grossen, C. (2022). Chromosome-level genome assembly for the Aldabra giant tortoise enables insights into the genetic health of a threatened population. *GigaScience*(11), 1-14. doi:DOI: 10.1093/gigascience/giac090
- Cilingir, F. G., Hansen, D., Bunbury, N., Postma, E., Baxter, R., Turnbull, L. A., . . . Grossen, C. (2022). Low-coverage reduced representation sequencing reveals subtle within-island genetic structure in Aldabra giant tortoises. *Ecology and Evolution*, 12, e8739. doi:10.1002/ece3.8739
- Crameri, S., Fior, S., Zoller, S., & Widmer, A. (2022). A target capture approach for phylogenomic analyses at multiple evolutionary timescales in rosewoods (*Dalbergia* spp.) and the legume family (Fabaceae). *Molecular Ecology Resources*, 22(8), 3087-3105. doi:10.1111/1755-0998.13666
- De-Kayne, R., Selz, O. M., Marques, D. A., Frei, D., Seehausen, O., & Feulner, P. G. D. (2022a). Genomic architecture of adaptive radiation and hybridization in Alpine whitefish. *Nature Communications*, 13(1), ARTN 4479. doi:10.1038/s41467-022-32181-8
- De-Kayne, R., Selz, O. M., Marques, D. A., Frei, D., Seehausen, O., & Feulner, P. G. D. (2022b). Hybridization and a mixture of small and large-effect loci facilitate adaptive radiation. *BioRxiv*. doi:10.1101/2022.02.18.481029
- Deng, L., Meile, C., Fiskal, A., Bölsterli, D., Han, X., Gajendra, N., . . . Lever, M. A. (2022). Deposit-feeding worms control subsurface ecosystem functioning in intertidal sediment with strong physical forcing. *PNAS Nexus*, 1(4). doi:10.1093/pnasnexus/pgac146

- Dolinšek, J., Ramoneda, J., & Johnson, D. R. (2022). Initial community composition determines the long-term dynamics of a microbial cross-feeding interaction by modulating niche availability. *ISME Communications*, 2(1), 77. doi:10.1038/s43705-022-00160-1
- Dreier, M., Meola, M., Berthoud, H., Shani, N., Wechsler, D., & Junier, P. (2022). High-throughput qPCR and 16S rRNA gene amplicon sequencing as complementary methods for the investigation of the cheese microbiota. *Bmc Microbiology*, 22(1). doi:10.1186/s12866-022-02451-y
- Dukic, M., & Bomblies, K. (2022). Male and female recombination landscapes of diploid *Arabidopsis arenosa*. *Genetics*, 220(3), iyab236. doi:10.1093/genetics/iyab236
- Edlinger, A., Garland, G., Hartman, K., Banerjee, S., Degrune, F., García-Palacios, P., . . . van der Heijden, M. G. A. (2022). Agricultural management and pesticide use reduce the functioning of beneficial plant symbionts. *Nature Ecology & Evolution*, 6(8), 1145-1154. doi:10.1038/s41559-022-01799-8
- Fark, S. N., Gerber, S., Alonso, S. H., Kindsvater, H. K., Meier, J. I., & Seehausen, O. (2022). Multispecies colour polymorphisms associated with contrasting microhabitats in two Mediterranean wrasse radiations. *Journal of Evolutionary Biology*, 35(4), 633-647. doi:10.1111/jeb.13999
- Faust, V., van Aken, T. A., Op den Camp, H. J. M., Vlaeminck, S. E., Ganigue, R., Boon, N., & Udert, K. M. (2022). Ammonia oxidation by novel ?Candidatus Nitrosacidococcus urinae? is sensitive to process disturbances at low pH and to iron limitation at neutral pH. *Water Research X*, 17, ARTN 100157. doi:10.1016/j.wroa.2022.100157
- Feijen, F., Zajac, N., Vorburger, C., Blasco-Costa, I., & Jokela, J. (2022). Phylogeography and cryptic species structure of a locally adapted parasite in New Zealand. *Molecular Ecology*, 31(15), 4112-4126. doi:10.1111/mec.16570
- Feller, A. F., & Seehausen, O. (2022). Genetic architecture of adaptive radiation across two trophic levels. *Proceedings of the Royal Society B: Biological Sciences*, 289(1974), ARTN 20220377. doi:10.1098/rspb.2022.0377
- Fink, S., Hoppler-Wiedmer, A., Zengerer, V., Egger, G., Schletterer, M., & Scheidegger, C. (2022). Gene flow in a pioneer plant metapopulation (*Myricaria germanica*) at the catchment scale in a fragmented alpine river system. *Scientific Reports*, 12(1), 8570. doi:10.1038/s41598-022-12172-x
- Flütsch, S., Horrer, D., & Santelia, D. (2022). Starch biosynthesis in guard cells has features of both autotrophic and heterotrophic tissues. *Plant Physiology*, kiac087. doi:10.1093/plphys/kiac087
- Frachon, L., Arrigo, L., Rusman, Q., Poveda, L., Qi, W., Scopece, G., & Schiestl, F. P. (2022). Genomic local adaptation of a generalist plant species to pollinator communities and abiotic factors. *BioRxiv*. doi:10.1101/2022.08.05.502924
- Franić, I., Prospero, S., Adamson, K., Allan, E., Attorre, F., Auger-Rozenberg, M. A., . . . Eschen, R. (2022). Worldwide diversity of endophytic fungi and insects associated with dormant tree twigs. *Scientific Data*, 9(1), 62. doi:10.1038/s41597-022-01162-3
- Frei, D., De-Kayne, R., Selz, O. M., Seehausen, O., & Feulner, P. G. D. (2022). Genomic variation from an extinct species is retained in the extant radiation following speciation reversal. *Nature Ecology & Evolution*, 6(4), 461-. doi:10.1038/s41559-022-01665-7
- Gardini, E. S., Schaub, S., Neuhauser, A., Ramseier, E., Villiger, A., Ehlert, U., . . . Turecki, G. (2022). Methylation of the glucocorticoid receptor promoter in children: Links with

- parents as teachers, early life stress, and behavior problems. *Development and Psychopathology*, 34(3), 810-822. doi:10.1017/S0954579420001984
- Gerber, L., Connor, R. C., Allen, S. J., Horlacher, K., King, S. L., Sherwin, W. B., . . . Krützen, M. (2022). Social integration influences fitness in allied male dolphins. *Current Biology*, 32(7), 1664-1669.e1663. doi:10.1016/j.cub.2022.03.027
- Gold, M., Fowles, T., Fernandez-Bayo, J. D., Miner, L. P., Zurbrugg, C., Nansen, C., . . . Mathys, A. (2022). Effects of rearing system and microbial inoculation on black soldier fly larvae growth and microbiota when reared on agri-food by-products. *Journal of Insects as Food and Feed*, 8(2), 113-127. doi:10.3920/Jiff2021.0038
- Grogg, D., Rohner, M., Yates, S., Manzanares, C., Bull, S. E., Dalton, S., . . . Broggini, G. A. L. (2022). Callus Induction from Diverse Explants and Genotypes Enables Robust Transformation of Perennial Ryegrass (*Lolium perenne* L.). *Plants-Basel*, 11(15). doi:10.3390/plants11152054
- Han, X., Tolu, J., Deng, L., Fiskal, A., Schubert, C. J., Winkel, L. H. E., & Lever, M. A. (2022). Long-term preservation of biomolecules in lake sediments: potential importance of physical shielding by recalcitrant cell walls. *PNAS Nexus*, 1(3). doi:10.1093/pnasnexus/pgac076
- Hepenstrick, D., Zemp, N., Widmer, A., & Holderegger, R. (2022). Neither connectivity nor genetic diversity matter in the conservation of a rare fern and a moss on insular erratic boulders. *Conservation Genetics*, 23(1), 193-209. doi:10.1007/s10592-021-01414-6
- Holzer, M., Mitrano, D. M., Carles, L., Wagner, B., & Tlili, A. (2022). Important ecological processes are affected by the accumulation and trophic transfer of nanoplastics in a freshwater periphyton-grazer food chain. *Environmental Science-Nano*, 9(8), 2990-3003. doi:10.1039/d2en00101b
- Hu, M. H., Reichholz, N., Xia, Y. M., Alvarez, L., Cao, X. B., Ma, S. L., . . . Isa, L. (2022). Multi-compartment supracapsules made from nano-containers towards programmable release. *Materials Horizons*, 9(6), 1641-1648. doi:10.1039/d2mh00135g
- Isenring, J., Stevens, M. J. A., Jans, C., Lacroix, C., & Geirnaert, A. (2022). Identification of Valerate as Carrying Capacity Modulator by Analyzing *Lactiplantibacillus plantarum* Colonization of Colonic Microbiota in vitro. *Frontiers in Microbiology*, 13, 910609. doi:10.3389/fmicb.2022.910609
- Karisto, P., Suffer, F., & Mikaberidze, A. (2022). Measuring Splash Dispersal of a Major Wheat Pathogen in the Field. *Phyto Frontiers*, 2(1). doi:10.1094/PHYTOFR-05-21-0039-R
- Keck, F., Hürlemann, S., Locher, N., Stamm, C., Deiner, K., & Altermatt, F. (2022). A triad of kicknet sampling, eDNA metabarcoding, and predictive modeling to assess aquatic macroinvertebrate biodiversity. *Metabarcoding and Metagenomics*, 6, 117-131. doi:10.3929/ethz-b-000578113
- Kersten, B., Rellstab, C., Schroeder, H., Brodbeck, S., Fladung, M., Krutovsky, K. V., & Gugerli, F. (2022). The mitochondrial genome sequence of *Abies alba* Mill. reveals a high structural and combinatorial variation. *Bmc Genomics*, 23(1), 776. doi:10.1186/s12864-022-08993-9
- Kessler, C., Brambilla, A., Waldvogel, D., Camenisch, G., Biebach, I., Leigh, D. M., . . . Croll, D. (2022). A robust sequencing assay of a thousand amplicons for the high-throughput population monitoring of Alpine ibex immunogenetics. *Molecular Ecology Resources*, 22(1), 66-85. doi:10.1111/1755-0998.13452
- Kundra, P., Geirnaert, A., Pugin, B., Martinez, P. M., Lacroix, C., & Greppi, A. (2022). Healthy adult gut microbiota sustains its own vitamin B12 requirement in an in vitro batch

- fermentation model. *Frontiers in Nutrition*, 9, ARTN 1070155. doi:10.3389/fnut.2022.1070155
- Lamprecht, O., Wagner, B., Derlon, N., & Tlili, A. (2022). Synthetic periphyton as a model system to understand species dynamics in complex microbial freshwater communities. *Npj Biofilms and Microbiomes*, 8(1), ARTN 61. doi:10.1038/s41522-022-00322-y
- Lee, J., Beck, K., & Burgmann, H. (2022). Wastewater bypass is a major temporary point-source of antibiotic resistance genes and multi-resistance risk factors in a Swiss river. *Water Research*, 208, ARTN 117827. doi:10.1016/j.watres.2021.117827
- Leuchtmann, A., & Schardl, C. L. (2022). Genetic Diversity of Epichloe Endophytes Associated with Brachypodium and Calamagrostis Host Grass Genera including Two New Species. *Journal of Fungi*, 8(10), ARTN 1086. doi:10.3390/jof8101086
- Lim, S. L., Flutsch, S., Liu, J. H., Distefano, L., Santelia, D., & Lim, B. L. (2022). Arabidopsis guard cell chloroplasts import cytosolic ATP for starch turnover and stomatal opening. *Nature Communications*, 13(1). doi:10.1038/s41467-022-28263-2
- Loera-Sanchez, M., Studer, B., & Kolliker, R. (2022). A multispecies amplicon sequencing approach for genetic diversity assessments in grassland plant species. *Molecular Ecology Resources*. doi:10.1111/1755-0998.13577
- Lori, M., Armengot, L., Schneider, M., Schneidewind, U., Bodenhausen, N., Mader, P., & Krause, H. M. (2022). Organic management enhances soil quality and drives microbial community diversity in cocoa production systems. *Science of The Total Environment*, 834, ARTN 155223. doi:10.1016/j.scitotenv.2022.155223
- Mehl, J. L., Earle, A., Mhlanga, M., Vogel, V., & Jain, N. (2022). Blockage of Lamin-A/C loss diminishes the pro-inflammatory macrophage response. *BioRxiv*. doi:10.1101/2022.02.22.481454
- Melhem, H., Kaya, B., Kaymak, T., Wuggenig, P., Flint, E., Roux, J., . . . Niess, J. H. (2022). Epithelial GPR35 protects from Citrobacter rodentium infection by preserving goblet cells and mucosal barrier integrity. *Mucosal Immunology*, 15(3), 443-458. doi:10.1038/s41385-022-00494-y
- Merbt, S. N., Kroll, A., Tamminen, M., Ruhs, P. A., Wagner, B., Sgier, L., . . . Behra, R. (2022). Influence of Microplastics on Microbial Structure, Function, and Mechanical Properties of Stream Periphyton. *Frontiers in Environmental Science*, 10, ARTN 928247. doi:10.3389/fenvs.2022.928247
- Monod, V., Hofstetter, V., Zufferey, V., Viret, O., Gindro, K., & Croll, D. (2022). Quantifying Trade-Offs in the Choice of Ribosomal Barcoding Markers for Fungal Amplicon Sequencing: a Case Study on the Grapevine Trunk Mycobiome. *Microbiology Spectrum*. doi:10.1128/spectrum.02513-22
- Mossion, V., Dauphin, B., Grant, J., Kessler, M., Zemp, N., & Croll, D. (2022). Transcriptome-wide SNPs for Botrychium lunaria ferns enable fine-grained analysis of ploidy and population structure. *Molecular Ecology Resources*, 22(1), 254-271. doi:10.1111/1755-0998.13478
- Muschick, M., Nikolaeva, E., Ruber, L., & Matschiner, M. (2022). The mitochondrial genome of the red icefish (*Channichthys rugosus*) casts doubt on its species status. *Polar Biology*, 45(10), 1541-1552. doi:10.1007/s00300-022-03083-8
- Neuzil-Bunesova, V., Ramirez Garcia, A., Modrakova, N., Makovska, M., Sabolova, M., Spröer, C., . . . Schwab, C. (2022). Feed Insects as a Reservoir of Granadaene-Producing Lactococci. *Frontiers in Microbiology*, 13. doi:10.3389/fmicb.2022.848490

- Perez-Mon, C., Stierli, B., Plotze, M., & Frey, B. (2022). Fast and persistent responses of alpine permafrost microbial communities to in situ warming. *Science of The Total Environment*, 807. doi:10.1016/j.scitotenv.2021.150720
- Plais, L., Lessing, A., Keller, M., Martinelli, A., Oehler, S., Bassi, G., . . . Scheuermann, J. (2022). Universal encoding of next generation DNA-encoded chemical libraries. *Chemical Science*, 13(4), 967-974. doi:10.1039/d1sc05721a
- Rajarajan, A., Wolinska, J., Walser, J. C., Mäder, M., & Spaak, P. (2022). Infection by a eukaryotic gut parasite in wild *Daphnia* sp. associates with a distinct bacterial community. *Fems Microbiology Ecology*, 98(10), fiac097. doi:10.1093/femsec/fiac097
- Resch, M. C., Schutz, M., Ochoa-Hueso, R., Buchmann, N., Frey, B., Graf, U., . . . Risch, A. C. (2022). Long-term recovery of above- and below-ground interactions in restored grasslands after topsoil removal and seed addition. *Journal of Applied Ecology*. doi:10.1111/1365-2664.14145
- Retel, C., Kowallik, V., Becks, L., & Feulner, P. G. D. (2022). Strong selection and high mutation supply characterize experimental Chlorovirus evolution. *Virus Evolution*, 8(1), ARTN veac003. doi:10.1093/ve/veac003
- Ryback, B., Bortfeld-Miller, M., & Vorholt, J. A. (2022). Metabolic adaptation to vitamin auxotrophy by leaf-associated bacteria. *The ISME Journal*, 16(12), 2712-2724. doi:10.1038/s41396-022-01303-x
- Schafer, M., Vogel, C. M., Bortfeld-Miller, M., Mittelviefhaus, M., & Vorholt, J. A. (2022). Mapping phyllosphere microbiota interactions in planta to establish genotype-phenotype relationships. *Nature Microbiology*, 7(6), 856-. doi:10.1038/s41564-022-01132-w
- Schmautz, Z., Walser, J. C., Espinal, C. A., Gartmann, F., Scott, B., Pothier, J. F., . . . Smits, T. H. M. (2022). Microbial diversity across compartments in an aquaponic system and its connection to the nitrogen cycle. *Science of The Total Environment*, 852, ARTN 158426. doi:10.1016/j.scitotenv.2022.158426
- Schoch, S. F., Castro-Mejía, J. L., Krych, L., Leng, B., Kot, W., Kohler, M., . . . Kurth, S. (2022). From Alpha Diversity to Zzz: Interactions among sleep, the brain, and gut microbiota in the first year of life. *Progress in Neurobiology*, 209, ARTN 102208. doi:10.1016/j.pneurobio.2021.102208
- Siegenthaler, M. B., Ramoneda, J., Frossard, E., & Meszaros, E. (2022). Microbial community responses to phosphorus and nitrogen inputs in the organic soil horizons of two contrasting temperate beech forests. *Applied Soil Ecology*, 172. doi:10.1016/j.apsoil.2021.104357
- Singh, N. K., Tralamazza, S. M., Abraham, L. N., Glauser, G., & Croll, D. (2022). Genome-wide association mapping reveals genes underlying population-level metabolome diversity in a fungal crop pathogen. *Bmc Biology*, 20(1), ARTN 224. doi:10.1186/s12915-022-01422-z
- Stauber, L., Croll, D., & Prospero, S. (2022). Temporal changes in pathogen diversity in a perennial plant-pathogen-hyperparasite system. *Molecular Ecology*, 31(7), 2073-2088. doi:10.1111/mec.16386
- Staubli, F., Imola, L., Dauphin, B., Molinier, V., Pfister, S., Piñuela, Y., . . . Peter, M. (2022). Hidden fairy rings and males—Genetic patterns of natural Burgundy truffle (*Tuber aestivum* Vittad.) populations reveal new insights into its life cycle. *Environmental Microbiology*, 24(12), 6376-6391. doi:10.1111/1462-2920.16131

- Stritt, C., Gimmi, E. L., Wyler, M., Bakali, A. H., Skalska, A., Hasterok, R., . . . Roulin, A. C. (2022). Migration without interbreeding: Evolutionary history of a highly selfing Mediterranean grass inferred from whole genomes. *Molecular Ecology*, 31(1), 70-85. doi:10.1111/mec.16207
- Su, G. Y., Zopfi, J., Niemann, H., & Lehmann, M. F. (2022). Multiple Groups of Methanotrophic Bacteria Mediate Methane Oxidation in Anoxic Lake Sediments. *Frontiers in Microbiology*, 13, ARTN 864630. doi:10.3389/fmicb.2022.864630
- Tamminen, M., Spaak, J., Tlili, A., Eggen, R., Stamm, C., & Rasanen, K. (2022). Wastewater constituents impact biofilm microbial community in receiving streams. *Science of The Total Environment*, 807. doi:10.1016/j.scitotenv.2021.151080
- van Grinsven, S., Meier, D. V., Michel, A., Han, X., Schubert, C. J., & Lever, M. A. (2022). Redox Zone and Trophic State as Drivers of Methane-Oxidizing Bacterial Abundance and Community Structure in Lake Sediments. *Frontiers in Environmental Science*, 10. doi:10.3389/fenvs.2022.857358
- van Rijssel, J. C., Moser, F. N., Mwaiko, S., & Seehausen, O. (2022). Strong species structure but weak geographical structure in demersal Lake Victoria cichlids. *Ecology and Evolution*, 12(12), e9669. doi:10.1002/ece3.9669
- Visakorpi, K., Block, S., Pellissier, L., Levine, J., & Alexander, J. (2022). Plant water use strategy determines winners and losers under climate change. *Authorea*. doi:10.22541/au.164240774.49836932/v1
- Visakorpi, K., Block, S., Pellissier, L., Levine, J. M., & Alexander, J. (2022). Eco-physiological and morphological traits explain alpine plant species' response to warming. *Functional Ecology*. doi:10.1111/1365-2435.14228

2021

- Adamczyk, M., Rüthi, J., & Frey, B. (2021). Root exudates increase soil respiration and alter microbial community structure in alpine permafrost and active layer soils. *Environmental Microbiology*. doi:10.1111/1462-2920.15383
- Allen, J. L., McMullin, R. T., Wiersma, Y. F., & Scheidegger, C. (2021). Population genetics and biogeography of the lungwort lichen in North America support distinct Eastern and Western gene pools. *American Journal of Botany*. doi:10.1002/ajb2.1774
- Alther, R., Fronhofer, E. A., & Altermatt, F. (2021). Dispersal behaviour and riverine network connectivity shape the genetic diversity of freshwater amphipod metapopulations. *Molecular Ecology*, 30(24), 6551-6565. doi:10.1111/mec.16201
- Asare, P. T., Greppi, A., Pennacchia, A., Brenig, K., Geirnaert, A., Schwab, C., . . . Lacroix, C. (2021). In vitro Modeling of Chicken Cecal Microbiota Ecology and Metabolism Using the PolyFermS Platform. *Frontiers in Microbiology*, 12. doi:10.3389/fmicb.2021.780092
- Barrett, L. G., Zala, M., Mikaberidze, A., Alassimone, J., Ahmad, M., McDonald, B. A., & Sanchez-Vallet, A. (2021). Mixed infections alter transmission potential in a fungal plant pathogen. *Environmental Microbiology*, 23(4), 2315-2330. doi:10.1111/1462-2920.15417
- Baumgartner, M., Pfrunder-Cardozo, K. R., & Hall, A. R. (2021). Microbial community composition interacts with local abiotic conditions to drive colonization resistance in human gut microbiome samples. *Proceedings of the Royal Society B-Biological Sciences*, 288(1947). doi:10.1098/rspb.2020.3106

- Boluda, C. G., Rico, V. J., Naciri, Y., Hawksworth, D. L., & Scheidegger, C. (2021). Phylogeographic reconstructions can be biased by ancestral shared alleles: The case of the polymorphic lichen *Bryoria fuscescens* in Europe and North Africa. *Molecular Ecology*, 30(19), 4845-4865. doi:10.1111/mec.16078
- Brantschen, J., Blackman, R. C., Walser, J. C., & Altermatt, F. (2021). Environmental DNA gives comparable results to morphology-based indices of macroinvertebrates in a large-scale ecological assessment. *Plos One*, 16(9). doi:10.1371/journal.pone.0257510
- Buntgen, U., Peter, M., Tegel, W., Stobbe, U., Elburg, R., Sproll, L., . . . Egli, S. (2021). Eco-archaeological excavation techniques reveal snapshots of subterranean truffle growth. *Fungal Biology*, 125(12), 951-961. doi:10.1016/j.funbio.2021.09.001
- Cadot, S., Gfeller, V., Hu, L. F., Singh, N., Sanchez-Vallet, A., Glauser, G., . . . Schlaepi, K. (2021). Soil composition and plant genotype determine benzoxazinoid-mediated plant-soil feedbacks in cereals. *Plant Cell and Environment*, 44(12), 3502-3514. doi:10.1111/pce.14184
- Cadot, S., Guan, H., Bigalke, M., Walser, J. C., Jander, G., Erb, M., . . . Schlaepi, K. (2021). Specific and conserved patterns of microbiota-structuring by maize benzoxazinoids in the field. *Microbiome*, 9(1). doi:10.1186/s40168-021-01049-2
- Carles, L., Wullschleger, S., Joss, A., Eggen, R. I. L., Schirmer, K., Schuwirth, N., . . . Tlili, A. (2021). Impact of wastewater on the microbial diversity of periphyton and its tolerance to micropollutants in an engineered flow-through channel system. *Water Research*, 203. doi:10.1016/j.watres.2021.117486
- Chalifour, A., Walser, J. C., Pomati, F., & Fenner, K. (2021). Temperature, phytoplankton density and bacteria diversity drive the biotransformation of micropollutants in a lake ecosystem. *Water Research*, 202. doi:10.1016/j.watres.2021.117412
- Chen, H., Jarosch, K. A., Mészáros, É., Frossard, E., Zhao, X., & Oberson, A. (2021). Repeated drying and rewetting differently affect abiotic and biotic soil phosphorus (P) dynamics in a sandy soil: A 33P soil incubation study. *Soil Biology and Biochemistry*, 153, 108079. doi:10.1016/j.soilbio.2020.108079
- Chiriboga-Arroyo, F., Jansen, M., Bardales-Lozano, R., Ismail, S. A., Thomas, E., Garcia, M., . . . Kettle, C. J. (2021). Genetic threats to the Forest Giants of the Amazon: Habitat degradation effects on the socio-economically important Brazil nut tree (*Bertholletia excelsa*). *Plants People Planet*, 3(2), 194-210. doi:10.1002/ppp3.10166
- Christe, C., Boluda, C. G., Koubanova, D., Gautier, L., & Naciri, Y. (2021). New genetic markers for Sapotaceae phylogenomics: More than 600 nuclear genes applicable from family to population levels. *Molecular Phylogenetics and Evolution*, 160. doi:10.1016/j.ympev.2021.107123
- Cilingir, F. G., Hansen, D., Ozgul, A., & Grossen, C. (2021). Design of SNP markers for Aldabra giant tortoises using low coverage ddRAD-seq. *Conservation Genetics Resources*, 13(4), 409-412. doi:10.1007/s12686-021-01225-4
- Cornejo, C., Hisano, S., Braganca, H., Suzuki, N., & Rigling, D. (2021). A New Double-Stranded RNA Mycovirus in *Cryphonectria nateriae* Is Able to Cross the Species Barrier and Is Deleterious to a New Host. *Journal of Fungi*, 7(10). doi:10.3390/jof7100861
- Croll, D., Crous, P. W., Pereira, D., Mordecai, E. A., McDonald, B. A., & Brunner, P. C. (2021). Genome-scale phylogenies reveal relationships among Parastagonospora species infecting domesticated and wild grasses. *Persoonia*, 46, 116-128. doi:10.3767/persoonia.2021.46.04

- Dauphin, B., Rellstab, C., Schmid, M., Zoller, S., Karger, D. N., Brodbeck, S., . . . Gugerli, F. (2021). Genomic vulnerability to rapid climate warming in a tree species with a long generation time. *Global Change Biology*, 27(6), 1181-1195. doi:10.1111/gcb.15469
- Donati, G. F. A., Zemp, N., Manel, S., Poirier, M., Claverie, T., Ferraton, F., . . . Pellissier, L. (2021). Species ecology explains the spatial components of genetic diversity in tropical reef fishes. *Proceedings of the Royal Society B-Biological Sciences*, 288(1959). doi:10.1098/rspb.2021.1574
- Donhauser, J., Qi, W. H., Bergk-Pinto, B., & Frey, B. (2021). High temperatures enhance the microbial genetic potential to recycle C and N from necromass in high-mountain soils. *Global Change Biology*, 27(7), 1365-1386. doi:10.1111/gcb.15492
- Dreier, M., Berthoud, H., Shani, N., Wechsler, D., & Junier, P. (2021). Development of a High-Throughput Microfluidic qPCR System for the Quantitative Determination of Quality-Relevant Bacteria in Cheese. *Frontiers in Microbiology*, 11(3391). doi:10.3389/fmicb.2020.619166
- Dreier, M., & Wechsler, D. (2021). High-throughput Quantification of Cheese Bacteria. *Chimia*, 75(6), 550-550. doi:10.2533/chimia.2021.550
- Feller, A. F., Ogi, V., Seehausen, O., & Meier, J. I. (2021). Identification of a novel sex determining chromosome in cichlid fishes that acts as XY or ZW in different lineages. *Hydrobiologia*, 848(16), 3727-3745. doi:10.1007/s10750-021-04560-7
- Felmy, A., Streiff, A., & Jokela, J. (2021). Cryptic individual-level variation in propensity for selfing in a hermaphroditic snail. *BioRxiv*. doi:10.1101/2021.10.27.466132
- Fiskal, A., Anthamatten, E., Deng, L. H., Han, X. G., Lagostina, L., Michel, A., . . . Lever, M. A. (2021). Carbon sources of benthic fauna in temperate lakes across multiple trophic states. *Biogeosciences*, 18(14), 4369-4388. doi:10.5194/bg-18-4369-2021
- Fiskal, A., Gaillard, A., Giroud, S., Dejan, M., Joshi, P., Sander, M., . . . Lever, M. A. (2021). Effects of Macrofaunal Recolonization on Biogeochemical Processes and Microbiota—A Mesocosm Study. *Water*, 13(11), 1599. doi:10.3390/w13111599
- Florez-Rueda, A. M., Fiscalini, F., Roth, M., Grossniklaus, U., & Stadler, T. (2021). Endosperm and Seed Transcriptomes Reveal Possible Roles for Small RNA Pathways in Wild Tomato Hybrid Seed Failure. *Genome Biology and Evolution*, 13(8). doi:10.1093/gbe/evab107
- Florez-Rueda, A. M., Scharmann, M., Roth, M., & Stadler, T. (2021). Population Genomics of the "Arcanum" Species Group in Wild Tomatoes: Evidence for Separate Origins of Two Self-Compatible Lineages. *Frontiers in Plant Science*, 12. doi:10.3389/fpls.2021.624442
- Frey, B., Walther, L., Perez-Mon, C., Stierli, B., Kochli, R., Dharmarajah, A., & Brunner, I. (2021). Deep Soil Layers of Drought-Exposed Forests Harbor Poorly Known Bacterial and Fungal Communities. *Frontiers in Microbiology*, 12. doi:10.3389/fmicb.2021.674160
- Gallarotti, N., Barthel, M., Verhoeven, E., Pereira, E. I. P., Bauters, M., Baumgartner, S., . . . Six, J. (2021). In-depth analysis of N₂O fluxes in tropical forest soils of the Congo Basin combining isotope and functional gene analysis. *Isme Journal*, 15(11), 3357-3374. doi:10.1038/s41396-021-01004-x
- Garcia, A. R., Zhang, J. B., Greppi, A., Constancias, F., Wortmann, E., Wandres, M., . . . Schwab, C. (2021). Impact of manipulation of glycerol/diol dehydratase activity on intestinal microbiota ecology and metabolism. *Environmental Microbiology*, 23(3), 1765-1779. doi:10.1111/1462-2920.15431

- Goldschmidt, F., Caduff, L., & Johnson, D. R. (2021). Causes and consequences of pattern diversification in a spatially self-organizing microbial community. *Isme Journal*, 15(8), 2415-2426. doi:10.1038/s41396-021-00942-w
- Gruber, W., Niederdorfer, R., Ringwald, J., Morgenroth, E., Burgmann, H., & Joss, A. (2021). Linking seasonal N₂O emissions and nitrification failures to microbial dynamics in a SBR wastewater treatment plant. *Water Research X*, 11. doi:10.1016/j.wroa.2021.100098
- Gruenig, S., Fischer, M. C., & Parisod, C. (2021). Recent hybrid speciation at the origin of the narrow endemic Pulmonaria helvetica. *Annals of Botany*, 127, 21-31.
- Hagen, T., Laski, A., Brummer, A., Pruska, A., Schlosser, V., Clery, A., . . . Hall, J. (2021). Inosine Substitutions in RNA Activate Latent G-Quadruplexes. *Journal of the American Chemical Society*, 143(37), 15120-15130. doi:10.1021/jacs.1c05214
- HaoChen, H., Jarosch, K. A., Mészáros, E., Frossard, E., Zhao, X., & Oberson, A. (2021). Repeated drying and rewetting differently affect abiotic and biotic soil phosphorus (P) dynamics in a sandy soil: A 33P soil incubation study. *Soil Biology and Biochemistry*, 153, 108079. doi:10.1016/j.soilbio.2020.108079
- Isenring J., Geirnaert A., Hall A.R., Jans C., Lacroix C., & M.J.A., S. (2021). In Vitro Gut Modeling as a Tool for Adaptive Evolutionary Engineering of *Lactiplantibacillus plantarum*. *mSystems*, 13((2)), e01085-01020. doi:10.1128/mSystems.01085-20
- Kaech, H., Dennis, A. B., & Vorburger, C. (2021). Triple RNA-Seq characterizes aphid gene expression in response to infection with unequally virulent strains of the endosymbiont *Hamiltonella defensa*. *Bmc Genomics*, 22(1). doi:10.1186/s12864-021-07742-8
- Kleyer, H., Tecon, R., & Or, D. (2021). Bacterial community response to species overrepresentation or omission is strongly influenced by life in spatially structured habitats. *BioRxiv*. doi:10.1101/2021.12.01.470875
- Lee, J., Ju, F., Maile-Moskowitz, A., Beck, K., Maccagnan, A., McArdell, C. S., . . . Burgmann, H. (2021). Unraveling the riverine antibiotic resistome: The downstream fate of anthropogenic inputs. *Water Research*, 197. doi:10.1016/j.watres.2021.117050
- Leigh, D. M., Lischer, H. E. L., Guillaume, F., Grossen, C., & Gunther, T. (2021). Disentangling adaptation from drift in bottlenecked and reintroduced populations of Alpine ibex. *Molecular Ecology Resources*, 21(7), 2350-2363. doi:10.1111/1755-0998.13442
- Letten, A. D., Baumgartner, M., Pfrunder-Cardozo, K. R., Levine, J. M., & Hall, A. R. (2021). Human-associated microbiota suppress invading bacteria even under disruption by antibiotics. *Isme Journal*, 15(9), 2809-2812. doi:10.1038/s41396-021-00929-7
- Lohn, A. F., Trtikova, M., Chapela, I., Binimelis, R., & Hilbeck, A. (2021). Transgene behavior in genetically modified teosinte hybrid plants: transcriptome expression, insecticidal protein production and bioactivity against a target insect pest. *Environmental Sciences Europe*, 33(1). doi:10.1186/s12302-021-00506-x
- Longepierre, M., Widmer, F., Keller, T., Weisskopf, P., Colombi, T., Six, J., & Hartman, M. (2021). Limited resilience of the soil microbiome to mechanical compaction within four growing seasons of agricultural management. *ISME Communication*, 1(44). doi:10.1038/s43705-021-00046-8
- Lucek, K., & Willi, Y. (2021). Drivers of linkage disequilibrium across a species' geographic range. *Plos Genetics*, 17(3). doi:10.1371/journal.pgen.1009477

- Luqman, H., Widmer, A., Fior, S., & Wegmann, D. (2021). Identifying loci under selection via explicit demographic models. *Molecular Ecology Resources*, 21(8), 2719-2737. doi:10.1111/1755-0998.13415
- Machler, E., Salyani, A., Walser, J. C., Larsen, A., Schaeffli, B., Altermatt, F., & Ceperley, N. (2021). Environmental DNA simultaneously informs hydrological and biodiversity characterization of an Alpine catchment. *Hydrology and Earth System Sciences*, 25(2), 735-753. doi:10.5194/hess-25-735-2021
- Machler, E., Walser, J. C., & Altermatt, F. (2021). Decision-making and best practices for taxonomy-free environmental DNA metabarcoding in biomonitoring using Hill numbers. *Molecular Ecology*, 30(13), 3326-3339. doi:10.1111/mec.15725
- Marques, D. A., Lucek, K., Sousa, V. C., Excoffier, L., & Seehausen, O. (2021). Reply to “Re-evaluating the evidence for facilitation of stickleback speciation by admixture in the Lake Constance basin”. *Nature Communications*, 12, 2807. doi:10.1038/s41467-021-23096-x
- Massoni, J., Bortfeld-Miller, M., Widmer, A., & Vorholt, J. A. (2021). Capacity of soil bacteria to reach the phyllosphere and convergence of floral communities despite soil microbiota variation. *Proceedings of the National Academy of Sciences of the United States of America*, 118(41). doi:10.1073/pnas.2100150118|1of11
- Menna, A., Dora, S., Sancho-Andres, G., Kashyap, A., Meena, M. K., Sklodowski, K., . . . Sanchez-Rodriguez, C. (2021). A primary cell wall cellulose-dependent defense mechanism against vascular pathogens revealed by time-resolved dual transcriptomics. *Bmc Biology*, 19(1). doi:10.1186/s12915-021-01100-6
- Mittelstrass, J., Sperone, F. G., & Horton, M. W. (2021). Using transects to disentangle the environmental drivers of plant-microbiome assembly. *Plant Cell and Environment*, 44(12), 3515-3525. doi:10.1111/pce.14190
- Monchamp, M. E., Bruel, R., Frossard, V., McGowan, S., Lavrieux, M., Muschick, M., . . . Dubois, N. (2021). Paleoecological evidence for a multi-trophic regime shift in a perialpine lake (Lake Joux, Switzerland). *Anthropocene*, 35. doi:10.1016/j.ancene.2021.100301
- Moza, M. I., & Postolache, C. (2021). Optimized Protocol for Cyanobacterial 16S rRNA Analysis in Danube Delta Lakes. *BioRxiv*.
- Nickel, J., Tilman Schell, T., Holtzem, T., Thielsch, A., Dennis, S. R., Schlick-Steiner, B. C., . . . Cordellier, M. (2021). Hybridization Dynamics and Extensive Introgression in the *Daphnia longispina* Species Complex: New Insights from a High-Quality *Daphnia galeata* Reference Genome. *Genome Biology and Evolution*, 13(12), evab267.
- Niederdorfer, R., Hausherr, D., Palomo, A., Wei, J., Magyar, P., Smets, B. F., . . . Burgmann, H. (2021). Temperature modulates stress response in mainstream anammox reactors. *Communications biology*, 4(1). doi:10.1038/s42003-020-01534-8
- Oberhänsli, T., Dalbosco, A., Leschenne, V., Bohr, A., Buchleither, S., Tamm, L., . . . Patocchi, A. (2021). Multiplexed SSR marker analysis of *Diplocarpon coronariae* reveals clonality within samples from Middle Europe and genetic distance from Asian and North American isolates. *CABI Agriculture and Bioscience*, 2(21). doi:10.1186/s43170-021-00039-6
- Oggenfuss, U., Badet, T., Wicker, T., Hartmann, F. E., Singh, N. K., Abraham, L., . . . Croll, D. (2021). A population-level invasion by transposable elements triggers genome expansion in a fungal pathogen. *Elife*, 10. doi:10.7554/eLife.69249

- Olsthoorn, F., Sprong, H., Fonville, M., Rocchi, M., Medlock, J., Gilbert, L., & Ghazoul, J. (2021). Occurrence of tick-borne pathogens in questing *Ixodes ricinus* ticks from Wester Ross, Northwest Scotland. *Parasites & Vectors*, 14(1). doi:10.1186/s13071-021-04946-5
- Pereira, D., Oggeneffus, U., McDonald, B. A., & Croll, D. (2021). Population genomics of transposable element activation in the highly repressive genome of an agricultural pathogen. *Microbial Genomics*, 7(8). doi:10.1099/mgen.0.000540
- Pfeilmeier, S., Petti, G. C., Bortfeld-Miller, M., Daniel, B., Field, C. M., Sunagawa, S., & Vorholt, J. A. (2021). The plant NADPH oxidase RBOHD is required for microbiota homeostasis in leaves. *Nature Microbiology*, 6(7), 852-. doi:10.1038/s41564-021-00929-5
- Pitteloud, C., Walser, J. C., Descombes, P., de Santana, C. N., Rasmann, S., & Pellissier, L. (2021). The structure of plant-herbivore interaction networks varies along elevational gradients in the European Alps. *Journal of Biogeography*, 48(2), 465-476. doi:10.1111/jbi.14014
- Polanco F., A., Richards, E., Flück, B., Valentini, A., Altermatt, F., Brosse, S., . . . Pellissier, L. (2021). Comparing the performance of 12S mitochondrial primers for fish environmental DNA across ecosystems. *Environmental DNA*, 3(6), 1113-1127.
- Ramoneda, J., Le Roux, J., Stadelmann, S., Frossard, E., Frey, B., & Gamper, H. A. (2021). Soil microbial community coalescence and fertilization interact to drive the functioning of the legume-rhizobium symbiosis. *Journal of Applied Ecology*, 58(11), 2590-2602. doi:10.1111/1365-2664.13995
- Reinula, I., Traeger, S., Hernandez-Agramonte, I. M., Helm, A., & Aavik, T. (2021). Landscape genetic analysis suggests stronger effects of past than current landscape structure on genetic patterns of *Primula veris*. *Diversity and Distributions*, 27(9), 1648-1662. doi:10.1111/ddi.13357
- Resch, M. C., Schutz, M., Buchmann, N., Frey, B., Graf, U., van der Putten, W. H., . . . Risch, A. C. (2021). Evaluating long-term success in grassland restoration: an ecosystem multifunctionality approach. *Ecological Applications*, 31(3). doi:10.1002/eap.2271
- Rick, J. A., Junker, J., Kimirei, I. A., Sweke, E. A., Mosille, J. B., Dinkel, C., . . . Wagner, C. E. (2021). The Genetic Population Structure of Lake Tanganyika's Lates Species Flock, an Endemic Radiation of Pelagic Top Predators. *Journal of Heredity*, 113(2), 145-159. doi:10.1093/jhered/esab072
- Rodriguez-Verdugo, A., & Ackermann, M. (2021). Rapid evolution destabilizes species interactions in a fluctuating environment. *Isme Journal*, 15(2), 450-460. doi:10.1038/s41396-020-00787-9
- Scharmann, M., Wistuba, A., & Widmer, A. (2021). Introgression is widespread in the radiation of carnivorous *Nepenthes* pitcher plants. *Molecular Phylogenetics and Evolution*, 163. doi:10.1016/j.ympev.2021.107214
- Schlatholter, I., Dalbosco, A., Meissle, M., Knauf, A., Dallemulle, A., Keller, B., . . . Patocchi, A. (2021). Low Outcrossing from an Apple Field Trial Protected with Nets. *Agronomy-Basel*, 11(9). doi:10.3390/agronomy11091754
- Schmid, M. W., van Moorsel, S. J., Hahl, T., De Luca, E., De Deyn, G. B., Wagg, C., . . . Schmid, B. (2021). Effects of plant community history, soil legacy and plant diversity on soil microbial communities. *Journal of Ecology*, 109(8), 3007-3023. doi:10.1111/1365-2745.13714
- Schmid-Hempel, P. (Ed.) (2021). *Evolutionary Parasitology* (second edition ed.): Oxford University Press.

- Seppala, O., Walser, J. C., Cereghetti, T., Seppala, K., Salo, T., & Adema, C. M. (2021). Transcriptome profiling of *Lymnaea stagnalis* (Gastropoda) for ecoimmunological research. *Bmc Genomics*, 22(1). doi:10.1186/s12864-021-07428-1
- Sharda, S., Zuest, T., Erb, M., & Taborsky, B. (2021). Predator-induced maternal effects determine adaptive antipredator behaviors via egg composition. *Proceedings of the National Academy of Sciences of the United States of America*, 118(37). doi:10.1073/pnas.2017063118
- Singh, N. K., Karisto, P., & Croll, D. (2021). Population-level deep sequencing reveals the interplay of clonal and sexual reproduction in the fungal wheat pathogen *Zymoseptoria tritici*. *Microbial Genomics*, 7(10). doi:10.1099/mgen.0.000678
- Stauber, L., Badet, T., Feurtey, A., Prospero, S., & Croll, D. (2021). Emergence and diversification of a highly invasive chestnut pathogen lineage across southeastern Europe. *eLife*, 10. doi:10.7554/eLife.56279
- Stroheker, S., Dubach, V., Vogtli, I., & Sieber, T. N. (2021). Investigating Host Preference of Root Endophytes of Three European Tree Species, with a Focus on Members of the *Phialocephala fortinii*-*Acephala applanata* Species Complex (PAC). *Journal of Fungi*, 7(4). doi:10.3390/jof7040317
- Träger, S., Rellstab, C., Reinula, I., Zemp, N., Helm, A., Holderegger, R., & Aavik, T. (2021). The effect of recent habitat change on genetic diversity at putatively adaptive and neutral loci in *Primula veris* in semi-natural grasslands. *BioRxiv*. doi:10.1101/2021.05.12.442254
- Treindl, A. D., Stapley, J., Winter, D. J., Cox, M. P., & Leuchtmann, A. (2021). Chromosome-level genomes provide insights into genome evolution, organization and size in *Epichloe* fungi. *Genomics*, 113(6), 4267-4275. doi:10.1016/j.ygeno.2021.11.009
- Ulrich, G. F., Zemp, N., Vorburger, C., & Boulain, H. (2021). Quantitative trait locus analysis of parasitoid counteradaptation to symbiont-conferred resistance. *Heredity*, 127(2), 219-232. doi:10.1038/s41437-021-00444-7
- van Grinsven, S., Oswald, K., Wehrli, B., Jegge, C., Zopfi, J., Lehmann, M. F., & Schubert, C. J. (2021). Methane oxidation in the waters of a humic-rich boreal lake stimulated by photosynthesis, nitrite, Fe(III) and humics. *Biogeosciences*, 18(10), 3087-3101. doi:10.5194/bg-18-3087-2021
- Vesga, P., Augustiny, E., Keel, C., Maurhofer, M., & Vacheron, J. (2021). Phylogenetically closely related pseudomonads isolated from arthropods exhibit differential insect-killing abilities and genetic variations in insecticidal factors. *Environmental Microbiology*, 23(9), 5378-5394. doi:10.1111/1462-2920.15623
- Werth, S., Meidl, P., & Scheidegger, C. (2021). Deep divergence between island populations in lichenized fungi. *Scientific Reports*, 11(1). doi:10.1038/s41598-021-86448-z
- Woellner, R., Scheidegger, C., & Fink, S. (2021). Gene flow in a highly dynamic habitat and a single founder event: Proof from a plant population on a relocated river site. *Global Ecology and Conservation*, 28. doi:10.1016/j.gecco.2021.e01686
- Zajac, N., Zoller, S., Seppala, K., Moi, D., Dessimoz, C., Jokela, J., . . . Glover, N. (2021). Gene Duplication and Gain in the Trematode *Atrichophalophorus winterbourni* Contributes to Adaptation to Parasitism. *Genome Biology and Evolution*, 13(3). doi:10.1093/gbe/evab010

- Abraham, P. E., Castano, N. H., Cowan-Turner, D., Barnes, J., Poudel, S., Hettich, R., . . . Borland, A. M. (2020). Peeling back the layers of crassulacean acid metabolism: functional differentiation between *Kalanchoe fedtschenkoi* epidermis and mesophyll proteomes. *Plant Journal*, 103(2), 869-888. doi:10.1111/tpj.14757
- Achermann, S., Mansfeldt, C. B., Muller, M., Johnson, D. R., & Fenner, K. (2020). Relating Metatranscriptomic Profiles to the Micropollutant Biotransformation Potential of Complex Microbial Communities. *Environmental Science & Technology*, 54(1), 235-244. doi:10.1021/acs.est.9b05421
- Appert, O., Garcia, A. R., Frei, R., Roduit, C., Constancias, F., Neuzil-Bunesova, V., . . . Lauener, R. (2020). Initial butyrate producers during infant gut microbiota development are endospore formers. *Environmental Microbiology*, 22(9), 3909-3921.
- Arraiano-Castilho, R., Bidartondo, M., Niskanen, T., Zimmermann, S., Frey, B., Brunner, I., . . . Suz, L. (2020). Plant-fungal interactions in hybrid zones: Ectomycorrhizal communities of willows (*Salix*) in an alpine glacier forefield. *Fungal Ecology*, 45, 100936.
- Arraiano-Castilho, R., Bidartondo, M. I., Niskanen, T., Clarkson, J. J., Brunner, I., Zimmermann, S., . . . Mrak, T. (2020). Habitat specialisation controls ectomycorrhizal fungi above the treeline in the European Alps. *New Phytologist*.
- Badet, T., Oggenfuss, U., Abraham, L., McDonald, B. A., & Croll, D. (2020). A 19-isolate reference-quality global pan-genome for the fungal wheat pathogen *Zymoseptoria tritici*. *Bmc Biology*, 18(1). doi:10.1186/s12915-020-0744-3
- Baumgartner, M., Bayer, F., Pfrunder-Cardozo, K. R., Buckling, A., & Hall, A. R. (2020). Resident microbial communities inhibit growth and antibiotic-resistance evolution of *Escherichia coli* in human gut microbiome samples. *Plos Biology*, 18(4). doi:10.1371/journal.pbio.3000465
- Bernhardt, J. R., Kratina, P., Pereira, A. L., Tamminen, M., Thomas, M. K., & Narwani, A. (2020). The evolution of competitive ability for essential resources. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 375(1798), 20190247. doi:10.1098/rstb.2019.0247
- Bircher, L., Schwab, C., Geirnaert, A., Greppi, A., & Lacroix, C. (2020). Planktonic and Sessile Artificial Colonic Microbiota Harbor Distinct Composition and Reestablish Differently upon Frozen and Freeze-Dried Long-Term Storage. *mSystems*, 5(1). doi:10.1128/mSystems.00521-19
- Bongiorno, G. (2020). Novel soil quality indicators for the evaluation of agricultural management practices: a biological perspective. *Frontiers of Agricultural Science and Engineering*, 7(3), 257-274.
- Brantschen, J., Gygax, S., Mestrot, A., & Frossard, A. (2020). Soil Hg Contamination Impact on Earthworms' Gut Microbiome. *Applied Sciences*, 10(7), 2565. doi:10.3390/app10072565
- Cadot, S., Guan, H., Bigalke, M., Walser, J.-C., Jander, G., Erb, M., . . . Schlaeppi, K. (2020). Specific and conserved patterns of microbiota-structuring by maize benzoxazinoids in the field. *BioRxiv*. doi:10.1101/2020.05.03.075135
- Carraro, L., Machler, E., Wuthrich, R., & Altermatt, F. (2020). Environmental DNA allows upscaling spatial patterns of biodiversity in freshwater ecosystems. *Nature Communications*, 11(1). doi:10.1038/s41467-020-17337-8
- Cumagun, C. J. R., McDonald, B. A., Arakawa, M., Castroagudin, V. L., Sebbenn, A. M., & Ceresini, P. C. (2020). Population genetic structure of the sheath blight pathogen

- Rhizoctonia solani AG-1 IA from rice fields in China, Japan and the Philippines. *Acta Scientiarum-Agronomy*, 42. doi:10.4025/actasciagron.v42i1.42457
- Dauphin, B., Wuest, R. O., Brodbeck, S., Zoller, S., Fischer, M. C., Holderegger, R., . . . Rellstab, C. (2020). Disentangling the effects of geographic peripherality and habitat suitability on neutral and adaptive genetic variation in Swiss stone pine. *Molecular Ecology*, 29(11), 1972-1989. doi:10.1111/mec.15467
- De-Kayne, R., Zoller, S., & Feulner, P. G. D. (2020). A de novo chromosome-level genome assembly of Coregonus sp. "Balchen": One representative of the Swiss Alpine whitefish radiation. *Molecular Ecology Resources*, 20(4), 1093-1109. doi:10.1111/1755-0998.13187
- Degtjarenko, P., Mark, K., Moisejevs, R., Himelbrant, D., Stepanchikova, I., Tsurykau, A., . . . Scheidegger, C. (2020). Low genetic differentiation between apotheciate Usnea florida and sorediate Usnea subfloridana (Parmeliaceae, Ascomycota) based on microsatellite data. *Fungal Biology*, 124(10), 892-902. doi:10.1016/j.funbio.2020.07.007
- Deng, L. H., Bolsterli, D., Kristensen, E., Meile, C., Su, C. C., Bernasconi, S. M., . . . Lever, M. A. (2020). Macrofaunal control of microbial community structure in continental margin sediments. *Proceedings of the National Academy of Sciences of the United States of America*, 117(27), 15911-15922. doi:10.1073/pnas.1917494117
- Dennis, A. B., Ballesteros, G. I., Robin, S., Schrader, L., Bast, J., Berghofer, J., . . . Gadau, J. (2020). Functional insights from the GC-poor genomes of two aphid parasitoids, Aphidius ervi and Lysiphlebus fabarum. *Bmc Genomics*, 21(1). doi:10.1186/s12864-020-6764-0
- Descombes, P., Pitteloud, C., Glauser, G., Defossez, E., Kergunteuil, A., Allard, P.-M., . . . Pellissier, L. (2020). Novel trophic interactions under climate change promote alpine plant coexistence. *Science*, 370(6523), 1469-1473.
- Di Cesare, A., Dzhembekova, N., Cabello-Yeves, P. J., Eckert, E. M., Slabakova, V., Slabakova, N., . . . Salcher, M. M. (2020). Genomic Comparison and Spatial Distribution of Different Synechococcus Phylotypes in the Black Sea. *Frontiers in Microbiology*, 11, 1979.
- Donhauser, J., Niklaus, P. A., Rousk, J., Larose, C., & Frey, B. (2020). Temperatures beyond the community optimum promote the dominance of heat-adapted, fast growing and stress resistant bacteria in alpine soils. *Soil Biology and Biochemistry*, 148, 107873. doi:10.1016/j.soilbio.2020.107873
- Feller, A. F., Haesler, M. P., Peichel, C. L., & Seehausen, O. (2020). Genetic architecture of a key reproductive isolation trait differs between sympatric and non-sympatric sister species of Lake Victoria cichlids. *Proceedings of the Royal Society B-Biological Sciences*, 287(1924). doi:10.1098/rspb.2020.0270
- Feller, A. F., Selz, O. M., McGee, M. D., Meier, J. I., Mwaiko, S., & Seehausen, O. (2020). Rapid generation of ecologically relevant behavioral novelty in experimental cichlid hybrids. *Ecology and Evolution*, 10(14), 7445-7462. doi:10.1002/ece3.6471
- Flütsch, S., Nigro, A., Conci, F., Fajkus, J., Thalmann, M., Trtílek, M., . . . Santelia, D. (2020). Glucose uptake to guard cells via STP transporters provides carbon sources for stomatal opening and plant growth. *EMBO reports*, 21(8), e49719. doi:10.15252/embr.201949719
- Flutsch, S., Wang, Y. Z., Takemiya, A., Vialet-Chabrand, S. R. M., Klejchova, M., Nigro, A., . . . Santelia, D. (2020). Guard Cell Starch Degradation Yields Glucose for Rapid Stomatal Opening in Arabidopsis. *Plant Cell*, 32(7), 2325-2344. doi:10.1105/tpc.18.00802

- Fouche, S., Badet, T., Oggendorf, U., Plissonneau, C., Francisco, C. S., & Croll, D. (2020). Stress-Driven Transposable Element De-repression Dynamics and Virulence Evolution in a Fungal Pathogen. *Mol Biol Evol*, 37(1), 221-239. doi:10.1093/molbev/msz216
- Franic, I., Eschen, R., Allan, E., Hartmann, M., Schneider, S., & Prospero, S. (2020). Drivers of richness and community composition of fungal endophytes of tree seeds. *Fems Microbiology Ecology*, 96(9). doi:10.1093/femsec/fiaa166
- Frey, B., Carnol, M., Dharmarajah, A., Brunner, I., & Schleppi, P. (2020). Only Minor Changes in the Soil Microbiome of a Sub-alpine Forest After 20 Years of Moderately Increased Nitrogen Loads. *Frontiers in Forests and Global Change*, 3, 77.
- Furano, A. V., Jones, C. E., Periwal, V., Callahan, K. E., Walser, J.-C., & Cook, P. R. (2020). Cryptic genetic variation enhances primate L1 retrotransposon survival by enlarging the functional coiled coil sequence space of ORF1p. *Plos Genetics*, 16(8), e1008991.
- Gardini, E. S., Chen, G. G., Fiacco, S., Mernone, L., Willi, J., Turecki, G., & Ehlert, U. (2020). Differential ESR1 Promoter Methylation in the Peripheral Blood-Findings from the Women 40+Healthy Aging Study. *International Journal of Molecular Sciences*, 21(10). doi:10.3390/ijms21103654
- Gardini, E. S., Fiacco, S., Mernone, L., & Ehlert, U. (2020). Sleep and Methylation of Estrogen Receptor Genes, ESR1 and GPER, in Healthy Middle-Aged and Older Women: Findings from the Women 40+Healthy Aging Study. *Nature and Science of Sleep*, 12, 525-536. doi:10.2147/Nss.S256102
- Gardini, E. S., Schaub, S., Neuhauser, A., Ramseier, E., Villiger, A., Ehlert, U., . . . Turecki, G. (2020). Methylation of the glucocorticoid receptor promoter in children: Links with parents as teachers, early life stress, and behavior problems. *Development and Psychopathology*, 1-13. doi:10.1017/S0954579420001984
- Ghaderi, F., Sharifnabi, B., Javan-Nikkhah, M., Brunner, P. C., & McDonald, B. A. (2020). SnToxA, SnTox1, and SnTox3 originated in Parastagonospora nodorum in the Fertile Crescent. *Plant Pathology*, 69(8), 1482-1491.
- Gold, M., von Allmen, F., Zurbrugg, C., Zhang, J. B., & Mathys, A. (2020). Identification of Bacteria in Two Food Waste Black Soldier Fly Larvae Rearing Residues. *Frontiers in Microbiology*, 11. doi:10.3389/fmicb.2020.582867
- Greppi, A., Asare, P. T., Schwab, C., Zemp, N., Stephan, R., & Lacroix, C. (2020). Isolation and Comparative Genomic Analysis of Reuterin-Producing Lactobacillus reuteri From the Chicken Gastrointestinal Tract. *Frontiers in Microbiology*, 11(1166). doi:10.3389/fmicb.2020.01166
- Guggenheim, C., Freimann, R., Mayr, M. J., Beck, K., Wehrli, B., & Bürgmann, H. (2020). Environmental and microbial interactions shape methane-oxidizing bacterial communities in a stratified lake. *Frontiers in Microbiology*, 11.
- Haberkorn, I., Walser, J. C., Helisch, H., Böcker, L., Belz, S., Schuppler, M., . . . Mathys, A. (2020). Characterization of Chlorella vulgaris (Trebouxiophyceae) associated microbial communities1. *Journal of Phycology*, 56(5), 1308-1322.
- Han, X. G., Schubert, C. J., Fiskal, A., Dubois, N., & Lever, M. A. (2020). Eutrophication as a driver of microbial community structure in lake sediments. *Environmental Microbiology*, 22(8), 3446-3462. doi:10.1111/1462-2920.15115
- Hartman, K., van der Heijden, M. G. A., Wittwer, R. A., Banerjee, S., Walser, J.-C., & Schlaepi, K. (2020). Correction to: Cropping practices manipulate abundance patterns of root and soil microbiome members paving the way to smart farming. *Microbiome*, 8(1), 66. doi:10.1186/s40168-020-00855-4

- Heinzelmann, R., Rigling, D., Sipos, G., Münsterkötter, M., & Croll, D. (2020). Chromosomal assembly and analyses of genome-wide recombination rates in the forest pathogenic fungus *Armillaria ostoyae*. *Heredity*, 124(6), 699-713. doi:10.1038/s41437-020-0306-z
- Hepenstrick, D., Bergamini, A., & Holderegger, R. (2020). The distribution of climbing chalk on climbed boulders and its impact on rock-dwelling fern and moss species. *Ecology and Evolution*, 10(20), 11362-11371. doi:10.1002/ece3.6773
- Huynh, S., Broennimann, O., Guisan, A., Felber, F., & Parisod, C. (2020). Eco-genetic additivity of diploids in allopolyploid wild wheats. *Ecology Letters*, 23(4), 663-673. doi:10.1111/ele.13466
- Isenring, J., Geirnaert, A., Hall, A., Jans, C., Lacroix, C., & Stevens, M. J. (2020). In vitro gut modeling as a tool for adaptive evolutionary engineering of *Lactiplantibacillus plantarum*. *BioRxiv*.
- Johann, A., & Ehlert, U. (2020). The study protocol: Neuroendocrinology and (epi-) genetics of female reproductive transition phase mood disorder - an observational, longitudinal study from pregnancy to postpartum. *BMC Pregnancy and Childbirth*, 20(1), 609. doi:10.1186/s12884-020-03280-5
- Junker, J., Rick, J. A., McIntyre, P. B., Kimirei, I., Sweke, E. A., Mosille, J. B., . . . Wagner, C. E. (2020). Structural genomic variation leads to genetic differentiation in Lake Tanganyika's sardines. *Molecular Ecology*, 29(17), 3277-3298. doi:10.1111/mec.15559
- Kappler, K., Lasanajak, Y., Smith, D. F., Opitz, L., & Hennet, T. (2020). Increased Antibody Response to Fucosylated Oligosaccharides and Fucose-Carrying Bacteroides Species in Crohn's Disease. *Frontiers in Microbiology*, 11(1553). doi:10.3389/fmicb.2020.01553
- Kleyer, H., Tecon, R., & Or, D. (2020). Rapid Shifts in Bacterial Community Assembly under Static and Dynamic Hydration Conditions in Porous Media. *Applied and Environmental Microbiology*, 86(1).
- Kundel, D., Bodenhausen, N., Jørgensen, H. B., Truu, J., Birkhofer, K., Hedlund, K., . . . Fliessbach, A. (2020). Effects of simulated drought on biological soil quality, microbial diversity and yields under long-term conventional and organic agriculture. *Fems Microbiology Ecology*, 96(12). doi:10.1093/femsec/fiaa205
- Landolt, M., Stroheker, S., Queloz, V., Gall, A., & Sieber, N. (2020). Does water availability influence the abundance of species of the *Phialocephala fortinii* s.l. e *Acephala planata* complex (PAC) in rootsof pubescent oak (*Quercus pubescens*) and Scots pine (*Pinus sylvestris*)? *Fungal Ecology*, 44, 100904.
- Leigh, D. M., Schefer, C., & Cornejo, C. (2020). Determining the Suitability of MinION's Direct RNA and DNA Amplicon Sequencing for Viral Subtype Identification. *Viruses-Basel*, 12(8). doi:10.3390/v12080801
- Loera-Sanchez, M., Studer, B., & Kölliker, R. (2020). DNA barcode *trnH-psbA* is a promising candidate for efficient identification of forage legumes and grasses. *BMC Research Notes*, 13(35).
- Lohn, A. F., Trtikova, M., Chapela, I., Van den Berg, J., Du Plessis, H., & Hilbeck, A. (2020). Transgene behavior in *Zea mays* L. crosses across different genetic backgrounds: Segregation patterns, cry1Ab transgene expression, insecticidal protein concentration and bioactivity against insect pests. *Plos One*, 15(9), e0238523.
- Luthi, M. N., Vorburger, C., & Dennis, A. B. (2020). A Novel RNA Virus in the Parasitoid Wasp *Lysiphlebus fabarum*: Genomic Structure, Prevalence, and Transmission. *Viruses-Basel*, 12(1). doi:10.3390/v12010059

- Ma, X., Wiedmer, J., & Palma-Guerrero, J. (2020). Small RNA Bidirectional Crosstalk During the Interaction Between Wheat and Zymoseptoria tritici. *Frontiers in Plant Science*, 10, 1669-1669. doi:10.3389/fpls.2019.01669
- Mansfeldt, C., Deiner, K., Machler, E., Fenner, K., Eggen, R. I. L., Stamm, C., . . . Altermatt, F. (2020). Microbial community shifts in streams receiving treated wastewater effluent. *Science of The Total Environment*, 709. doi:10.1016/j.scitotenv.2019.135727
- Mark, K., Laanisto, L., Bueno, C. G., Niinemets, Ü., Keller, C., & Scheidegger, C. (2020). Contrasting co-occurrence patterns of photobiont and cystobasidiomycete yeast associated with common epiphytic lichen species. *New Phytologist*, 227(5), 1362-1375.
- Massoni, J., Bortfeld-Miller, M., Jardillier, L., Salazar, G., Sunagawa, S., & Vorholt, J. A. (2020). Consistent host and organ occupancy of phyllosphere bacteria in a community of wild herbaceous plant species. *Isme Journal*, 14(1), 245-258. doi:10.1038/s41396-019-0531-8
- Mayr, M. J., Zimmermann, M., Dey, J., Brand, A., Wehrli, B., & Bürgmann, H. (2020). Growth and rapid succession of methanotrophs effectively limit methane release during lake overturn. *Communications biology*, 3(1), 1-9.
- Mayr, M. J., Zimmermann, M., Dey, J., Wehrli, B., & Bürgmann, H. (2020). Lake mixing regime selects apparent methane oxidation kinetics of the methanotroph assemblage. *Biogeosciences*, 17(16), 4247-4259.
- Mayr, M. J., Zimmermann, M., Guggenheim, C., Brand, A., & Bürgmann, H. (2020). Niche partitioning of methane-oxidizing bacteria along the oxygen-methane counter gradient of stratified lakes. *The ISME Journal*, 14(1), 274-287. doi:10.1038/s41396-019-0515-8
- Meile, L., Peter, J., Puccetti, G., Alassimone, J., McDonald, B. A., & Sanchez-Vallet, A. (2020). Chromatin Dynamics Contribute to the Spatiotemporal Expression Pattern of Virulence Genes in a Fungal Plant Pathogen. *Mbio*, 11(5). doi:10.1128/mBio.02343-20
- Meynet, P., Davenport, R. J., & Fenner, K. (2020). Understanding the Dependence of Micropollutant Biotransformation Rates on Short-Term Temperature Shifts. *Environmental Science & Technology*, 54(19), 12214-12225. doi:10.1021/acs.est.0c04017
- Milojevic, V., Sinz, S., Kreuzer, M., Chiumia, D., Marquardt, S., & Giller, K. (2020). Partitioning of fatty acids into tissues and fluids from reproductive organs of ewes as affected by dietary phenolic extracts. *Theriogenology*, 144, 174-184. doi:10.1016/j.theriogenology.2020.01.012
- Moreno-Gámez, S., Kiviet, D. J., Vulin, C., Schlegel, S., Schlegel, K., van Doorn, G. S., & Ackermann, M. (2020). Wide lag time distributions break a trade-off between reproduction and survival in bacteria. *Proceedings of the National Academy of Sciences*, 117(31), 18729-18736. doi:10.1073/pnas.2003331117
- Morgan, E. J., Kaiser-Bunbury, C. N., Edwards, P. J., Scharmann, M., Widmer, A., Fleischer-Dogley, F., & Kettle, C. J. (2020). Identification of sex-linked markers in the sexually cryptic coco de mer: are males and females produced in equal proportions? *AoB PLANTS*, 12(1). doi:10.1093/aobpla/plz079
- Mossion, V., Dauphin, B., Grant, J., Zemp, N., & Croll, D. (2020). A transcriptome for the early-branching fern Botrychium lunaria enables fine-grained resolution of population structure. *BioRxiv*.
- Muyle, A., Martin, H., Zemp, N., Mollion, M., Gallina, S., Tavares, R., . . . Marais, G. A. B. (2020). Dioecy Is Associated with High Genetic Diversity and Adaptation Rates in the

- Plant Genus Silene. *Molecular Biology and Evolution*, 38(3), 805-818.
 doi:10.1093/molbev/msaa229
- Neu, L., Cossu, L., & Hammes, F. (2020). Towards a probiotic approach for building plumbing – nutrient-based selection during initial biofilm formation on flexible polymeric materials. *BioRxiv*. doi:10.1101/2020.04.10.033217
- Noskova, A., Hiltbold, M., Janett, F., Echtermann, T., Fang, Z.-H., Sidler, X., . . . Pausch, H. (2020). Deletion of an intronic polypyrimidine tract of porcine DNAH17 perturbs splicing and causes defective sperm flagella. *BioRxiv*.
- Nosková, A., Hiltbold, M., Janett, F., Echtermann, T., Fang, Z.-H., Sidler, X., . . . Pausch, H. (2020). Infertility due to defective sperm flagella caused by an intronic deletion in DNAH17 that perturbs splicing. *BioRxiv*.
- Paape, T., Akiyama, R., Cereghetti, T., Onda, Y., Hirao, A., Kenta, T., & Shimizu, K. K. (2020). Experimental and Field Data Support Range Expansion in an Allopolyploid *Arabidopsis* Owing to Parental Legacy of Heavy Metal Hyperaccumulation. *Frontiers in genetics*, 11, 565854-565854. doi:10.3389/fgene.2020.565854
- Pereira, D., Croll, D., Brunner, P. C., & McDonald, B. A. (2020). Natural selection drives population divergence for local adaptation in a wheat pathogen. *Fungal Genetics and Biology*, 141. doi:10.1016/j.fgb.2020.103398
- Pereira, D., McDonald, B. A., & Croll, D. (2020). The genetic architecture of emerging fungicide resistance in populations of a global wheat pathogen. *BioRxiv*, 2020.2003.2026.010199. doi:10.1101/2020.03.26.010199
- Perez-Mon, C., Frey, B., & Frossard, A. (2020). Functional and structural responses of Arctic and Alpine soil prokaryotic and fungal communities under freeze-thaw cycles of different frequencies. *Frontiers in Microbiology*, 11, 982.
- Poloni, N. M., Carvalho, G., Vicentini, S. N. C., Dorigan, A. F., Maciel, J. L. N., McDonald, B. A., . . . Ceresini, P. C. (2020). Widespread distribution of resistance to triazole fungicides in Brazilian populations of the wheat blast pathogen. *Plant Pathology*. doi:10.1111/ppa.13288
- Purkamo, L., Kietäväinen, R., Nuppunen-Puputti, M., Bomberg, M., & Cousins, C. (2020). Ultradeep Microbial Communities at 4.4 km within Crystalline Bedrock: Implications for Habitability in a Planetary Context. *Life*, 10(1), 2. doi:10.3390/life10010002
- Ramoneda, J., Le Roux, J., Frossard, E., Frey, B., & Gamper, H. A. (2020a). Different ecological processes drive the assembly of dominant and rare root-associated bacteria in a promiscuous legume. *BioRxiv*. doi:10.1101/2020.01.13.900290
- Ramoneda, J., Le Roux, J., Frossard, E., Frey, B., & Gamper, H. A. (2020b). Ecological patterns of root nodule diversity in cultivated and wild rooibos populations: a community prediction approach. *BioRxiv*. doi:10.1101/2020.01.15.907972
- Ramoneda, J., Le Roux, J., Stadelmann, S., Frossard, E., Frey, B., & Gamper, H. A. (2020). Coalescence of rhizobial communities in soil interacts with fertilization and determines the assembly of rhizobia in root nodules. *BioRxiv*. doi:10.1101/2020.01.16.908863
- Rellstab, C., Zoller, S., Sailer, C., Tedder, A., Gugerli, F., Shimizu, K. K., . . . Fischer, M. C. (2020). Genomic signatures of convergent adaptation to Alpine environments in three Brassicaceae species. *Molecular Ecology*, 29(22), 4350-4365. doi:10.1111/mec.15648
- Resch, M. C., M., S., Buchmann, N., Frey, B., Graf, U., van der Putten, W. H., . . . Risch, A. C. (2020). Evaluating long-term success in grassland restoration: an ecosystem multifunctionality approach. *Ecological Applications*. doi:10.1002/eap.2271

- Risch, A. C., Frossard, A., Schütz, M., Frey, B., Morris, A. W., & Bump, J. K. (2020). Effects of elk and bison carcasses on soil microbial communities and ecosystem functions in Yellowstone, USA. *Functional Ecology*, 34(9), 1933-1944. doi:10.1111/1365-2435.13611
- Rüthi, J., Bölsterli, D., Pardi-Comensoli, L., Brunner, I., & Frey, B. (2020). The “Plastisphere” of Biodegradable Plastics Is Characterized by Specific Microbial Taxa of Alpine and Arctic Soils. *Frontiers in Environmental Science*, 8, 562263.
- Schmid, M. W., van Moorsel, S. J., Hahl, T., De Luca, E., Wagg, C., Niklaus, P. A., & Schmid, B. (2020). Plant diversity and community age shape soil microbial communities. *BioRxiv*.
- Schnyder, E., Bodelier, P. L., Hartmann, M., Henneberger, R., & Niklaus, P. A. (2020). Experimental erosion of microbial diversity decreases soil CH₄ consumption rates. *BioRxiv*.
- Seppälä, O., Lively, C. M., & Jokela, J. (2020). Coinfecting parasites can modify fluctuating selection dynamics in host–parasite coevolution. *Ecology and Evolution*, 10(18), 9600-9612.
- Stauber, L., Badet, T., Prospero, S., & Croll, D. (2020). Emergence and diversification of a highly invasive chestnut pathogen lineage across south-eastern Europe. *BioRxiv*.
- Stauber, L., Prospero, S., & Croll, D. (2020). Comparative Genomics Analyses of Lifestyle Transitions at the Origin of an Invasive Fungal Pathogen in the Genus *Cryphonectria*. *mSphere*, 5(5), e00737-00720. doi:10.1128/mSphere.00737-20
- Stritt, C., Wyler, M., Gimmi, E. L., Pippel, M., & Roulin, A. C. (2020). Diversity, dynamics and effects of long terminal repeat retrotransposons in the model grass *Brachypodium distachyon*. *New Phytologist*, 227(6), 1736-1748. doi:10.1111/nph.16308
- Su, G. Y., Zopfi, J., Yao, H. Y., Steinle, L., Niemann, H., & Lehmann, M. F. (2020). Manganese/iron-supported sulfate-dependent anaerobic oxidation of methane by archaea in lake sediments. *Limnology and Oceanography*, 65(4), 863-875. doi:10.1002/lno.11354
- Tito de Moraes, C., Kettle, C. J., Philipson, C. D., Maycock, C. R., Burslem, D. F. R. P., Khoo, E., & Ghazoul, J. (2020). Exploring the role of genetic diversity and relatedness in tree seedling growth and mortality: A multispecies study in a Bornean rainforest. *Journal of Ecology*, 108(3), 1174-1185. doi:10.1111/1365-2745.13331
- Vesga, P., Flury, P., Vacheron, J., Keel, C., Croll, D., & Maurhofer, M. (2020). Transcriptome plasticity underlying plant root colonization and insect invasion by *Pseudomonas protegens*. *The ISME Journal*, 14(11), 2766-2782.
- Vogt, M., Yates, S., Sykes, T., Luesink, W., Koch, M., & Studer, B. (2020). Developing Heterotic Groups for Successful Hybrid Breeding in Perennial Ryegrass. *Agronomy*, 10(9), 1410.
- Walden, N., Lucek, K., & Willi, Y. (2020). Lineage-specific adaptation to climate involves flowering time in North American *Arabidopsis lyrata*. *Molecular Ecology*, 29(8), 1436-1451. doi:10.1111/mec.15338
- Wille, L., Messmer, M. M., Bodenhausen, N., Studer, B., & Hohmann, P. (2020). Heritable Variation in Pea for Resistance Against a Root Rot Complex and Its Characterization by Amplicon Sequencing. *Frontiers in Plant Science*, 11. doi:10.3389/fpls.2020.542153
- Willi, Y., Fracassetti, M., Bachmann, O., & Van Buskirk, J. (2020). Demographic Processes Linked to Genetic Diversity and Positive Selection across a Species' Range. *Plant Communications*, 1(6), 100111. doi:10.1016/j.xplc.2020.100111
- Wojcik, R., Donhauser, J., Frey, B., & Benning, L. G. (2020). Time since deglaciation and geomorphological disturbances determine the patterns of geochemical, mineralogical

- and microbial successions in an Icelandic foreland. *Geoderma*, 379, 114578.
 doi:10.1016/j.geoderma.2020.114578
- Wu, M., Walser, J.-C., Sun, L., & Kölleker, M. (2020). The genetic mechanism of selfishness and altruism in parent-offspring coadaptation. *Science Advances*, 6(1), eaaw0070.
- Wyler, M., Stritt, C., Walser, J. C., Baroux, C., & Roulin, A. C. (2020). Impact of Transposable Elements on Methylation and Gene Expression across Natural Accessions of *Brachypodium distachyon*. *Genome Biology and Evolution*, 12(11), 1994-2001.
 doi:10.1093/gbe/evaa180
- Zhang, J., Wehrle, E., Adamek, P., Paul, G. R., Qin, X.-H., Rubert, M., & Müller, R. (2020). Optimization of mechanical stiffness and cell density of 3D bioprinted cell-laden scaffolds improves extracellular matrix mineralization and cellular organization for bone tissue engineering. *Acta Biomaterialia*, 114, 307-322.

2019

- Adamczyk, M., Hagedorn, F., Wipf, S., Donhauser, J., Vittoz, P., Rixen, C., . . . Frey, B. (2019). The Soil Microbiome of GLORIA Mountain Summits in the Swiss Alps. *Frontiers in Microbiology*, 10(1080). doi:10.3389/fmicb.2019.01080
- Adrian-Kalchhauser, I., Blomberg, A., Larsson, T., Musilova, Z., Peart, C. R., Pippel, M., . . . Wilson, J. Y. (2019). Evolved for success in novel environments: The round goby genome. *BioRxiv*, 708974.
- Baena-Diaz, F., Zemp, N., & Widmer, A. (2019). Insights into the genetic architecture of sexual dimorphism from an interspecific cross between two diverging *Silene* (Caryophyllaceae) species. *Molecular Ecology*, 28(23), 5052-5067.
- Bodenhausen, N., Somerville, V., Desiro, A., Walser, J. C., Borghi, L., van der Heijden, M. G., & Schlaeppi, K. (2019). Petunia- and Arabidopsis-Specific Root Microbiota Responses to Phosphate Supplementation. *Phytobiomes*, 3, 112-124.
- Boluda, C., Rico, V., Divakar, P., Nadyeina, O., Myllys, L., McMullin, R., . . . Hawksworth, D. (2019). Evaluating methodologies for species delimitation: the mismatch between phenotypes and genotypes in lichenized fungi (Bryoria sect. Implexae, Parmeliaceae). *Persoonia: Molecular Phylogeny and Evolution of Fungi*, 42, 75.
- Bongiorno, G., Bodenhausen, N., Büinemann, E. K., Brussaard, L., Geisen, S., Mäder, P., . . . De Goede, R. G. (2019). Reduced tillage, but not organic matter input, increased nematode diversity and food web stability in European long-term field experiments. *Molecular Ecology*, 28(22), 4987-5005.
- Callieri, C., Slabakova, V., Dzhembekova, N., Slabakova, N., Peneva, E., Cabello-Yeves, P. J., . . . Moncheva, S. (2019). The mesopelagic anoxic Black Sea as an unexpected habitat for *Synechococcus* challenges our understanding of global "deep red fluorescence". *Isme Journal*, 13(7), 1676-1687.
- Choudhury, R. R., Rogivue, A., Gugerli, F., & Parisod, C. (2019). Impact of polymorphic transposable elements on linkage disequilibrium along chromosomes. *Molecular Ecology*, 28(6), 1550-1562.
- De La Harpe, M., Hess, J., Loiseau, O., Salamin, N., Lexer, C., & Paris, M. (2019). A dedicated target capture approach reveals variable genetic markers across micro- and macro-evolutionary time scales in palms. *Molecular Ecology Resources*, 19(1), 221-234.
 doi:10.1111/1755-0998.12945

- Degtjarenko, P., Jüriado, I., Mandel, T., Tõrra, T., Saag, A., Scheidegger, C., & Randlane, T. (2019). Microsatellite based genetic diversity of the widespread epiphytic lichen *Usnea subfloridana* (Parmeliaceae, Ascomycota) in Estonia: comparison of populations from the mainland and an island. *MycoKeys*, 58, 27-45. doi:10.3897/mycokeys.58.36557
- Dennis, A. B., Käch, H., & Vorburger, C. (2019). Dual RNA-seq in an aphid parasitoid reveals plastic and evolved adaptation to symbiont-conferred resistance. *BioRxiv*.
- Devkota, S., Chaudhary, R. P., Werth, S., & Scheidegger, C. (2019). Genetic diversity and structure of the epiphytic foliose lichen *Lobaria pindarensis* in the Himalayas depends on elevation. *Fungal Ecology*, 41, 245-255.
- Feulner, P. G. D., & Seehausen, O. (2019). Genomic insights into the vulnerability of sympatric whitefish species flocks. *Molecular Ecology*, 28(3), 615-629.
- Francisco, C. S., Ma, X., Zwyssig, M. M., B.A., M., & J., P.-G. (2019). Coping with stress: morphological changes in response to environmental stimuli in a fungal plant pathogen. *Scientific Reports*, 9, 9642. doi:10.1038/s41598-019-45994-3.
- Francisco, C. S., Ma, X., Zwyssig, M. M., & McDonald, B. A. (2019). Differential morphological changes in response to environmental stimuli in a fungal plant pathogen. *BioRxiv*. doi:10.1101/372078
- Francisco, C. S., Ma, X., Zwyssig, M. M., McDonald, B. A., & Palma-Guerrero, J. (2019). Morphological changes in response to environmental stresses in the fungal plant pathogen *Zymoseptoria tritici*. *Scientific Reports*, 9.
- Franic, I., Prospero, S., Hartmann, M., Allan, E., Auger-Rozenberg, M. A., Grunwald, N. J., . . . Eschen, R. (2019). Are traded forest tree seeds a potential source of nonnative pests? *Ecological Applications*, 29(7), e01971. doi:10.1002/eap.1971
- Gerasimov, E., Zemp, N., Schmid-Hempel, R., Schmid-Hempel, P., & Yurchenko, V. (2019). Genomic Variation among Strains of *Critchidia bombi* and *C. expoeki*. *mSphere*, 4(5), e00482-00419. doi:10.1128/mSphere.00482-19
- Guggenheim, C., Brand, A., Bürgmann, H., Sigg, L., & Wehrli, B. (2019). Aerobic methane oxidation under copper scarcity in a stratified lake. *Scientific Reports*, 9(1), 4817. doi:10.1038/s41598-019-40642-2
- Gutnik, S., Walser, J. C., & Adrian-Kalchhauser, I. (2019). Long-read sequencing of benthophilinae mitochondrial genomes reveals the origins of round goby mitogenome re-arrangements. *Mitochondrial DNA Part B-Resources*, 4(1). doi:10.1080/23802359.2018.1547133
- Hemkemeyer, M., Christensen, B. T., Tebbe, C. C., & Hartmann, M. (2019). Taxon-specific fungal preference for distinct soil particle size fractions. *European Journal of Soil Biology*, 94.
- Herzog, C., Hartmann, M., Frey, B., Stierli, B., Rumpel, C., Buchmann, N., & Brunner, I. (2019). Microbial succession on decomposing root litter in a drought-prone Scots pine forest. *Isme Journal*, 13(9), 2346-2362. doi:10.1038/s41396-019-0436-6
- Huynh, S., Marcussen, T., Felber, F., & Parisod, C. (2019). Hybridization preceded radiation in diploid wheats. *Molecular Phylogenetics and Evolution*, 139.
- Jeroense, F. M. D., Michel, L., Zeder, C., Herter-Aeberli, I., & Zimmermann, M. B. (2019). Consumption of Galacto-Oligosaccharides Increases Iron Absorption from Ferrous Fumarate: A Stable Iron Isotope Study in Iron-Depleted Young Women. *The Journal of Nutrition*, 149(5), 738-746. doi:10.1093/jn/nxy327

- Ju, F., Beck, K., Yin, X. L., Maccagnan, A., McArdell, C. S., Singer, H. P., . . . Burgmann, H. (2019). Wastewater treatment plant resistomes are shaped by bacterial composition, genetic exchange, and upregulated expression in the effluent microbiomes. *Isme Journal*, 13(2), 346-360.
- Junker, J., Rick, J. A., McIntyre, P. B., Kimirei, I., Sweke, E. A., Mosille, J. B., . . . Wagner, C. E. (2019). Sex differentiation and a chromosomal inversion lead to cryptic diversity in Lake Tanganyika sardines. *BioRxiv*.
- Karisto, P., Suffer, F., & Mikaberidze, A. (2019). Spatially-explicit modeling improves empirical characterization of dispersal: theory and a case study. *BioRxiv*. doi:10.1101/789156
- Leuchtmann, A., Young, C. A., Stewart, A. V., Simpson, W. R., Hume, D. E., & Scott, B. (2019). Epichloe novae-zelandiae, a new endophyte from the endemic New Zealand grass Poa matthewsii. *New Zealand Journal of Botany*, 57(4), 271-288. doi:10.1080/0028825X.2019.1651344
- Lilja, E. E., & Johnson, D. R. (2019). Substrate cross-feeding affects the speed and trajectory of molecular evolution within a synthetic microbial assemblage. *Bmc Evolutionary Biology*, 19(1), 129. doi:10.1186/s12862-019-1458-4
- Loaiza Puerta, V., Pujol Pereira, E., Huang, P., Wittwer, R., & Six, J. (2019). Soil microhabitats mediate microbial response in organic reduced tillage cropping. *Applied Soil Ecology*, 137, 39-48. doi:10.1016/j.apsoil.2019.01.009
- Lucek, K., Galli, A., Gurten, S., Hohmann, N., Maccagni, A., Patsiou, T., & Willi, Y. (2019). Metabarcoding of honey to assess differences in plant-pollinator interactions between urban and non-urban sites. *Apidologie*, 50(3), 317-329.
- Lucek, K., Hohmann, N., & Willi, Y. (2019). Postglacial ecotype formation under outcrossing and self-fertilization in *Arabidopsis lyrata*. *Molecular Ecology*, 28(5), 1043-1055.
- Lulakova, P., Perez Mon, C., Šantrúčková, H., Rüthi, J., & Frey, B. W. (2019). High-Alpine Permafrost and Active-Layer Soil Microbiomes Differ in Their Response to Elevated Temperatures. *Frontiers in Microbiology*, 10, 668.
- Mächler, E., Little, C. J., Wüthrich, R., Alther, R., Fronhofer, E. A., Gounand, I., . . . Altermatt, F. (2019). Assessing different components of diversity across a river network using eDNA. *Environmental DNA*, 1(3), 290-301. doi:10.1002/edn3.33
- Mächler, E., Salyani, A., Walser, J. C., Larsen, A., Schaeffli, B., Altermatt, F., & Ceperley, N. (2019). Water tracing with environmental DNA in a high-Alpine catchment. *Hydrol. Earth Syst. Sci. Discuss.*, 2019, 1-30. doi:10.5194/hess-2019-551
- Mansfeldt, C., Achermann, S., Men, Y. J., Walser, J. C., Villegas, K., Joss, A., . . . Fenner, K. (2019). Microbial residence time is a controlling parameter of the taxonomic composition and functional profile of microbial communities. *Isme Journal*, 13(6), 1589-1601.
- Marques, D. A., Lucek, K., Sousa, V. C., Excoffier, L., & Seehausen, O. (2019). Admixture between old lineages facilitated contemporary ecological speciation in Lake Constance stickleback. *Nature Communications*, 10.
- Martin, V. N. R., Schwab, C., Krych, L., Voney, E., Geirnaert, A., Braegger, C., & Lacroix, C. (2019). Colonization of *Cutibacterium avidum* during infant gut microbiota establishment. *Fems Microbiology Ecology*, 95(1). doi:10.1093/femsec/fiy215
- Meier, J. I., Stelkens, R. B., Joyce, D. A., Mwaiko, S., Phiri, N., Schliewen, U. K., . . . Seehausen, O. (2019). The coincidence of ecological opportunity with hybridization explains rapid adaptive radiation in Lake Mweru cichlid fishes. *Nature Communications*, 10.

- Mohd-Assaad, N., McDonald, B. A., & Croll, D. (2019). The emergence of the multi-species NIP1 effector in *Rhynchosporium* was accompanied by high rates of gene duplications and losses. *Environmental Microbiology*, 21(8), 2677-2695.
- Monchamp, M. E., Spaak, P., & Pomati, F. (2019). Long Term Diversity and Distribution of Non-photosynthetic Cyanobacteria in Peri-Alpine Lakes. *Frontiers in Microbiology*, 9. doi:10.3389/fmicb.2018.03344
- Mushegian, A. A., Arbore, R., Walser, J.-C., & Ebert, D. (2019). Environmental Sources of Bacteria and Genetic Variation in Behavior Influence Host-Associated Microbiota. *Applied and Environmental Microbiology*, 85.
- Nair, R. R., Vasse, M., Wielgoss, S., Sun, L., Yu, Y. T. N., & Velicer, G. J. (2019). Bacterial predator-prey coevolution accelerates genome evolution and selects on virulence-associated prey defences. *Nature Communications*, 10.
- Neu, L., Proctor, C. R., Walser, J.-C., & Hammes, F. (2019). Small-Scale Heterogeneity in Drinking Water Biofilms. *Frontiers in Microbiology*, 10(2446). doi:10.3389/fmicb.2019.02446
- Paganini, D., Uyoga, M. A., Kortman, G. A. M., Boekhorst, J., Schneeberger, S., Karanja, S., ... Zimmermann, M. B. (2019). Maternal Human Milk Oligosaccharide Profile Modulates the Impact of an Intervention with Iron and Galacto-Oligosaccharides in Kenyan Infants. *Nutrients*, 11(11).
- Paganini, D., Uyoga, M. A., Kortman, G. A. M., Cercamondi, C. I., Winkler, H. C., Boekhorst, J., ... Zimmermann, M. B. (2019). Iron-containing micronutrient powders modify the effect of oral antibiotics on the infant gut microbiome and increase post-antibiotic diarrhoea risk: a controlled study in Kenya. *Gut Microbiota*, 68, 645-653.
- Patlar, B., Weber, M., & Ramm, S. A. (2019). Genetic and environmental variation in transcriptional expression of seminal fluid proteins. *Heredity*, 122(5), 595-611. doi:10.1038/s41437-018-0160-4
- Poeker, S. A., Lacroix, C., de Wouters, T., Spalinger, M. R., Scharl, M., & Geirnaert, A. (2019). Stepwise Development of an in vitro Continuous Fermentation Model for the Murine Caecal Microbiota. *Frontiers in Microbiology*, 10.
- Puerta, V. L., Six, J., Wittwer, R., van der Heijden, M., & Pereira, E. I. P. (2019). Comparable bacterial-mediated nitrogen supply and losses under organic reduced tillage and conventional intensive tillage. *European Journal of Soil Biology*, 95.
- Pujol Pereira, E. I., Lechot, J., Conz, R. F., Cardoso, A., & Six, J. (2019). Biochar Enhances Nitrous Oxide Reduction in Acidic but Not in Near-Neutral pH Soil. *Soil Syst.*, 3(3), 69. doi:10.3390/soilsystems3040069
- Quilodrán, C. S., Nussberger, B., Montoya-Burgos, J. I., & Currat, M. (2019). Hybridization and introgression during density-dependent range expansion: European wildcats as a case study. *Evolution*, 73(4), 750-761. doi:10.1111/evo.13704
- Rellstab, C., Dauphin, B., Zoller, S., Brodbeck, S., & Gugerli, F. (2019). Using transcriptome sequencing and pooled exome capture to study local adaptation in the giga-genome of *Pinus cembra*. *Molecular Ecology Resources*, 19, 536–551. doi:10.1111/1755-0998.12986
- Retel, C., Kowallik, V., Huang, W. N., Werner, B., Kunzel, S., Becks, L., & Feulner, P. G. D. (2019). The feedback between selection and demography shapes genomic diversity during coevolution. *Science Advances*, 5(10).

- Rogivue, A., Choudhury, R. R., Zoller, S., Joost, S., Felber, F., Kasser, M., . . . Gugerli, F. (2019). Genome-wide variation in nucleotides and retrotransposons in alpine populations of *Arabis alpina* (Brassicaceae). *Molecular Ecology Resources*, 19(3), 773-787.
- Roth, M., Florez-Rueda, A. M., & Stadler, T. (2019). Differences in Effective Ploidy Drive Genome-Wide Endosperm Expression Polarization and Seed Failure in Wild Tomato Hybrids. *Genetics*, 212(1), 141-152.
- Sacristán-Bajo, S., García-Fernández, A., Iriondo, J. M., & Lara-Romero, C. (2019). Transcriptome assembly and polymorphism detection in *Silene ciliata* (Caryophyllaceae). *Plant Genetic Resources: Characterization and Utilization*, 17(5), 452-455. doi:10.1017/S1479262119000157
- Salcher, M. M., Schaeffle, D., Kaspar, M., Neuenschwander, S. M., & Ghai, R. (2019). Evolution in action: habitat transition from sediment to the pelagial leads to genome streamlining in *Methylophilaceae*. *Isme Journal*, 13(11), 2764-2777.
- Scharmann, M., Grafe, T. U., Metali, F., & Widmer, A. (2019). Sex is determined by XY chromosomes across the radiation of dioecious *Nepenthes* pitcher plants. *Evolution Letters*.
- Schwab, C., Voney, E., Garcia, A. R., Vischer, M., & Lacroix, C. (2019). Characterization of the Cultivable Microbiota in Fresh and Stored Mature Human Breast Milk. *Frontiers in Microbiology*, 10.
- Seymour, M., Rasanen, K., & Kristjansson, B. K. (2019). Drift versus selection as drivers of phenotypic divergence at small spatial scales: The case of *Belgjarskogur* threespine stickleback. *Ecology and Evolution*, 9(14), 8133-8145.
- Sieber, T. N. (2019). The endophyte *Allantophomopsis cytisoporea* is associated with snow blight on *Calluna vulgaris* in the Alps—An effect of climate change? *Arctic, Antarctic, and Alpine Research*, 51(1). doi:10.1080/15230430.2019.1676951
- Simmler, M., Christl, I., & Kretzschmar, R. (2019). Effect of extreme metal(loid) concentrations on prokaryotic community structure in floodplain soils contaminated with mine waste. *Applied Soil Ecology*, 144, 182-195.
- Somerville, V., Schwaiger, M., Hirsch, P., Walser, J. C., Bussmann, K., Weyrich, A., . . . Adrian-Kalchhauser, I. (2019). DNA Methylation Patterns in the Round Goby Hypothalamus Support an On-The-Spot Decision Scenario for Territorial Behavior. *Genes*, 10(3), 219. doi:10.3390/genes10030219
- Tovaglieri, A., Sontheimer-Phelps, A., Geirnaert, A., Prantil-Baun, R., Camacho, D. M., Chou, D. B., . . . Ingber, D. E. (2019). Species-specific enhancement of enterohemorrhagic E-coli pathogenesis mediated by microbiome metabolites. *Microbiome*, 7.
- Treindl, A. D., & Leuchtmann, A. (2019a). Assortative mating in sympatric ascomycete fungi revealed by experimental fertilizations. *Fungal Biology*, 123(9), 676-686. doi:10.1016/j.funbio.2019.06.005
- Treindl, A. D., & Leuchtmann, A. (2019b). A king amongst dwarfs: *Boletus edulis* forms ectomycorrhiza with dwarf willow in the Swiss Alps. *Alpine Botany*, 129(2), 185-189. doi:10.1007/s00035-019-00218-2
- van der Weijden, V. A., Puntar, B., Rudolf Vegas, A., Milojevic, V., Schanzenbach, C. I., Kowalewski, M. P., . . . Ulbrich, S. E. (2019). Endometrial luminal epithelial cells sense embryo elongation in the roe deer independent of interferon-tau. *Biology of Reproduction*, 101(5), 882-892. doi:10.1093/biolre/izz129

- Westergaard, K. B., Zemp, N., Bruederle, L. P., Stenoien, H. K., Widmer, A., & Fior, S. (2019). Population genomic evidence for plant glacial survival in Scandinavia. *Molecular Ecology*, 28(4), 818-832.
- Wielgoss, S., Wolfensberger, R., Sun, L., Fiegna, F., & Velicer, G. J. (2019). Social genes are selection hotspots in kin groups of a soil microbe. *Science*, 363(6433), 1342-+.
- Yates, S. A., Mikaberidze, A., Krattinger, S. G., Abrouk, M., Hund, A., Yu, K., . . . McDonald, B. A. (2019). Precision phenotyping reveals novel loci for quantitative resistance to septoria tritici blotch. *Plant Phenomics*, Article ID 3285904, 3285911 pages. doi:10.34133/2019/3285904.

2018

- Adrian-Kalchhauser, I., Walser, J. C., Schwaiger, M., & Burkhardt-Holm, P. (2018). RNA sequencing of early round goby embryos reveals that maternal experiences can shape the maternal RNA contribution in a wild vertebrate. *Bmc Evolutionary Biology*, 18. doi:10.1186/s12862-018-1132-2
- Alther, R., & Altermatt, F. (2018). Fluvial network topology shapes communities of native and non-native amphipods. *Ecosphere*, 9(2). doi:10.1002/ecs2.2102
- Begheyn, R. F., Yates, S. A., Sykes, T., & Studer, B. (2018). Genetic Loci Governing Androgenic Capacity in Perennial Ryegrass (*Lolium perenne* L.). *G3-Genes Genomes Genetics*, 8(6), 1897-1908. doi:10.1534/g3.117.300550
- Bodenhausen, N., Somerville, V., Desiro, A., Walser, J. C., Borghi, L., van der Heijden, M. G. A., & Schlaeppi, K. (2018). Species-specific root microbiota dynamics in response to plant-available phosphorus. *BioRxiv*. doi:10.1101/400119
- Bonchev, G., & Willi, Y. (2018). Accumulation of transposable elements in selfing populations of *Arabidopsis lyrata* supports the ectopic recombination model of transposon evolution. *New Phytologist*, 219(2), 767-778. doi:10.1111/nph.15201
- Bourgeois, Y., Stritt, C., Walser, J. C., Gordon, S. P., Vogel, C. P., & Roulin, A. C. (2018). Genome-wide scans of selection highlight the impact of biotic and abiotic constraints in natural populations of the model grass *Brachypodium distachyon*. *BioRxiv*. doi:10.1101/246090
- Buyck, B., Zoller, S., & Hofstetter, V. (2018). Walking the thin line ... ten years later: the dilemma of above- versus below-ground features to support phylogenies in the Russulaceae (Basidiomycota). *Fungal Diversity*, 89(1), 267-292. doi:10.1007/s13225-018-0397-5
- Charlesworth, D. (2018). Does sexual dimorphism in plants promote sex chromosome evolution? *Environmental and Experimental Botany*, 146, 5-12. doi:10.1016/j.envexpbot.2017.11.005
- Cornejo, C., Chabanenko, S., & Scheidegger, C. (2018). Are species-pairs diverging lineages? A nine-locus analysis uncovers speciation among species-pairs of the *Lobaria meridionalis*-group (Ascomycota). *Molecular Phylogenetics and Evolution*, 129, 48-59.
- Costerousse, B., Schonholzer-Mauclaire, L., Frossard, E., & Thonar, C. (2018). Identification of Heterotrophic Zinc Mobilization Processes among Bacterial Strains Isolated from Wheat Rhizosphere (*Triticum aestivum* L.). *Applied and Environmental Microbiology*, 84(1). doi:10.1128/AEM.01715-17

- Degtjarenko, P., Torra, T., Mandel, T., Marmor, L., Saag, A., Scheidegger, C., & Randlane, T. (2018). Unconstrained gene flow between populations of a widespread epiphytic lichen *Usnea subfloridana* (Parmeliaceae, Ascomycota) in Estonia. *Fungal Biology*, 122(8), 731-737. doi:10.1016/j.funbio.2018.03.013
- Dennert, F., Imperiali, N., Staub, C., Schneider, J., Laessle, T., Zhang, T., . . . Maurhofer, M. (2018). Conservation tillage and organic farming induce minor variations in *Pseudomonas* abundance, their antimicrobial function and soil disease resistance. *Fems Microbiology Ecology*, 94(8). doi:10.1093/femsec/fiy075
- Feulner, P. G. D., Schwarzer, J., Haesler, M. P., Meier, J. I., & Seehausen, O. (2018). A Dense Linkage Map of Lake Victoria Cichlids Improved the *Pundamilia* Genome Assembly and Revealed a Major QTL for Sex-Determination. *G3-Genes Genomes Genetics*, 8(7), 2411-2420. doi:10.1534/g3.118.200207
- Frossard, A., Donhauser, J., Mestrot, A., Gygax, S., Baath, E., & Frey, B. (2018). Long- and short-term effects of mercury pollution on the soil microbiome. *Soil Biology & Biochemistry*, 120, 191-199. doi:10.1016/j.soilbio.2018.01.028
- Graf, J. S., Mayr, M. J., Marchant, H. K., Tienken, D., Hach, P. F., Brand, A., . . . Milucka, J. (2018). Bloom of a denitrifying methanotroph, '*Candidatus Methylomirabilis limnetica*', in a deep stratified lake. *Environmental Microbiology*, 20(7), 2598-2614. doi:10.1111/1462-2920.14285
- Grossen, C., Biebach, I., Angelone-Alasaad, S., Keller, L. F., & Croll, D. (2018). Population genomics analyses of European ibex species show lower diversity and higher inbreeding in reintroduced populations. *Evolutionary Applications*, 11(2), 123-139. doi:10.1111/eva.12490
- Guggisberg, A., Liu, X. Y., Suter, L., Mansion, G., Fischer, M. C., Fior, S., . . . Widmer, A. (2018). The genomic basis of adaptation to calcareous and siliceous soils in *Arabidopsis lyrata*. *Molecular Ecology*, 27(24), 5088-5103. doi:10.1111/mec.14930
- Hartman, K., van der Heijden, M. G. A., Wittwer, R. A., Banerjee, S., Walser, J. C., & Schlaeppi, K. (2018). Cropping practices manipulate abundance patterns of root and soil microbiome members paving the way to smart farming. *Microbiome*, 6. doi:10.1186/s40168-017-0389-9
- Kasper, C., Colombo, M., Aubin-Horth, N., & Taborsky, B. (2018). Brain activation patterns following a cooperation opportunity in a highly social cichlid fish. *Physiology & Behavior*, 195, 37-47. doi:10.1016/j.physbeh.2018.07.025
- Kedzierska, K. Z., Gerber, L., Cagnazzi, D., Krutzen, M., Ratan, A., & Kistler, L. (2018). SONiCS: PCR stutter noise correction in genome-scale microsatellites. *Bioinformatics*, 34(23), 4115-4117. doi:10.1093/bioinformatics/bty485
- Krishnan, P., McDonald, B. A., & Brunner, P. C. (2018). Widespread signatures of selection for secreted peptidases in a fungal plant pathogen. *Bmc Evolutionary Biology*, in press.
- Krishnan, P., Meile, L., Plissonneau, C., Ma, X., Hartmann, F. E., Croll, D., . . . Sanchez-Vallet, A. (2018). Transposable element insertions shape gene regulation and melanin production in a fungal pathogen of wheat. *Bmc Biology*, 16. doi:10.1186/s12915-018-0543-2
- Leigh, D. M., Lischer, H. E. L., Grossen, C., & Keller, L. F. (2018). Batch effects in a multiyear sequencing study: False biological trends due to changes in read lengths. *Molecular Ecology Resources*, 18(4), 778-788. doi:10.1111/1755-0998.12779
- Lendvay, B., Hartmann, M., Brodbeck, S., Nievergelt, D., Reinig, F., Zoller, S., . . . Sperisen, C. (2018). Improved recovery of ancient DNA from subfossil wood - application to the

- world's oldest Late Glacial pine forest. *New Phytologist*, 217(4), 1737-1748.
doi:10.1111/nph.14935
- Lerch, M., Nadyeina, O., & Scheidegger, C. (2018). Genetic structure of *Lobaria pulmonaria* in the Alps as a result of post-glacial recolonization history. *Herzogia*, 31(1), 650-665.
doi:10.13158/heia.31.1.2018.650
- Limberger, R., Birtel, J., Peter, H., Catalan, N., Da Silva Farias, D., Best, R. J., . . . Matthews, B. (2018). Predator-induced changes in dissolved organic carbon dynamics. *OIKOS*, 00, 1-11. doi:10.1111/oik.05673
- Ma, X., Keller, B., McDonald, B. A., Palma-Guerrero, J., & Wicker, T. (2018). Comparative Transcriptomics Reveals How Wheat Responds to Infection by *Zymoseptoria tritici*. *Molecular Plant-Microbe Interactions*, 31(4), 420-431. doi:10.1094/Mpmi-10-17-0245-R
- Machler, E., Osathanunkul, M., & Altermatt, F. (2018). Shedding light on eDNA: neither natural levels of UV radiation nor the presence of a filter feeder affect eDNA-based detection of aquatic organisms. *Plos One*, 13(4). doi:10.1371/journal.pone.0195529
- Meier, J. I., Marques, D. A., Wagner, C. E., Excoffier, L., & Seehausen, O. (2018). Genomics of Parallel Ecological Speciation in Lake Victoria Cichlids. *Molecular Biology and Evolution*, 35(6), 1489-1506. doi:10.1093/molbev/msy051
- Meile, L., Croll, D., Brunner, P. C., Plissonneau, C., Hartmann, F. E., McDonald, B. A., & Sanchez-Vallet, A. (2018). A fungal avirulence factor encoded in a highly plastic genomic region triggers partial resistance to *Septoria tritici* blotch. *New Phytologist*, 219(3), 1048-1061. doi:10.1111/nph.15180
- Mohd-Assaad, N., McDonald, B. A., & Croll, D. (2018). Genome-Wide Detection of Genes Under Positive Selection in Worldwide Populations of the Barley Scald Pathogen. *Genome Biology and Evolution*, 10(5), 1315-1332. doi:10.1093/gbe/evy087
- Monchamp, M. E., Spaak, P., Domaizon, I., Dubois, N., Bouffard, D., & Pomati, F. (2018). Homogenization of lake cyanobacterial communities over a century of climate change and eutrophication. *Nature Ecology Evolution*. doi:10.1038/s41559-017-0407-0
- Moser, F. N., van Rijssel, J. C., Mwaiko, S., Meier, J. I., Ngatunga, B., & Seehausen, O. (2018). The onset of ecological diversification 50 years after colonization of a crater lake by haplochromine cichlid fishes. *Proceedings of the Royal Society B-Biological Sciences*, 285(1884). doi:10.1098/rspb.2018.0171
- Mushegian, A. A., Walser, J.-C., Sullam, K. E., & Ebert, D. (2018). The microbiota of diapause: How host-microbe associations are formed after dormancy in an aquatic crustacean. *Journal of Animal Ecology*, n/a-n/a. doi:10.1111/1365-2656.12709
- Muyle, A., Zemp, N., Fruchard, C., Cegan, R., Vrana, J., Deschamps, C., . . . Marais, G. A. B. (2018). Genomic imprinting mediates dosage compensation in a young plant XY system. *Nature plants*, 4(9), 677-680. doi:10.1038/s41477-018-0221-y
- Nair, R. R., Vasse, M., Wielgoss, S., Sun, L., Nicco Yu, Y. T., & Verlicer, G. J. (2018). Bacterial predator-prey coevolution selects on virulence-associated prey defenses. *BioRxiv*. doi:10.1101/398495
- Napflin, K., & Schmid-Hempel, P. (2018). High Gut Microbiota Diversity Provides Lower Resistance against Infection by an Intestinal Parasite in Bumblebees. *American Naturalist*, 192(2), 131-141. doi:10.1086/698013
- Ndungu, S. M., Messmer, M. M., Ziegler, D., Gamper, H. A., Meszaros, E., Thuita, M., . . . Thonar, C. (2018). Cowpea (*Vigna unguiculata* L. Walp) hosts several widespread bradyrhizobial root nodule symbionts across contrasting agro-ecological production

- areas in Kenya. *Agriculture Ecosystems & Environment*, 261, 161-171.
 doi:10.1016/j.agee.2017.12.014
- Neu, L., Banziger, C., Proctor, C. R., Zhang, Y., Liu, W. T., & Hammes, F. (2018). Ugly ducklings-the dark side of plastic materials in contact with potable water. *Npj Biofilms and Microbiomes*, 4. doi:10.1038/s41522-018-0050-9
- Nussberger, B., Currat, M., Quilodran, C. S., Ponta, N., & Keller, L. F. (2018). Range expansion as an explanation for introgression in European wildcats. *Biological Conservation*, 218, 49-56. doi:10.1016/j.biocon.2017.12.009
- Otalora, M. A. G., & Berndt, R. (2018). A taxonomic revision of the genus Puccinia on Lycieae, a tribe of Solanaceae. *Mycologia*, 110(4), 692-709.
 doi:10.1080/00275514.2018.1478538
- Patsch, D., van Vliet, S., Marcantini, L. G., & Johnson, D. R. (2018). Generality of associations between biological richness and the rates of metabolic processes across microbial communities. *Environmental Microbiology*, 20(12), 4356-4368. doi:10.1111/1462-2920.14352
- Poeker, S. A., Geirnaert, A., Berchtold, L., Greppi, A., Krych, L., Steinert, R. E., . . . Lacroix, C. (2018). Understanding the prebiotic potential of different dietary fibers using an in vitro continuous adult fermentation model (PolyFermS). *Scientific Reports*, 8.
 doi:10.1038/s41598-018-22438-y
- Proctor, C. R., Besmer, M. D., Langenegger, T., Beck, K., Walser, J. C., Ackermann, M., . . . Hammes, F. (2018). Phylogenetic clustering of small low nucleic acid-content bacteria across diverse freshwater ecosystems. *Isme Journal*, 12(5), 1344-1359.
 doi:10.1038/s41396-018-0070-8
- Proctor, C. R., Reimann, M., Vriens, B., & Hammes, F. (2018). Biofilms in shower hoses. *Water Research*, 131, 274-286. doi:10.1016/j.watres.2017.12.027
- Rogivue, A., Graf, R., Parisod, C., Holderegger, R., & Gugerli, F. (2018). The phylogeographic structure of *Arabis alpina* in the Alps shows consistent patterns across different types of molecular markers and geographic scales. *Alpine Botany*, 128(1), 35-45.
 doi:10.1007/s00035-017-0196-8
- Roth, M., Florez-Rueda, A. M., Paris, M., & Stadler, T. (2018). Wild tomato endosperm transcriptomes reveal common roles of genomic imprinting in both nuclear and cellular endosperm. *Plant Journal*, 95(6), 1084-1101. doi:10.1111/tpj.14012
- Sailer, C., Babst-Kostecka, A., Fischer, M. C., Zoller, S., Widmer, A., Vollenweider, P., . . . Rellstab, C. (2018). Transmembrane transport and stress response genes play an important role in adaptation of *Arabidopsis halleri* to metalliferous soils. *Scientific Reports*, 8. doi:10.1038/s41598-018-33938-2
- Savic, N., Ringnalda, F. C. A. S., Lindsay, H., Berk, C., Bargsten, K., Li, Y. Z., . . . Schwank, G. (2018). Covalent linkage of the DNA repair template to the CRISPR-Cas9 nuclease enhances homology-directed repair. *eLife*, 7. doi:10.7554/eLife.33761
- Schirrmann, M. K., Zoller, S., Croll, D., Stukenbrock, E. H., Leuchtmann, A., & Fior, S. (2018). Genome-wide signatures of selection in *Epichloë* reveal candidate genes for host specialization. *Molecular Ecology*, 27, 3070-3086.
- Schlegel, M., Queloz, V., & Sieber, T. N. (2018). The Endophytic Mycobiome of European Ash and Sycamore Maple Leaves - Geographic Patterns, Host Specificity and Influence of Ash Dieback. *Frontiers in Microbiology*, 9. doi:10.3389/fmicb.2018.02345

- Schmid-Hempel, P., Aebi, M., Baribeau, S., Kitajima, T., du Plessis, L., Schmid-Hempel, R., & Zoller, S. (2018). The genomes of *Critchidia bombi* and *C. expoeki*, common parasites of bumblebees. *Plos One*, 13(1), e0189738. doi:10.1371/journal.pone.0189738
- Schnyder, E., Bodelier, P. L. E., Hartmann, M., Henneberger, R., & Niklaus, P. A. (2018). Positive diversity-functioning relationships in model communities of methanotrophic bacteria. *Ecology*, n/a-n/a. doi:10.1002/ecy.2138
- Shu, L. F., Qiu, J., & Rasanen, K. (2018). De novo oviduct transcriptome of the moor frog *Rana arvalis*: a quest for maternal effect candidate genes. *Peerj*, 6. doi:10.7717/peerj.5452
- Smith, J. R., Ghazoul, J., Burslem, D. F., Itoh, A., Kohoo, E., Lee, S. L., . . . Kettle, C. (2018). Are patterns of fine-scale spatial genetic structure consistent between sites within tropical tree species? *Plos One*. doi:10.1371/journal.pone.0193501
- Stewart, E. L., Croll, D., Lendenmann, M. H., Sanchez-Vallet, A., Hartmann, F. E., J., P.-G., . . . B.A., M. (2018). QTL mapping reveals complex genetic architecture of quantitative virulence in the wheat pathogen *Zymoseptoria tritici*. *Molecular Plant Pathology*, 19, 201-216.
- Stewart, E. L., Croll, D., Lendenmann, M. H., Sanchez-Vallet, A., Hartmann, F. E., Palma-Guerrero, J., . . . McDonald, B. A. (2018). Quantitative trait locus mapping reveals complex genetic architecture of quantitative virulence in the wheat pathogen *Zymoseptoria tritici*. *Molecular Plant Pathology*, 19(1), 201-216. doi:10.1111/mpp.12515
- Stritt, C., Gordon, S. P., Wicker, T., Vogel, J. P., & Roulin, A. C. (2018). Recent Activity in Expanding Populations and Purifying Selection Have Shaped Transposable Element Landscapes across Natural Accessions of the Mediterranean Grass *Brachypodium distachyon*. *Genome Biology and Evolution*, 10(1), 304-318. doi:10.1093/gbe/evx276
- Stroheker, S., Dubach, V., Queloz, V., & Sieber, T. N. (2018). Resilience of *Phialocephala fortinii* s.l. e *Acephala applanata* communities e Effects of disturbance and strain introduction. *Fungal Ecology*, 31, 19-28.
- Stroheker, S., Weiss, M., Sieber, T. N., & Bugmann, H. (2018). Ecological Factors Influencing Norway Spruce Regeneration on Nurse Logs in a Subalpine Virgin Forest. *Forests*, 9(3). doi:10.3390/f9030120
- Sun, W. F., Dong, H., Becker, A. S., Dapito, D. H., Modica, S., Grandl, G., . . . Wolfrum, C. (2018). Cold-induced epigenetic programming of the sperm enhances brown adipose tissue activity in the offspring. *Nature Medicine*, 24(9), 1372-+. doi:10.1038/s41591-018-0102-y
- van der Weijden, V. A., Floter, V. L., & Ulbrich, S. E. (2018). Gestational oral low-dose estradiol-17 beta induces altered DNA methylation of CDKN2D and PSAT1 in embryos and adult offspring. *Scientific Reports*, 8. doi:10.1038/s41598-018-25831-9
- Willi, Y., Fracassetti, M., Zoller, S., & Van Buskirk, J. (2018). Accumulation of Mutational Load at the Edges of a Species Range. *Molecular Biology and Evolution*, 35(4), 781-791. doi:10.1093/molbev/msy003
- Wos, G., & Willi, Y. (2018a). Genetic differentiation in life history traits and thermal stress performance across a heterogeneous dune landscape in *Arabidopsis lyrata*. *Annals of Botany*, 122(3), 473-483. doi:10.1093/aob/mcy090
- Wos, G., & Willi, Y. (2018b). Thermal acclimation in *Arabidopsis lyrata*: genotypic costs and transcriptional changes. *Journal of Evolutionary Biology*, 31(1), 123-135. doi:10.1111/jeb.13208

- Wu, J. Z., McKeague, M., & Sturla, S. J. (2018). Nucleotide-Resolution Genome-Wide Mapping of Oxidative DNA Damage by Click-Code-Seq. *Journal of the American Chemical Society*, 140(31), 9783-9787. doi:10.1021/jacs.8b03715
- Zemp, N., Widmer, A., & Charlesworth, D. (2018). Has adaptation occurred in males and females since separate sexes evolved in the plant *Silene latifolia*? *Proceedings of the Royal Society B-Biological Sciences*, 285, 20172824. doi:10.1098/rspb.2017.2824

2017

- Agapito-Tenfen, S., Lopez, F. R., Mallah, N., Abou-Slemanyne, G., Trtikova, M., Nodari, R. O., & Wickson, F. (2017). Transgene flow in Mexican maize revisited: Socio-biological analysis across two contrasting farmer communities and seed management systems. *Ecology and Evolution*, 7(22), 9461-9472. doi:10.1002/ece3.3415
- Allen, R. C., Pfrunder-Cardozo, K. R., Meinel, D., Egli, A., & Hall, A. R. (2017). Associations among Antibiotic and Phage Resistance Phenotypes in Natural and Clinical *Escherichia coli* Isolates. *Mbio*, 8(5). doi:10.1128/mBio.01341-17
- Assaad, N. M., McDonald, B. A., & Croll, D. (2017). Multi-locus resistance evolution to azole fungicides in fungal plant pathogen populations. *Molecular Ecology*, *in press*.
- Baribeau, S. M., & Schmid-Hempel, P. (2017). Sexual healing: mating induces a protective immune response in bumblebees. *Journal of Evolutionary Biology*, 30(1), 202-209. doi:10.1111/jeb.12964
- Baumgartner, M., Roffler, S., Wicker, T., & Pernthaler, J. (2017). Letting go: bacterial genome reduction solves the dilemma of adapting to predation mortality in a substrate-restricted environment. *Isme Journal*, 11(10), 2258-2266. doi:10.1038/ismej.2017.87
- Beenken, L. (2017a). *Austropuccinia*: a new genus name for the myrtle rust *Puccinia psidii* placed within the redefined family Sphaerophragmiaceae (Pucciniales). *Phytotaxa*, 297(1), 53-61. doi:10.11646/phytotaxa.297.1.5
- Beenken, L. (2017b). First records of the powdery mildews *Erysiphe platani* and *E. alphitoides* on *Ailanthus altissima* reveal host jumps independent of host phylogeny. *Mycological Progress*. doi:10.1007/s11557-016-1260-2
- Beenken, L., Lutz, M., & Scholler, M. (2017). DNA barcoding and phylogenetic analyses of the genus *Coleosporium* (Pucciniales) reveal that the North American goldenrod rust *C. solidaginis* is a neomycete on introduced and native *Solidago* species in Europe. *Mycological Progress*, 16(11-12), 1073-1085. doi:10.1007/s11557-017-1357-2
- Bircher, L., Schwab, C., Geirnaert, A., & Lacroix, C. (2017). Cryopreservation of artificial gut microbiota produced with *in vitro* fermentation technology. *Biotechnology Reports*, 11, 163-175.
- Burkli, A., & Jokela, J. (2017). Increase in multiple paternity across the reproductive lifespan in a sperm-storing, hermaphroditic freshwater snail. *Molecular Ecology*, 26(19), 5264-5278. doi:10.1111/mec.14200
- Burkli, A., Sieber, N., Seppala, K., & Jokela, J. (2017). Comparing direct and indirect selfing rate estimates: when are population-structure estimates reliable? *Heredity*, 118(6), 525-533. doi:10.1038/hdy.2017.1
- Chiri, E., Nauer, P. A., Rainer, E. M., Zeyer, J., & Schroth, M. H. (2017). High Temporal and Spatial Variability of Atmospheric-Methane Oxidation in Alpine Glacier Forefield Soils. *Applied and Environmental Microbiology*, 83(18). doi:10.1128/AEM.01139-17

- De Ventura, L., Kopp, K., Seppala, K., & Jokela, J. (2017). Tracing the quagga mussel invasion along the Rhine river system using eDNA markers: early detection and surveillance of invasive zebra and quagga mussels. *Management of Biological Invasions*, 8(1), 101-112. doi:10.3391/mbi.2017.8.1.10
- Degrune, F., Theodorakopoulos, N., Colinet, G., Hiel, M. P., Bodson, B., Taminiau, B., . . . Hartmann, M. (2017). Temporal Dynamics of Soil Microbial Communities below the Seedbed under Two Contrasting Tillage Regimes. *Frontiers in Microbiology*, 8. doi:10.3389/fmicb.2017.01127
- Dennis, A. B., Patel, V., Oliver, K. M., & Vorburger, C. (2017). Parasitoid gene expression changes after adaptation to symbiont-protected hosts. *Evolution*, 71(11), 2599-2617. doi:10.1111/evo.13333
- Favre, A., Widmer, A., & Karrenberg, S. (2017). Differential adaptation drives ecological speciation in campions (*Silene*): evidence from a multi-site transplant experiment. *New Phytol*, 213(3), 1487-1499. doi:10.1111/nph.14202
- Fischer, M. C., Rellstab, C., Leuzinger, M., Roumet, M., Gugerli, F., Shimizu, K. K., . . . Widmer, A. (2017). Estimating genomic diversity and population differentiation - an empirical comparison of microsatellite and SNP variation in *Arabidopsis halleri*. *Bmc Genomics*, 18. doi:10.1186/s12864-016-3459-7
- Fluri, H., Senn-Irlet, B., Graf, U., & Beenken, L. (2017). Geoglossum heuflerianum – Wiederentdeckung einer alpinen Art in der Schweiz. *Österr. Z. f. Pilzkunde* 26, 87-97.
- Gross, A., Beenken, L., Dubach, V., Queloz, V., Tanaka, K., Hashimoto, A., & Holdenrieder, O. (2017). *Pseudodidymella fagi* and *Petrakia deviata*: Two closely related tree pathogens new to central Europe. *Forest Pathology*, 47(5). doi:10.1111/efp.12351
- Hartman, K., van der Heijden, M. G. A., Roussely-Provent, V., Walser, J. C., & Schlaeppi, K. (2017). Deciphering composition and function of the root microbiome of a legume plant. *Microbiome*, 5. doi:10.1186/s40168-016-0220-z
- Hartmann, F. E., Sanchez-Vallet, A., McDonald, B. A., & Croll, D. (2017). A fungal wheat pathogen evolved host specialization by extensive chromosomal rearrangements. *Isme Journal*, 11(5), 1189-1204. doi:10.1038/ismej.2016.196
- Heinzelmann, R., Croll, D., Zoller, S., Sipos, G., Munsterkotter, M., Guldener, U., & Rigling, D. (2017). High-density genetic mapping identifies the genetic basis of a natural colony morphology mutant in the root rot pathogen *Armillaria ostoyae*. *Fungal Genetics and Biology*, 108, 44-54. doi:10.1016/j.fgb.2017.08.007
- Ibrahim, M., Sieber, T. N., & Schlegel, M. (2017). Communities of fungal endophytes in leaves of *Fraxinus ornus* are highly diverse. *Fungal Ecology*, 29, 10-19.
- Imperiale, N., Dennert, F., Schneider, J., Laessle, T., Velatta, C., Fesselet, M., . . . Keel, C. (2017). Relationships between Root Pathogen Resistance, Abundance and Expression of *Pseudomonas* Antimicrobial Genes, and Soil Properties in Representative Swiss Agricultural Soils. *Frontiers in Plant Science*, 8. doi:10.3389/fpls.2017.00427
- Ismail, S. A., Ghazoul, J., Ravikanth, G., Kushalappa, C. G., Shaanker, R. U., & Kettle, C. J. (2017). Evaluating realized seed dispersal across fragmented tropical landscapes: a two-fold approach using parentage analysis and the neighbourhood model. *New Phytologist*, 214(3), 1307-1316. doi:10.1111/nph.14427
- Kleyer, H., Tecon, R., & Or, D. (2017). Resolving Species Level Changes in a Representative Soil Bacterial Community Using Microfluidic Quantitative PCR. *Frontiers in Microbiology*, 8. doi:10.3389/fmicb.2017.02017

- Klingenberg, R., Aghlmandi, S., Liebetrau, C., Räber, L., Gencer, B., Nanchen, D., . . . Lüscher, T. F. (2017). Cysteine-rich angiogenic inducer 61 (Cyr61): a novel soluble biomarker of acute myocardial injury improves risk stratification after acute coronary syndromes. *European Heart Journal*, 38(47), 3493-3502. doi:10.1093/eurheartj/ehx640
- Leys, M., Keller, I., Robinson, C. T., & Rasanen, K. (2017). Cryptic lineages of a common alpine mayfly show strong life-history divergence. *Molecular Ecology*, 26(6), 1670-1686. doi:10.1111/mec.14026
- Lilja, E. E., & Johnson, D. R. (2017). Metabolite toxicity determines the pace of molecular evolution within microbial populations. *Bmc Evolutionary Biology*, 17. doi:10.1186/s12862-017-0906-2
- Lustenhouwer, N., Wilschut, R. A., Williams, J. L., van der Putten, W. H., & Levine, J. M. (2017). Rapid evolution of phenology during range expansion with recent climate change. *Glob Chang Biol.* doi:10.1111/gcb.13947
- Manlik, O., Schmid-Hempel, R., & Schmid-Hempel, P. (2017). Parasite infection of specific host genotypes relates to changes in prevalence in two natural populations of bumblebees. *Infection Genetics and Evolution*, 56, 125-132. doi:10.1016/j.meegid.2017.11.019
- Marchal, M., Goldschmidt, F., Derksen-Muller, S. N., Panke, S., Ackermann, M., & Johnson, D. R. (2017). A passive mutualistic interaction promotes the evolution of spatial structure within microbial populations. *Bmc Evolutionary Biology*, 17. doi:10.1186/s12862-017-0950-y
- Marques, D. A., Lucek, K., Haesler, M. P., Feller, A. F., Meier, J. I., Wagner, C. E., . . . Seehausen, O. (2017). Genomic landscape of early ecological speciation initiated by selection on nuptial colour. *Molecular Ecology*, 26(1), 7-24. doi:10.1111/mec.13774
- Meier, J. I., Marques, D. A., Mwaiko, S., Wagner, C. E., Excoffier, L., & Seehausen, O. (2017). Ancient hybridization fuels rapid cichlid fish adaptive radiations. *Nature Communications*, 8. doi:10.1038/ncomms14363
- Meier, J. I., Sousa, V. C., Marques, D. A., Selz, O. M., Wagner, C. E., Excoffier, L., & Seehausen, O. (2017). Demographic modelling with whole-genome data reveals parallel origin of similar Pundamilia cichlid species after hybridization. *Molecular Ecology*, 26(1), 123-141. doi:10.1111/mec.13838
- Moll, J., Klingensfuss, F., Widmer, F., Gogos, A., Bucheli, T. D., Hartmann, M., & van der Heijden, M. G. A. (2017). Effects of titanium dioxide nanoparticles on soil microbial communities and wheat biomass. *Soil Biology & Biochemistry*, 111, 85-93. doi:10.1016/j.soilbio.2017.03.019
- Monchamp, M. E., Enache, I., Turko, P., Pomati, F., Risnoveanu, G., & Spaak, P. (2017). Sedimentary and egg-bank DNA from 3 European lakes reveal concurrent changes in the composition and diversity of cyanobacterial and Daphnia communities. *Hydrobiologia*, 800(1), 155-172. doi:10.1007/s10750-017-3247-7
- Moran, E. V., Reid, A., & Levine, J. M. (2017). Population genetics and adaptation to climate along elevation gradients in invasive Solidago canadensis. *Plos One*, 12(9). doi:10.1371/journal.pone.0185539
- Morgan, E. J., Kaiser-Bunbury, C. N., Edwards, P. J., Fleischer-Dogley, F., & Kettle, C. J. (2017). Keeping it in the family: strong fine-scale genetic structure and inbreeding in *Lodoicea maldivica*, the largest-seeded plant in the world. *Conservation Genetics*, 18(6), 1317-1329. doi:10.1007/s10592-017-0982-2
- Nadyeina, O., Zarabska-Bozejewicz, D., Wiedmer, A., Cornejo, C., & Scheidegger, C. (2017). Polymorphic fungus-specific microsatellite markers of *Bactrospora dryina* reveal

- multiple colonizations of trees. *Lichenologist*, 49(6), 561-577.
 doi:10.1017/S0024282917000548
- Näpflin, K., & Schmid-Hempel, P. (2017). Host effects on microbiota community assembly. *Journal of Animal Ecology*. doi:10.1111/1365-2656.12768
- Nutt, S. K., Burslem, D. F., Maycock, C. R., Ghazoul, J., Khoo, E., Hastie, A. Y. L., & Kettle, C. (2017). Genetic diversity affects seedling survival but not growth or seed germination in the Bornean endemic dipterocarp *Parashorea tomentella*. *Plant Ecology and Diversity*. doi:10.1080/17550874.2016.1262923
- Palma-Guerrero, J., Ma, X., Torriani, S. F. F., Zala, M., Francisco, C. S., Hartmann, F. E., . . . McDonald, B. A. (2017). Comparative Transcriptome Analyses in *Zymoseptoria tritici* Reveal Significant Differences in Gene Expression Among Strains During Plant Infection. *Molecular Plant-Microbe Interactions*, 30(3), 231-244. doi:10.1094/Mppmi-07-16-0146-R
- Pereira, D. A. S., McDonald, B. A., & Brunner, P. C. (2017). Mutations in the CYP51 gene reduce DMI sensitivity in *Parastagonospora nodorum* populations in Europe and China. *Pest Management Science*, 73(7), 1503-1510. doi:10.1002/ps.4486
- Pham, V. T., Lacroix, C., Braegger, C. P., & Chassard, C. (2017). Lactate-utilizing community is associated with gut microbiota dysbiosis in colicky infants. *Scientific Reports*, 7. doi:10.1038/s41598-017-11509-1
- Rendueles, O., & Velicer, G. J. (2017). Evolution by flight and fight: diverse mechanisms of adaptation by actively motile microbes. *Isme Journal*, 11(2), 555-568. doi:10.1038/ismej.2016.115
- Scharmann, M., Grafe, T. U., Metali, F., & Widmer, A. (2017). Sex-determination and sex chromosomes are shared across the radiation of dioecious *Nepenthes* pitcher plants. *BioRxiv*.
- Schoebel, C. N., Bottella, L. V., Lygis, V., & Rigling, D. (2017). Population genetic analysis of a parasitic mycovirus to infer the invasion history of its fungal host. *Molecular Ecology*, accepted.
- Trtikova, M., Lohn, A., Binimelis, R., Chapela, I., Oehen, B., Zemp, N., . . . Hilbeck, A. (2017). Teosinte in Europe – Searching for the Origin of a Novel Weed. *Scientific Reports*, 7(1), 1560. doi:10.1038/s41598-017-01478-w
- Tsykun, T., Rellstab, C., Dutech, C., Sipos, G., & Prospero, S. (2017). Comparative assessment of SSR and SNP markers for inferring the population genetic structure of the common fungus *Armillaria cepistipes*. *Heredity*, 119, 371. doi:10.1038/hdy.2017.48
- <https://www.nature.com/articles/hdy201748#supplementary-information>
- van der Weijden, V. A., Chen, S., Bauersachs, S., Ulbrich, S. E., & Schoen, J. (2017). Gene expression of bovine embryos developing at the air-liquid interface on oviductal epithelial cells (ALI-BOEC). *Reproductive Biology and Endocrinology*, 15. doi:10.1186/s12958-017-0310-1

2016

- Altermatt, F., Alther, R., & Machler, E. (2016). Spatial patterns of genetic diversity, community composition and occurrence of native and non-native amphipods in naturally replicated tributary streams. *Bmc Ecology*, 16. doi:10.1186/s12898-016-0079-7

- Alther, R., Fiser, C., & Altermatt, F. (2016). Description of a widely distributed but overlooked amphipod species in the European Alps. *Zoological Journal of the Linnean Society*. doi:10.1111/zoj.12477
- Barribeau, S. M., Schmid-Hempel, P., & Sadd, B. M. (2016). Royal Decree: Gene Expression in Trans-Generationally Immune Primed Bumblebee Workers Mimics a Primary Immune Response. *Plos One*, 11(7), e0159635. doi:10.1371/journal.pone.0159635
- Beenken, L., & Senn-Irlet, B. (2016). Neomyceten in der Schweiz, Stand des Wissens und Abschätzung des Schadpotentials der mit Pflanzen assoziierten gebietsfremden Pilze. *WSL Berichte*, 50.
- Birtel, J., & Matthews, B. (2016). Grazers structure the bacterial and algal diversity of aquatic metacommunities. *Ecology*, 97(12), 3472-3484. doi:10.1002/ecy.1612
- Brunner, P. C., Stefansson, T. S., Fountaine, J., Richina, V., & McDonald, B. A. (2016). A Global Analysis of CYP51 Diversity and Azole Sensitivity in *Rhynchosporium commune*. *Phytopathology*, 106(4), 355-361. doi:10.1094/Phyto-07-15-0158-R
- Buechel, S. D., & Schmid-Hempel, P. (2016). Colony pace: a life-history trait affecting social insect epidemiology. *Proceedings of the Royal Society B-Biological Sciences*, 283, 20151919.
- Cai, J., Zu, P., & Schiestl, F. P. (2016). The molecular bases of floral scent evolution under artificial selection: insights from a transcriptome analysis in *Brassica rapa*. *Sci Rep*, 6, 36966. doi:10.1038/srep36966
- Chizzali, C., Gusberti, M., Schouten, H. J., Gessler, C., & Broggini, G. A. L. (2016). Cisgenic Rvi6 scab-resistant apple lines show no differences in Rvi6 transcription when compared with conventionally bred cultivars. *Planta*, 243(3), 635-644. doi:10.1007/s00425-015-2432-z
- Csencsics, D., & Holderegger, R. (2016). Origin of natural regeneration of black poplar (*Populus nigra* L.) and co-occurrence with hybrid poplar offspring. *Flora*, 222, 20-26. doi:10.1016/j.flora.2016.03.009
- Degtjarenko, P., Marmor, L., Torra, T., Lerch, M., Saag, A., Randlane, T., & Scheidegger, C. (2016). Impact of alkaline dust pollution on genetic variation of *Usnea subfloridana* populations. *Fungal Biology*, 120(10), 1165-1174. doi:10.1016/j.funbio.2016.05.010
- Deiner, K., Fronhofer, E. A., Machler, E., Walser, J. C., & Altermatt, F. (2016). Environmental DNA reveals that rivers are conveyer belts of biodiversity information. *Nature Communications*, 7, 1-9. doi:10.1038/ncomms12544
- Florez-Rueda, A. M., Paris, M., Schmidt, A., Widmer, A., Grossniklaus, U., & Stadler, T. (2016). Genomic Imprinting in the Endosperm Is Systematically Perturbed in Abortive Hybrid Tomato Seeds. *Molecular Biology and Evolution*, 33(11), 2935-2946. doi:10.1093/molbev/msw175
- Frey, B., Rime, T., Phillips, M., Stierli, B., Hajdas, I., Widmer, F., & Hartmann, M. (2016). Microbial diversity in European alpine permafrost and active layers. *Fems Microbiology Ecology*, 92(3). doi:10.1093/femsec/fiw018
- Gallot-Lavallee, M., Schmid-Hempel, R., Vandame, R., Vergara, C. H., & Schmid-Hempel, P. (2016). Large scale patterns of abundance and distribution of parasites in Mexican bumblebees. *J Invertebr Pathol*, 133, 73-82. doi:10.1016/j.jip.2015.12.004
- Geiser, C., Mandakova, T., Arrigo, N., Lysak, M. A., & Parisod, C. (2016). Repeated Whole-Genome Duplication, Karyotype Reshuffling, and Biased Retention of Stress-Responding Genes in Buckler Mustard. *Plant Cell*, 28(1), 17-27. doi:10.1105/tpc.15.00791

- Gouskov, A., Reyes, M., Wirthner-Bitterlin, L., & Vorburger, C. (2016). Fish population genetic structure shaped by hydroelectric power plants in the upper Rhine catchment. *Evolutionary Applications*, 9(2), 394-408. doi:10.1111/eva.12339
- Gouskov, A., & Vorburger, C. (2016a). Postglacial recolonizations, watershed crossings and human translocations shape the distribution of chub lineages around the Swiss Alps. *Bmc Evolutionary Biology*, 16. doi:10.1186/s12862-016-0750-9
- Gouskov, A., & Vorburger, C. (2016b). River fragmentation and fish population structure: a comparison of three Swiss midland rivers. *Freshwater Science*, 35(2), 689-700. doi:10.1086/685658
- Hassold, S., Lowry II, P. P., Bauert, M. R., Razafintsalama, A., Ramamonjisoa, L., & Widmer, A. (2016). DNA barcoding of Malagasy rosewoods: Towards a molecular identification of CITES-listed dalbergia species. *Plos One*. doi:10.1371/journal.pone.0157881
- Hayes, L. E., Sackett, K. E., Anderson, N. P., Flowers, M. D., & Mundt, C. C. (2016). Evidence of Selection for Fungicide Resistance in Zymoseptoria tritici Populations on Wheat in Western Oregon. *Plant Disease*, 100(2), 483-489. doi:10.1094/Pdis-02-15-0214-Re
- Ibrahim, M., Schlegel, M., & Sieber, T. N. (2016). Venturia orni sp nov., a species distinct from Venturia fraxini, living in the leaves of Fraxinus ornus. *Mycological Progress*, 15(3). doi:10.1007/s11557-016-1172-1
- Keller, C., & Scheidegger, C. (2016). Multiple mating events and spermatia-mediated gene flow in the lichen-forming fungus Lobaria pulmonaria. *Herzogia*, 2(Teil 1), 435-450.
- Kradolfer, D., Floter, V. L., Bick, J. T., Furst, R. W., Rode, K., Brehm, R., . . . Ulbrich, S. E. (2016). Epigenetic effects of prenatal estradiol-17 beta exposure on the reproductive system of pigs. *Molecular and Cellular Endocrinology*, 430(C), 125-137. doi:10.1016/j.mce.2016.04.005
- Lara-Romero, C., Garcia-Fernandez, A., Robledo-Arnuncio, J. J., Roumet, M., Morente-Lopez, J., Lopez-Gil, A., & Iriondo, J. M. (2016). Individual spatial aggregation correlates with between-population variation in fine-scale genetic structure of Silene ciliata (Caryophyllaceae). *Heredity*, 116(5), 417-423. doi:10.1038/hdy.2015.102
- Lendenmann, M. H., Croll, D., Palma-Guerrero, J., Stewart, E. L., & McDonald, B. A. (2016). QTL mapping of temperature sensitivity reveals candidate genes for thermal adaptation and growth morphology in the plant pathogenic fungus Zymoseptoria tritici. *Heredity*, 116(4), 384-394. doi:10.1038/hdy.2015.111
- Leuchtmann, A., & Michelsen, V. (2016). Biology and evolution of the Epichloë-associated Botanophila species found in Europe (Diptera: Anthomyiidae). *Insect Systematics & Evolution*, 47(1), 1-14.
- Leys, M., Keller, I., Rasanen, K., Gattoliat, J. L., & Robinson, C. T. (2016). Distribution and population genetic variation of cryptic species of the Alpine mayfly Baetis alpinus (Ephemeroptera: Baetidae) in the Central Alps. *Bmc Evolutionary Biology*, 16. doi:10.1186/s12862-016-0643-y
- Machler, E., Deiner, K., Spahn, F., & Altermatt, F. (2016). Fishing in the Water: Effect of Sampled Water Volume on Environmental DNA-Based Detection of Macroinvertebrates. *Environmental Science & Technology*, 50(1), 305-312. doi:10.1021/acs.est.5b04188
- Mark, K., Cornejo, C., Keller, C., Fluck, D., & Scheidegger, C. (2016). Barcoding lichen-forming fungi using 454 pyrosequencing is challenged by artifactual and biological sequence variation. *Genome*, 59(9), 685-704. doi:10.1139/gen-2015-0189

- Marques, D. A., Lucek, K., Meier, J. I., Mwaiko, S., Wagner, C. E., Excoffier, L., & Seehausen, O. (2016). Genomics of Rapid Incipient Speciation in Sympatric Threespine Stickleback. *Plos Genetics*, 12(2). doi:10.1371/journal.pgen.1005887
- Marxer, M., Baribeau, S., & Schmid-Hempel, P. (2016). Experimental Evolution of a Trypanosome Parasite of Bumblebees and its Implications for Infection Success and Host Immune Response. *Evolutionary Biology*, 43(2), 160-170. doi:10.1007/s11692-015-9366-z
- Mohd-Assaad, N., McDonald, B. A., & Croll, C. (2016). Multilocus resistance evolution to azole fungicides in fungal plant pathogen populations. *Molecular Ecology*, 25, 6124-6142. doi:10.1111/mec.13916
- Monchamp, M. E., Walser, J. C., Pomati, F., & Spaak, P. (2016). Sedimentary DNA Reveals Cyanobacterial Community Diversity over 200 Years in Two Perialpine Lakes. *Applied and Environmental Microbiology*, 82(21), 6472-6482. doi:10.1128/Aem.02174-16
- Morgan, E. J., Maattanen, K., Kaiser-Bunbury, C. N., Buser, A., Fleischer-Dogley, F., & Kettle, C. J. (2016). Development of 12 Polymorphic Microsatellite Loci for the Endangered Seychelles Palm *Lodoicea Maldivica* (Arecaceae). *Applications in Plant Sciences*, 4(4). doi:10.3732/apps.1500119
- Napflin, K., & Schmid-Hempel, P. (2016). Immune response and gut microbial community structure in bumblebees after microbiota transplants. *Proceedings of the Royal Society B-Biological Sciences*, 283(1831). doi:10.1098/rspb.2016.0312
- Paape, T., Hatakeyama, M., Shimizu-Inatsugi, R., Cereghetti, T., Onda, Y., Kenta, T., . . . Shimizu, K. K. (2016). Conserved but Attenuated Parental Gene Expression in Allopolyploids: Constitutive Zinc Hyperaccumulation in the Allotetraploid *Arabidopsis kamchatica*. *Molecular Biology and Evolution*, 33(11), 2781-2800. doi:10.1093/molbev/msw141
- Palma-Guerrero, J., Torriani, S. F. F., Zala, M., Carter, D., Courbot , M., Rudd, J. J., . . . Croll, D. (2016). Comparative transcriptome analyses of *Zymoseptoria tritici* strains show complex lifestyle transitions and intra-specific variability in transcription profiles. *Molecular Plant Pathology*, 17, 845-859. doi:10.1111/mpp.12333
- Pham, V. T., Lacroix, C., Braegger, C. P., & Chassard, C. (2016). Early colonization of functional groups of microbes in the infant gut. *Environmental Microbiology*, 18(7), 2246-2258. doi:10.1111/1462-2920.13316
- Pluess, A. R., Frank, A., Heiri, C., Lalagüe, H., Vendramin, G. G., & Oddou-Muratorio, S. (2016). Genome-environment association study suggests local adaptation to climate at the regional scale in *Fagus sylvatica*. *New Phytologist*. doi:10.1111/nph.13809
- Probst-Rud, S., McNeill, K., & Ackermann, M. (2016). Thiouridine residues in tRNAs are responsible for a synergistic effect of UVA and UVB light in photoinactivation of *Escherichia coli*. *Environmental Microbiology*. doi:10.1111/1462-2920.13319
- Proctor, C. R., Gachter, M., Kotzsch, S., Rolli, F., Sigrist, R., Walser, J. C., & Hammes, F. (2016). Biofilms in shower hoses - choice of pipe material influences bacterial growth and communities. *Environmental Science-Water Research & Technology*, 2(4), 670-682. doi:10.1039/c6ew00016a
- Quijano, C. D., Wichmann, F., Schlaich, T., Fammartino, A., Huckauf, J., Unter, C., . . . Sautter, C. (2016). KP4 to control *Ustilago tritici* in wheat: Enhanced greenhouse resistance to loose smut and changes in transcript abundance of pathogen related genes in infected KP4 plants. *Biotechnology Reports*, 11, 90-98.

- Ragot, S., Kertesz, M. A., Meszaros, E., Frossard, E., & Bünemann, E. K. (2016). Soil phoD and phoX alkaline phosphatase gene diversity responds to multiple environmental factors. *Fems Microbiology Ecology*, 93.
- Ragot, S. A., Huguenin-Elie, O., Kertesz, M. A., Frossard, E., & Bunemann, E. K. (2016). Total and active microbial communities and phoD as affected by phosphate depletion and pH in soil. *Plant and Soil*, 408(1-2), 15-30. doi:10.1007/s11104-016-2902-5
- Reininger, V., & Schlegel, M. (2016). Analysis of the Phialocephala subalpina Transcriptome during Colonization of Its Host Plant Picea abies. *Plos One*, 11(3). doi:10.1371/journal.pone.0150591
- Rellstab, C., Buhler, A., Graf, R., Folly, C., & Gugerli, F. (2016). Using joint multivariate analyses of leaf morphology and molecular-genetic markers for taxon identification in three hybridizing European white oak species (*Quercus* spp.). *Annals of Forest Science*, 73(3), 669-679. doi:10.1007/s13595-016-0552-7
- Rellstab, C., Fischer, M. C., Zoller, S., Graf, R., Tedder, A., Shimizu, K. K., . . . Gugerli, F. (2016). Local adaptation (mostly) remains local: reassessing environmental associations of climate-related candidate SNPs in *Arabidopsis halleri*. *Heredity*, 1-9. doi:10.1038/hdy.2016.82
- Rellstab, C., Zoller, S., Walthert, L., Lesur, I., Pluess, A. R., Graf, R. E., . . . Gugerli, F. (2016). Signatures of local adaptation in candidate genes of oaks (*Quercus* spp.) with respect to present and future climatic conditions. *Molecular Ecology*, 25(23), 5907-5924. doi:10.1111/mec.13889
- Riether, C., Schurch, C. M., Buhrer, E. D., Hinterbrandner, M., Huguenin, A. L., Hoepner, S., . . . Ochsenbein, A. F. (2016). CD70/CD27 signaling promotes blast stemness and is a viable therapeutic target in acute myeloid leukemia. *J Exp Med*. doi:10.1084/jem.20152008
- Rime, T., Hartmann, M., & Frey, B. (2016). Potential sources of microbial colonizers in an initial soil ecosystem after retreat of an alpine glacier. *Isme Journal*, 10(7), 1625-1641. doi:10.1038/ismej.2015.238
- Rime, T., Hartmann, M., Stierli, B., Anesio, A. M., & Frey, B. (2016). Assimilation of microbial and plant carbon by active prokaryotic and fungal populations in glacial forefields. *Soil Biology & Biochemistry*, 98, 30-41. doi:10.1016/j.soilbio.2016.03.012
- Roulin, A. C., Bourgeois, Y., Stiefel, U., Walser, J. C., & Ebert, D. (2016). A Photoreceptor Contributes to the Natural Variation of Diapause Induction in *Daphnia magna*. *Mol Biol Evol*, 33(12), 3194-3204. doi:10.1093/molbev/msw200
- Schlegel, M., Dubach, V., von Buol, L., & Sieber, T. N. (2016). Effects of endophytic fungi on the ash dieback pathogen. *Fems Microbiology Ecology*, 92(9). doi:10.1093/femsec/fiw142
- Senerchia, N., Felber, F., North, B., Sarr, A., Guadagnuolo, R., & Parisod, C. (2016). Differential introgression and reorganization of retrotransposons in hybrid zones between wild wheats. *Molecular Ecology*, 25(11), 2518-2528. doi:10.1111/mec.13515
- Seymour, M., Seppala, K., Machler, E., & Altermatt, F. (2016). Lessons from the macroinvertebrates: species-genetic diversity correlations highlight important dissimilar relationships. *Freshwater Biology*, 61(11), 1819-1829. doi:10.1111/fwb.12816
- Stroheker, S., Queloz, V., & Sieber, T. N. (2016). Spatial and temporal dynamics in the *Phialocephala fortinii* s.l. - *Acephala applanata* species complex (PAC). *Plant and Soil*, 407(1-2), 231-241. doi:10.1007/s11104-015-2790-0

- Talas, F., Kalih, R., Miedaner, T., & McDonald, B. A. (2016). Genome-Wide Association Study Identifies Novel Candidate Genes for Aggressiveness, Deoxynivalenol Production, and Azole Sensitivity in Natural Field Populations of *Fusarium graminearum*. *Molecular Plant-Microbe Interactions*, 29(5), 417-430. doi:10.1094/Mpmi-09-15-0218-R
- Trunz, V., Packer, L., Vieu, J., Arrigo, N., & Praz, C. J. (2016). Comprehensive phylogeny, biogeography and new classification of the diverse bee tribe Megachilini: Can we use DNA barcodes in phylogenies of large genera? *Molecular Phylogenetics and Evolution*, 103, 245-259. doi:10.1016/j.ympev.2016.07.004
- Vasudevan, K., Cruz, C. M. V., Gruisse, W., & Bhullar, N. K. (2016). Geographically Distinct and Domain-Specific Sequence Variations in the Alleles of Rice Blast Resistance Gene Pib. *Frontiers in Plant Science*, 7. doi:10.3389/fpls.2016.00915
- Vasudevan, K., Vera Cruz, C., Gruisse, W., & Bhullar, N. K. (2016). New alleles of the broad spectrum rice blast resistance gene Pib from diverse rice germplasm reveal geographic allele dynamics. *Frontiers in Plant Science*, 7, 915. doi:10.3389/fpls.2016.00915
- Vogel, C., Bodenhausen, N., Gruisse, W., & Vorholt, J. A. (2016). The *Arabidopsis* leaf transcriptome reveals distinct but also overlapping responses to colonization by phyllosphere commensals and pathogen infection with impact on plant health. *New Phytologist*, 212(1), 192-207. doi:10.1111/nph.14036
- Wey, T., Schlegel, M., Stroheker, S., & Gross, A. (2016). MAT - gene structure and mating behavior of *Hymenoscyphus fraxineus* and *Hymenoscyphus albidus*. *Fungal Genetics and Biology*, 87, 54-63. doi:10.1016/j.fgb.2015.12.013
- Zemp, N., Tavares, R., Muyle, A., Charlesworth, D., Marais, G. A. B., & Widmer, A. (2016). Evolution of sex-biased gene expression in a dioecious plant. *Nature plants*, 2, 16168.
- Zhang, Y., Madalin, P., Fischer, M. C., & Bossdorf, O. (2016). Epigenetics of colonizing species? a study of japanese knotweed in central europe. In *Invasion Genetics: the Baker and Stebbins Legacy* (pp. 328 - 345).

2015

- Bardil, A., Tayale, A., & Parisod, C. (2015). Evolutionary dynamics of retrotransposons following autopolyploidy in the Buckler Mustard species complex. *Plant Journal*, 82(4), 621-631. doi:10.1111/tpj.12837
- Barribeau, S. M., Sadd, B. M., du Plessis, L., Brown, M. J. F., Buechel, S. D., Cappelle, K., . . . Schmid-Hempel, P. (2015). A depauperate immune repertoire precedes evolution of sociality in bees. *Genome Biology*, 16. doi:Artn 83 10.1186/S13059-015-0628-Y
- Beenken, L., & Wood, A. R. (2015). Puccorchidium and Sphenorchidium, two new genera of Pucciniales on Annonaceae related to *Puccinia psidii* and the genus *Dasyspora*. *Mycological Progress*, 14(7). doi:10.1007/S11557-015-1073-8
- Burokiene, D., Prospero, S., Jung, E., Marciulyniene, D., Moosbrugger, K., Norkute, G., . . . Schoebel, C. N. (2015). Genetic population structure of the invasive ash dieback pathogen *Hymenoscyphus fraxineus* in its expanding range. *Biological Invasions*, 17(9), 2743-2756. doi:10.1007/s10530-015-0911-6
- Cheema, S., Zeyer, J., & Henneberger, R. (2015). Methanotrophic and Methanogenic Communities in Swiss Alpine Fens Dominated by *Carex rostrata* and *Eriophorum*

- angustifolium. *Applied and Environmental Microbiology*, 81(17), 5832-5844.
doi:10.1128/AEM.01519-15
- Chiri, E., Nauer, P. A., Henneberger, R., Zeyer, J., & Schroth, M. H. (2015). Soil-methane sink increases with soil age in forefields of Alpine glaciers. *Soil Biology & Biochemistry*, 84, 83-95. doi:10.1016/j.soilbio.2015.02.003
- Cornejo, C., & Scheidegger, C. (2015). Multi-gene phylogeny of the genus Lobaria: Evidence of species-pair and allopatric cryptic speciation in East Asia. *American Journal of Botany*, in press.
- Croll, D., Lendenmann, M. H., Stewart, E., & McDonald, B. A. (2015). The Impact of Recombination Hotspots on Genome Evolution of a Fungal Plant Pathogen. *Genetics*, 201(3), 1213-U1787. doi:10.1534/genetics.115.180968
- de Morais, C. T., Ghazoul, J., Maycock, C. R., Bagchi, R., Burslem, D. F. R. P., Khoo, E., . . . Kettle, C. J. (2015). Understanding local patterns of genetic diversity in dipterocarps using a multi-site, multi-species approach: Implications for forest management and restoration. *Forest Ecology and Management*, 356, 153-165.
doi:10.1016/j.foreco.2015.07.023
- Deiner, K., Walser, J. C., Machler, E., & Altermatt, F. (2015). Choice of capture and extraction methods affect detection of freshwater biodiversity from environmental DNA. *Biological Conservation*, 183, 53-63. doi:10.1016/j.biocon.2014.11.018
- Di Luccia, B., Crescenzo, R., Mazzoli, A., Cigliano, L., Venditti, P., Walser, J. C., . . . Iossa, S. (2015). Rescue of Fructose-Induced Metabolic Syndrome by Antibiotics or Faecal Transplantation in a Rat Model of Obesity. *Plos One*, 10(8).
doi:10.1371/journal.pone.0134893
- Estep, L. K., Torriani, S. F. F., Zala, M., Anderson, N. P., Flowers, M. D., McDonald, B. A., . . . Brunner, P. C. (2015). Emergence and early evolution of fungicide resistance in North American populations of *Zymoseptoria tritici*. *Plant Pathology*, 64(4), 961-971.
doi:10.1111/ppa.12314
- Fracassetti, M., Griffin, P. C., & Willi, Y. (2015). Validation of Pooled Whole-Genome Re-Sequencing in *Arabidopsis lyrata*. *Plos One*, 10(10). doi:10.1371/journal.pone.0140462
- Franchini, A. G., Henneberger, R., Aepli, M., & Zeyer, J. (2015). Methane dynamics in an alpine fen: a field-based study on methanogenic and methanotrophic microbial communities. *Fems Microbiology Ecology*, 91(3). doi:10.1093/femsec/fiu032
- Gross, A., & Han, J. G. (2015). *Hymenoscyphus fraxineus* and two new *Hymenoscyphus* species identified in Korea. *Mycological Progress*, 14(4). doi:10.1007/S11557-015-1035-1
- Gross, A., Hosoya, T., Zhao, Y. J., & Baral, H. O. (2015). *Hymenoscyphus linearis* sp nov: another close relative of the ash dieback pathogen *H. fraxineus*. *Mycological Progress*, 14(4). doi:10.1007/S11557-015-1041-3
- Gross, A., & Sieber, T. N. (2015). Virulence of *Hymenoscyphus albidus* and native and introduced *Hymenoscyphus fraxineus* on *Fraxinus excelsior* and *Fraxinus pennsylvanica*. *Plant Pathology*. doi:10.1111/ppa.12450
- Gusberti, M., Klemm, U., Meier, M. S., Maurhofer, M., & Hunger-Glaser, I. (2015). Fire Blight Control: The Struggle Goes On. A Comparison of Different Fire Blight Control Methods in Switzerland with Respect to Biosafety, Efficacy and Durability. *International Journal of Environmental Research and Public Health*, 12(9), 11422-11447.
doi:10.3390/ijerph120911422

- Halbritter, A. H., Billeter, R., Edwards, P. J., & Alexander, J. M. (2015). Local adaptation at range edges: comparing elevation and latitudinal gradients. *Journal of Evolutionary Biology*, 28(10), 1849-1860. doi:10.1111/jeb.12701
- Hanackova, Z., Koukol, O., Havrdova, L., & Gross, A. (2015). Local population structure of *Hymenoscyphus fraxineus* surveyed by an enlarged set of microsatellite markers. *Forest Pathology*, 45(5), 400-407. doi:10.1111/efp.12185
- Kummerli, R., Santorelli, L. A., Granato, E. T., Dumas, Z., Dobay, A., Griffin, A. S., & West, S. A. (2015). Co-evolutionary dynamics between public good producers and cheats in the bacterium *Pseudomonas aeruginosa*. *Journal of Evolutionary Biology*, 28(12), 2264-2274. doi:10.1111/jeb.12751
- Lazzaro, A., Hilfiker, D., & Zeyer, J. (2015). Structures of Microbial Communities in Alpine Soils: Seasonal and Elevational Effects. *Frontiers in Microbiology*, 6(1330).
- Lazzaro, A., Wismer, A., Schneebeli, M., Erny, I., & Zeyer, J. (2015). Microbial abundance and community structure in a melting alpine snowpack. *Extremophiles*, 19(3), 631-642. doi:10.1007/s00792-015-0744-3
- Lendenmann, M. H., Croll, D., & McDonald, B. A. (2015). QTL mapping of fungicide sensitivity reveals novel genes and pleiotropy with melanization in the pathogen *Zymoseptoria tritici*. *Fungal Genetics and Biology*, 80, 53-67. doi:10.1016/j.fgb.2015.05.001
- Luo, Y., Widmer, A., & Karrenberg, S. (2015). The roles of genetic drift and natural selection in quantitative trait divergence along an altitudinal gradient in *Arabidopsis thaliana*. *Heredity*, 114(2), 220-228. doi:10.1038/hdy.2014.89
- Meola, M., Lazzaro, A., & Zeyer, J. (2015). Bacterial Composition and Survival on Sahara Dust Particles Transported to the European Alps. *Frontiers in Microbiology*, 6, 1454.
- Meyer, J. B., Gallien, L., & Prospero, S. (2015). Interaction between two invasive organisms on the European chestnut: does the chestnut blight fungus benefit from the presence of the gall wasp? *Fems Microbiology Ecology*, 91(11).
- Nestorov, P., Hotz, H. R., Liu, Z. C., & Peters, A. H. F. M. (2015). Dynamic expression of chromatin modifiers during developmental transitions in mouse preimplantation embryos. *Scientific Reports*, 5. doi:10.1038/Srep14347
- Quijano, C. D., Brunner, S., Keller, B., Gruisse, W., & Sautter, C. (2015). The environment exerts a greater influence than the transgene on the transcriptome of field-grown wheat expressing the Pm3b allele. *Transgenic Research*, 24(1), 87-97. doi:10.1007/s11248-014-9821-0
- Ragot, S. A., Kertesz, M. A., & Bunemann, E. K. (2015). phoD Alkaline Phosphatase Gene Diversity in Soil. *Applied and Environmental Microbiology*, 81(20), 7281-7289. doi:10.1128/AEM.01823-15
- Reiser, H., Klingenberg, R., Hof, D., Cooksley-Decasper, S., Fuchs, N., Akhmedov, A., . . . Gawinecka, J. (2015). Circulating FABP4 Is a Prognostic Biomarker in Patients With Acute Coronary Syndrome but Not in Asymptomatic Individuals. *Arteriosclerosis Thrombosis and Vascular Biology*, 35(8), 1872-1879.
- Rendueles, O., Zee, P. C., Dinkelacker, I., Amherd, M., Wielgoss, S., & Velicer, G. J. (2015). Rapid and widespread de novo evolution of kin discrimination. *Proceedings of the National Academy of Sciences of the United States of America*, 112(29), 9076-9081. doi:10.1073/pnas.1502251112
- Rime, T., Hartmann, M., Brunner, I., Widmer, F., Zeyer, J., & Frey, B. (2015). Vertical distribution of the soil microbiota along a successional gradient in a glacier forefield. *Molecular Ecology*, 24(5), 1091-1108. doi:10.1111/mec.13051

- Ruffner, B., Pechy-Tarr, M., Hofte, M., Bloomberg, G., Grunder, J., Keel, C., & Maurhofer, M. (2015). Evolutionary patchwork of an insecticidal toxin shared between plant-associated pseudomonads and the insect pathogens *Photobacterium* and *Xenorhabdus*. *Bmc Genomics*, 16. doi:Artn 609
10.1186/S12864-015-1763-2
- Sadd, B. M., Baribeau, S. M., Bloch, G., de Graaf, D. C., Dearden, P., Elsik, C. G., . . . Worley, K. C. (2015). The genomes of two key bumblebee species with primitive eusocial organization. *Genome Biology*, 16. doi:10.1186/S13059-015-0623-3
- Salcher, M. M., Neuenschwander, S. M., Posch, T., & Pernthaler, J. (2015). The ecology of pelagic freshwater methylotrophs assessed by a high-resolution monitoring and isolation campaign. *Isme Journal*, 9(11), 2442-2453.
- Schirrmann, M. K., & Leuchtmann, A. (2015). The role of host-specificity in the reproductive isolation of *Epichloë* endophytes revealed by reciprocal infections. *Fungal Ecology*, 15, 29-38. doi:10.1016/j.funeco.2015.02.004
- Schirrmann, M. K., Zoller, S., Fior, S., & Leuchtmann, A. (2015). Genetic Evidence for Reproductive Isolation Among Sympatric *Epichloë* Endophytes as Inferred from Newly Developed Microsatellite Markers. *Microbial Ecology*, 70(1), 51-60.
doi:10.1007/s00248-014-0556-5
- Senerchia, N., Felber, F., & Parisod, C. (2015). Genome reorganization in F1 hybrids uncovers the role of retrotransposons in reproductive isolation. *Proceedings of the Royal Society B-Biological Sciences*, 282, 20142874.
- Seppala, O., Louhi, K. R., Karvonen, A., Rellstab, C., & Jokela, J. (2015). Relative reproductive success of co-infecting parasite genotypes under intensified within-host competition. *Infection, Genetics and Evolution*, 36, 450-455.
- Singh, G., Dal Grande, F., Werth, S., & Scheidegger, C. (2015). Long-term consequences of disturbances on reproductive strategies of the rare epiphytic lichen *Lobaria pulmonaria*: clonality a gift and a curse. *Fems Microbiology Ecology*, 91(1).
doi:10.1093/femsec/fiu009
- Stockenhuber, R., Zoller, S., Shimizu-Inatsugi, R., Gugerli, F., Shimizu, K. K., Widmer, A., & Fischer, M. C. (2015). Efficient Detection of Novel Nuclear Markers for Brassicaceae by Transcriptome Sequencing. *Plos One*, 10(6). doi:10.1371/journal.pone.0128181
- Talas, F., & McDonald, B. A. (2015a). Genome-wide analysis of *Fusarium graminearum* field populations reveals hotspots of recombination. *Bmc Genomics*, 16.
doi:10.1186/S12864-015-2166-0
- Talas, F., & McDonald, B. A. (2015b). Significant variation in sensitivity to a DMI fungicide in field populations of *Fusarium graminearum*. *Plant Pathology*, 64(3), 664-670.
doi:10.1111/ppa.12280
- Trtikova, M., Wikmark, O. G., Zemp, N., Widmer, A., & Hilbeck, A. (2015). Transgene Expression and Bt Protein Content in Transgenic Bt Maize (MON810) under Optimal and Stressful Environmental Conditions. *Plos One*, 10(4).
doi:10.1371/journal.pone.0123011
- Ulrich, Y., & Schmid-Hempel, P. (2015). The distribution of parasite strains among hosts affects disease spread in a social insect. *Infection Genetics and Evolution*, 32, 348-353.
- Vasudevan, K., Gruisse, W., & Bhullar, N. K. (2015). Identification of novel alleles of the rice blast resistance gene Pi54. *Scientific Reports*, 5. doi:10.1038/Srep15678

Zemp, N., Tavares, R., & Widmer, A. (2015). Fungal Infection Induces Sex-Specific Transcriptional Changes and Alters Sexual Dimorphism in the Dioecious Plant *Silene latifolia*. *Plos Genetics*, 11(10). doi:10.1371/journal.pgen.1005536

2014

- Aavik, T., Holderegger, R., & Bolliger, J. (2014). The structural and functional connectivity of the grassland plant *Lychnis flos-cuculi*. *Heredity*, 112(5), 471-478. doi:10.1038/Hdy.2013.120
- Akama, S., Shimizu-Inatsugi, R., Shimizu, K. K., & Sese, J. (2014). Genome-wide quantification of homeolog expression ratio revealed nonstochastic gene regulation in synthetic allopolyploid *Arabidopsis*. *Nucleic Acids Research*, 42(6). doi:10.1093/Nar/Gkt1376
- Baribeau, S. M., Sadd, B., du Plessis, L., & Schmid-Hempel, P. (2014). Gene expression differences underlying genotype-by-genotype specificity in a host-parasite system. *Proceedings of the National Academy of Sciences of the United States of America*, 111(9), 3496-3501. doi:10.1073/Pnas.1318628111
- Beenken, L. (2014). Pucciniales on *Annona* (Annonaceae) with special focus on the genus *Phakopsora*. *Mycological Progress*, 13(3), 791-809. doi:10.1007/s11557-014-0963-5
- Bodenhausen, N., Bortfeld-Miller, M., Ackermann, M., & Vorholt, J. A. (2014). A Synthetic Community Approach Reveals Plant Genotypes Affecting the Phyllosphere Microbiota. *Plos Genetics*, 10(4). doi:10.1371/Journal.Pgen.1004283
- Brunner, F. S., Schmid-Hempel, P., & Baribeau, S. M. (2014). Protein-poor diet reduces host-specific immune gene expression in *Bombus terrestris*. *Proceedings of the Royal Society B-Biological Sciences*, 281(1786). doi:10.1098/Rspb.2014.0128
- Brunner, P. C., Torriani, S. F. F., Croll, D., Stukenbrock, E. H., & McDonald, B. A. (2014). Hitchhiking Selection Is Driving Intron Gain in a Pathogenic Fungus. *Molecular Biology and Evolution*, 31(7), 1741-1749. doi:10.1093/Molbev/Msu123
- Castroagudin, V. L., Ceresini, P. C., De Oliveira, S. C., Dorigan, A. F., Reges, J. T. A., Maciel, J. L. N., & McDonald, B. A. (2014). Resistance to QoI fungicides is widespread in Brazilian populations of the wheat blast pathogen *Magnaporthe oryzae*. *Phytopathology*. doi:10.1094/PHYTO-06-14-0184-R
- Cisarovsky, G., & Schmid-Hempel, P. (2014a). Combining laboratory and field approaches to investigate the importance of flower nectar in the horizontal transmission of a bumblebee parasite. *Entomologia Experimentalis Et Applicata*, 152(3), 209-215. doi:10.1111/Eea.12218
- Cisarovsky, G., & Schmid-Hempel, P. (2014b). Few colonies of the host *Bombus terrestris* disproportionately affect the genetic diversity of its parasite, *Crithidia bombi*. *Infection Genetics and Evolution*, 21, 192-197. doi:10.1016/J.Meegid.2013.11.010
- Egea-Serrano, A., Hangartner, S., Laurila, A., & Rasanen, K. (2014). Multifarious selection through environmental change: acidity and predator-mediated adaptive divergence in the moor frog (*Rana arvalis*). *Proceedings of the Royal Society B-Biological Sciences*, 281(1780). doi:10.1098/Rspb.2013.3266
- Evangelou, M. W. H., Brem, A., Ugolini, F., Abiven, S., & Schulin, R. (2014). Soil application of biochar produced from biomass grown on trace element contaminated land. *Journal of Environmental Management*, 146, 100-106.

- Frei, E. R., Hahn, T., Ghazoul, J., & Pluess, A. R. (2014). Divergent selection in low and high elevation populations of a perennial herb in the Swiss Alps. *Alpine Botany*, 124(2), 131-142. doi:10.1007/s00035-014-0131-1
- Gross, A., Hosoya, T., & Queloz, V. (2014). Population structure of the invasive forest pathogen *Hymenoscyphus pseudoalbidus*. *Molecular Ecology*, 23(12), 2943-2960. doi:10.1111/Mec.12792
- Haider, M., Dorn, S., Sedivy, C., & Muller, A. (2014). Phylogeny and floral hosts of a predominantly pollen generalist group of mason bees (Megachilidae: Osmiini). *Biological Journal of the Linnean Society*, 111(1), 78-91. doi:10.1111/bij.12186
- Hartmann, M., Niklaus, P. A., Zimmermann, S., Schmutz, S., Kremer, J., Abarenkov, K., . . . Frey, B. (2014). Resistance and resilience of the forest soil microbiome to logging-associated compaction. *Isme Journal*, 8(1), 226-244. doi:10.1038/Ismej.2013.141
- Heule, C., Gppert, C., Salzburger, W., & Bhne, A. (2014). Genetics and timing of sex determination in the East African cichlid fish *Astatotilapia burtoni*. *Bmc Genetics*, 15. doi:10.1186/S12863-014-0140-5
- Ismail, S. A., Ghazoul, J., Ravikanth, G., Kushalappa, C. G., Shaanker, R. U., & Kettle, C. J. (2014). Forest Trees in Human Modified Landscapes: Ecological and Genetic Drivers of Recruitment Failure in *Dysoxylum malabaricum* (Meliaceae). *Plos One*, 9(2). doi:10.1371/journal.pone.0089437
- Jost, T., Lacroix, C., Braegger, C., & Chassard, C. (2014). Stability of the Maternal Gut Microbiota During Late Pregnancy and Early Lactation. *Current Microbiology*, 68(4), 419-427. doi:10.1007/s00284-013-0491-6
- Jost, T., Lacroix, C., Braegger, C. P., Rochat, F., & Chassard, C. (2014). Vertical mother-neonate transfer of maternal gut bacteria via breastfeeding. *Environmental Microbiology*, 16(9), 2891-2904. doi:10.1111/1462-2920.12238
- Karouzakis, E., Trenkmann, M., Gay, R. E., Michel, B. A., Gay, S., & Neidhart, M. (2014). Epigenome Analysis Reveals TBX5 as a Novel Transcription Factor Involved in the Activation of Rheumatoid Arthritis Synovial Fibroblasts. *Journal of Immunology*, 193(10), 4945-4951. doi:10.4049/Jimmunol.1400066
- Kophimai, Y., Peintinger, M., Werth, S., Cornejo, C., Scheidegger, C., & Bergamini, A. (2014). Ploidy level, genetic diversity, and differentiation in two closely related mosses, *Scorpidium cossonii* and *S. revolvens* (Calliergonaceae). *Journal of Bryology*, 36, 33-43. doi:10.1179/1743282013Y.00000000078
- Last, L., Lüscher, G., Widmer, F., Boller, B., & Kolliker, R. (2014). Indicators for genetic and phenotypic diversity of *Dactylis glomerata* in Swiss permanent grassland. *Ecological Indicators*, 38, 181-191. doi:10.1016/j.ecolind.2013.11.004
- Lendenmann, M., Croll, D., Stewart, E. L., & McDonald, B. A. (2014). Quantitative Trait Locus mapping of melanization in the plant pathogenic fungus *Zymoseptoria tritici*. *G3: Genes, Genomes, Genetics* doi:10.1534/g3.114.015289
- Leuchtmann, A., Bacon, C. W., Schardl, C. L., White, J. F., & Tadych, M. (2014). Nomenclatural realignment of *Neotyphodium* species with genus *Epichloe*. *Mycologia*, 106(2), 202-215. doi:10.3852/106.2.202
- Machler, E., Deiner, K., Steinmann, P., & Altermatt, F. (2014). Utility of environmental DNA for monitoring rare and indicator macroinvertebrate species. *Freshwater Science*, 33(4), 1174-1183. doi:10.1086/678128
- Maciel, J. L. N., Ceresini, P. C., Castroagudin, V. L., Zala, M., Kema, G. H. J., & McDonald, B. A. (2014). Population Structure and Pathotype Diversity of the Wheat Blast Pathogen

- Magnaporthe oryzae 25 Years After Its Emergence in Brazil. *Phytopathology*, 104(1), 95-107. doi:10.1094/Phyto-11-12-0294-R
- Madureira, D. J., Weiss, F. T., Van Midwoud, P., Helbling, D. E., Sturla, S. J., & Schirmer, K. (2014). Systems Toxicology Approach to Understand the Kinetics of Benzo(a)pyrene Uptake, Biotransformation, and DNA Adduct Formation in a Liver Cell Model. *Chemical Research in Toxicology*, 27(3), 443-453. doi:10.1021/tx400446q
- Meola, M., Lazzaro, A., & Zeyer, J. (2014). Diversity, resistance and resilience of the bacterial communities at two alpine glacier forefields after a reciprocal soil transplantation. *Environmental Microbiology*, 16(6), 1918-1934. doi:10.1111/1462-2920.12435
- Nadyeina, O., Cornejo, C., Boluda, C. G., Myllys, L., Rico, V. J., Crespo, A., & Scheidegger, C. (2014). Characterization of Microsatellite Loci in Lichen-Forming Fungi of Bryoria Section Implexae (Parmeliaceae). *Applications in Plant Sciences*, 2(7). doi:10.3732/Apps.1400037
- Nadyeina, O., Dymytrova, L., Naumovych, A., Postoyalkin, S., Werth, S., Cheenacharoen, S., & Scheidegger, C. (2014). Microclimatic differentiation of gene pools in the Lobaria pulmonaria symbiosis in a primeval forest landscape. *Molecular Ecology*, 23(21), 5164-5178. doi:10.1111/Mec.12928
- Nussberger, B., Wandeler, P., & Camenisch, G. (2014). A SNP chip to detect introgression in wildcats allows accurate genotyping of single hairs. *European Journal of Wildlife Research*, 60(2), 405-410. doi:10.1007/S10344-014-0806-3
- Oberhofer, M., & Leuchtmann, A. (2014). Horizontal transmission, persistence and competition capabilities of Epichloë endophytes in *Hordelymus europaeus* grass hosts using dual endophyte inocula. *Fungal Ecology*, 11, 37-49.
- Praz, C. J., & Packer, L. (2014). Phylogenetic position of the bee genera *Ancyla* and *Tarsalia* (Hymenoptera: Apidae): A remarkable base compositional bias and an early Paleogene geodispersal from North America to the Old World. *Molecular Phylogenetics and Evolution*, 81, 258-270. doi:10.1016/J.Ympev.2014.09.003
- Roulin, A. C., Wu, M., Pichon, S., Arbore, R., Kuhn-Buhlmann, S., Kolliker, M., & Walser, J. C. (2014). De Novo Transcriptome Hybrid Assembly and Validation in the European Earwig (Dermaptera, *Forficula auricularia*). *Plos One*, 9(4). doi:10.1371/journal.pone.0094098
- Sandrin, L., Meunier, J., Raveh, S., Walser, J.-C., & Koelliker, M. (2014). Multiple paternity and mating group size in the European earwig, *Forficula auricularia*. *Ecological Entomology*. doi:10.1111/een.12171
- Schmid-Hempel, R., Eckhardt, M., Goulson, D., Heinzmann, D., Lange, C., Plischuk, S., . . . Schmid-Hempel, P. (2014). The invasion of southern South America by imported bumblebees and associated parasites. *Journal of Animal Ecology*, 83(4), 823-837. doi:10.1111/1365-2656.12185
- Schoebel, C. N., Stewart, J., Gruenwald, N. J., Rigling, D., & Prospero, S. (2014). Population history and pathways of spread of the plant pathogen *Phytophthora plurivora*. *Plos One*, 9(1), e85368.
- Schoebel, C. N., Zoller, S., & Rigling, D. (2014). Detection and genetic characterisation of a novel mycovirus in *Hymenoscyphus fraxineus*, the causal agent of ash dieback. *Infection Genetics and Evolution*, 28, 78-86. doi:10.1016/j.meegid.2014.09.001
- Stefansson, T. S., McDonald, B. A., & Willi, Y. (2014). The Influence of Genetic Drift and Selection on Quantitative Traits in a Plant Pathogenic Fungus. *Plos One*, 9(11). doi:10.1371/journal.pone.0112523

- Stefansson, T. S., Willi, Y., Croll, D., & McDonald, B. A. (2014). An assay for quantitative virulence in *Rhynchosporium commune* reveals an association between effector genotype and virulence. *Plant Pathology*, 63(2), 405-414. doi:10.1111/PPA.12111
- Suter, L., Ruegg, M., Zemp, N., Hennig, L., & Widmer, A. (2014). Gene Regulatory Variation Mediates Flowering Responses to Vernalization along an Altitudinal Gradient in *Arabidopsis*. *Plant Physiology*, 166(4), 1928-U1133. doi:10.1104/PP.114.247346
- Tanner, S. A., Berner, A. Z., Rigozzi, E., Grattepanche, F., Chassard, C., & Lacroix, C. (2014). In Vitro Continuous Fermentation Model (PolyFermS) of the Swine Proximal Colon for Simultaneous Testing on the Same Gut Microbiota. *Plos One*, 9(4). doi:10.1371/journal.pone.0094123
- Tanner, S. A., Chassard, C., Berner, A. Z., & Lacroix, C. (2014). Synergistic effects of *Bifidobacterium thermophilum* RBL67 and selected prebiotics on inhibition of *Salmonella* colonization in the swine proximal colon PolyFermS model. *Gut Pathogens*, 6. doi:10.1186/S13099-014-0044-Y
- Tazzyman, S. J., & Hall, A. R. (2014). Lytic phages obscure the cost of antibiotic resistance in *Escherichia coli*. *The ISME Journal*. doi:10.1038/ismej.2014.176
- Torriani, S. F. F., Penselin, D., Knogge, W., Felder, M., Taudien, S., Platzer, M., . . . Brunner, P. C. (2014). Comparative analysis of mitochondrial genomes from closely related *Rhynchosporium* species reveals extensive intron invasion. *Fungal Genetics and Biology*, 62, 34-42. doi:10.1016/J.FGB.2013.11.001
- Ugolini, F., Henneberger, R., Burgmann, H., Zeyer, J., & Schroth, M. H. (2014). In-Situ Sonication for Enhanced Recovery of Aquifer Microbial Communities. *Ground Water*, 52(5), 737-747. doi:10.1111/Gwat.12105
- Ugolini, F., Schroth, M. H., Burgmann, H., & Zeyer, J. (2014). Physical Extraction of Microorganisms From Water-Saturated, Packed Sediment. *Water Environment Research*, 86(5), 407-416. doi:10.2175/106143013x13807328848216
- van Strien, M. J., Keller, D., Holderegger, R., Ghazoul, J., Kienast, F., & Bolliger, J. (2014). Landscape genetics as a tool for conservation planning: predicting the effects of landscape change on gene flow. *Ecological Applications*, 24(2), 327-339. doi:10.1890/13-0442.1
- Werth, S., Cheenacharoen, S., & Scheidegger, C. (2014). Propagule size is not a good predictor for regional population subdivision or fine-scale spatial structure in lichenized fungi. *Fungal Biology*, 118(2), 126-138. doi:10.1016/j.funbio.2013.10.009
- Werth, S., & Scheidegger, C. (2014). Gene Flow within and between Catchments in the Threatened Riparian Plant *Myricaria germanica*. *Plos One*, 9(6). doi:10.1371/journal.pone.0099400
- Werth, S., Schodl, M., & Scheidegger, C. (2014). Dams and canyons disrupt gene flow among populations of a threatened riparian plant. *Freshwater Biology*, 59(12), 2502-2515. doi:10.1111/fwb.12449
- Zemp, N., Minder, A., & Widmer, A. (2014). Identification of Internal Reference Genes for Gene Expression Normalization between the Two Sexes in Dioecious White Campion. *Plos One*, 9(3). doi:10.1371/journal.pone.0092893

2013

- Aavik, T., Holderegger, R., Edwards, P. J., & Billeter, R. (2013). Patterns of contemporary gene flow suggest low functional connectivity of grasslands in a fragmented agricultural landscape. *Journal of Applied Ecology*, 50(2), 395-403. doi:10.1111/1365-2664.12053
- Alexander, J. (2013). Evolution under changing climates: climatic niche stasis despite rapid evolution in a non-native plant. *Proceedings of the Royal Society B-Biological Sciences*, 280, 1767.
- Angst, D. C., & Hall, A. R. (2013). The cost of antibiotic resistance depends on evolutionary history in *Escherichia coli*. *Bmc Evolutionary Biology*, 13. doi:10.1186/1471-2148-13-163
- Barribeau, S. M., & Schmid-Hempel, P. (2013). Qualitatively different immune response of the bumblebee host, *Bombus terrestris*, to infection by different clones of the trypanosome gut parasite, *Critchidia bombi*. *Infection, Genetics and Evolution*, 20, 249-256. doi:10.1016/j.meegid.2013.09.014
- Brunner, F. S., Schmid-Hempel, P., & Barribeau, S. M. (2013). Immune Gene Expression in *Bombus terrestris*: Signatures of Infection Despite Strong Variation among Populations, Colonies, and Sister Workers. *Plos One*, 8(7). doi:10.1371/journal.pone.0068181
- Brunner, P. C., Torriani, S. F. F., Croll, D., Stukenbrock, E. H., & McDonald, B. A. (2013). Co-evolution and life cycle specialization of plant cell wall degrading enzymes in a hemibiotrophic pathogen. *Molecular Biology and Evolution*, 30, 1337-1347.
- Croll, D., Zala, M., & McDonald, B. A. (2013). Breakage-fusion-bridge cycles and large insertions contribute to the rapid evolution of accessory chromosomes in a fungal pathogen. *Plos Genetics*, 9(6), e1003567.
- Diepeveen, E. T., Roth, O., & Salzburger, W. (2013). Immune-related functions of the Hivep gene family in East African cichlid fishes. *G3: Genes, Genomics, Genetics*. doi:10.1534/g3.113.008839
- Drabesova, J., Rysanek, P., Brunner, P., McDonald, B. A., & Croll, D. (2013). Population genetic structure of *Mycosphaerella graminicola* and Quinone Outside Inhibitor (QoI) resistance in the Czech Republic. *European Journal of Plant Pathology*, 135(1), 211-224. doi:10.1007/S10658-012-0080-8
- Estep, L. K., Zala, M., Anderson, N. P., Sweemer, T. G., Sackett, K. E., Flowers, M., . . . Mundt, C. C. (2013). First report of resistance to QoI fungicides in North American populations of *Zymoseptoria tritici*. *Plant Disease*, 97, 1511.
- Ferrucho, R. L., Ceresini, P. C., Ramirez-Escobar, U. M., McDonald, B. A., Cubeta, M. A., & Garcia-Dominguez, C. (2013). The population genetic structure of *Rhizoctonia solani* AG-3PT from potatoes in the Colombian Andes. *Phytopathology*, 103(862-869).
- Fischer, M. C., Rellstab, C., Tedder, A., Zoller, S., Gugerli, F., Shimizu, K. K., . . . Widmer, A. (2013). Population genomic footprints of selection and associations with climate in natural populations of *Arabidopsis halleri* from the Alps. *Molecular Ecology*, 22, 5594-5607.
- Gau, R. D., Merz, U., Falloon, R. E., & Brunner, P. C. (2013). Global Genetics and Invasion History of the Potato Powdery Scab Pathogen, *Spongospora subterranea* f.sp *subterranea*. *Plos One*, 8(6). doi:10.1371/journal.pone.0067944
- Gusberti, M., Gessler, C., & Broggini, G. A. L. (2013). RNA-Seq Analysis Reveals Candidate Genes for Ontogenetic Resistance in *Malus-Venturia* Pathosystem. *Plos One*, 8(11), e78457.

- Hahn, T., Kettle, C. J., Ghazoul, J., Hennig, E. I., & Pluess, A. R. (2013). Landscape Composition Has Limited Impact on Local Genetic Structure in Mountain Clover, *Trifolium montanum* L. *Journal of Heredity*, 104(6), 842-852. doi:10.1093/jhered/est058
- Hall, A. R. (2013). Genotype-by-environment interactions due to antibiotic resistance and adaptation in *Escherichia coli*. *Journal of Evolutionary Biology*, 26(8), 1655-1664. doi:10.1111/jeb.12172
- Herrmann, M., Holderegger, R., & Van Strien, M. J. (2013). Influence of parameter settings in automated scoring of AFLPs on population genetic analysis. *Molecular Ecology Resources*, 13(1), 128-134. doi:10.1111/1755-0998.12033
- Horn, K., Franke, T., Unterseher, M., Schnittler, M., & Beenken, L. (2013). Morphological and molecular analyses of fungal endophytes of achlorophyllous gametophytes of *Diphasiastrum alpinum* (Lycopodiaceae). *American Journal of Botany*, 100, 2158-2174.
- Jost, T., Lacroix, C., Braegger, C., & Chassard, C. (2013). Assessment of bacterial diversity in breast milk using culture-dependent and culture-independent approaches. *British Journal of Nutrition*, 110(7), 1253-1262. doi:10.1017/S0007114513000597
- Keller, D., & Holderegger, R. (2013). Damselflies use different movement strategies for short- and long-distance dispersal. *Insect Conservation and Diversity*, 6(5), 590-597. doi:10.1111/icad.12016
- Keller, D., Holderegger, R., & van Strien, M. J. (2013). Spatial scale affects landscape genetic analysis of a wetland grasshopper. *Molecular Ecology*, 22(9), 2467-2482. doi:10.1111/mec.12265
- Keller, D., Van Strien, M. J., Herrmann, M., Bolliger, J., Edwards, P. J., Ghazoul, J., & Holderegger, R. (2013). Is functional connectivity in common grasshopper species affected by fragmentation in an agricultural landscape? *Agriculture, Ecosystems and Environment*, 175, 39-46.
- Keller, I., Wagner, C. E., Greuter, L., Mwaiko, S., Selz, O. M., Sivasundar, A., . . . Seehausen, O. (2013). Population genomic signatures of divergent adaptation, gene flow and hybrid speciation in the rapid radiation of Lake Victoria cichlid fishes. *Molecular Ecology*, 22(11), 2848-2863. doi:10.1111/mec.12083
- Kirk, H., Dorn, S., & Mazzi, D. (2013). Worldwide population genetic structure of the oriental fruit moth (*Grapholita molesta*), a globally invasive pest. *Bmc Ecology*, 13. doi:10.1186/1472-6785-13-12
- Klingenberg, R., Gerdes, N., Badeau, R. M., Gistera, A., Strodthoff, D., Ketelhuth, D. F., . . . Hansson, G. K. (2013). Depletion of FOXP3+ regulatory T cells promotes hypercholesterolemia and atherosclerosis. *J Clin Invest*, 123(3), 1323-1334. doi:10.1172/JCI63891
- Koch, H., Abrol, D. P., Li, J. L., & Schmid-Hempel, P. (2013). Diversity and evolutionary patterns of bacterial gut associates of corbiculate bees. *Molecular Ecology*, 22(7), 2028-2044. doi:10.1111/mec.12209
- Last, L., Widmer, F., Fjellstad, W., Stoyanova, S., & Kolliker, R. (2013). Genetic diversity of natural orchardgrass (*Dactylis glomerata* L.) populations in three regions in Europe. *Bmc Genetics*, 14. doi:10.1186/1471-2156-14-102
- Lembicz, M., Gorzynska, K., Olszanowski, Z., Michelson, V., & Leuchtmann, A. (2013). The occurrence and preference of *Botanophila* flies (Diptera: Anthomyiidae) for particular species of *Epichloë* fungi infecting wild grasses. *European Journal of Entomology*, 110, 129-134.

- Leuchtmann, A., & Oberhofer, M. (2013). The Epichloë endophytes associated with the woodland grass *Hordelymus europaeus* including four new taxa. *Mycologia*, *105*, 1315-1327.
- Luo, Y. H., & Widmer, A. (2013). Herkogamy and Its Effects on Mating Patterns in *Arabidopsis thaliana*. *Plos One*, *8*(2). doi:10.1371/journal.pone.0057902
- Maag, N., Karpati, T., & Bollmann, K. (2013). Semi-natural river system maintains functional connectivity and gene flow of the critically endangered gravel grasshopper (*Chorthippus pullus*). *Biological Conservation*, *158*, 88-97. doi:10.1016/j.biocon.2012.08.015
- Mandakova, T., Kovarik, A., Zozomova-Lihova, J., Shimizu-Inatsugi, R., Shimizu, K. K., Mummenhoff, K., . . . Lysak, M. A. (2013). The More the Merrier: Recent Hybridization and Polyploidy in *Cardamine*. *Plant Cell*, *25*(9), 3280-3295. doi:10.1105/tpc.113.114405
- Matter, P., Kettle, C., Ghazoul, J., Hahn, T., & Pluess, A. R. (2013). Estimating the pollen dispersal kernel of the two grassland species *Ranunculus bulbosus* and *Trifolium montanum* using an experimental approach. *Plant Biology*, *15*, 583-592.
- Matter, P., Kettle, C. J., Ghazoul, J., Hahn, T., & Pluess, A. R. (2013). Evaluating contemporary pollen dispersal in two common grassland species *Ranunculus bulbosus* L. (Ranunculaceae) and *Trifolium montanum* L. (Fabaceae) using an experimental approach. *Plant Biology*, *15*(3), 583-592. doi:10.1111/j.1438-8677.2012.00667.x
- Matter, P., Kettle, C. J., Ghazoul, J., & Pluess, A. R. (2013). Extensive contemporary pollen-mediated gene flow in two herb species, *Ranunculus bulbosus* and *Trifolium montanum*, along an altitudinal gradient in a meadow landscape. *Annals of Botany*, *111*(4), 611-621. doi:10.1093/aob/mct021
- McDonald, B. A., Oliver, R. P., Friesen, T. L., Brunner, P. C., & McDonald, B. A. (2013). Global diversity and distribution of three necrotrophic effectors in *Phaeosphaeria* spp. *New Phytologist*, *199*, 241-251.
- Meyer, J. B., Cartier, L. E., Pinto-Figueroa, E. A., Krzemnicki, M. S., Hanni, H. A., & McDonald, B. A. (2013). DNA Fingerprinting of Pearls to Determine Their Origins. *Plos One*, *8*(10). doi:10.1371/journal.pone.0075606
- Meyer, J. B., Song-Wilson, Y., Foetzki, A., Luginbuhl, C., Winzeler, M., Kneubuhler, Y., . . . Maurhofer, M. (2013). Does Wheat Genetically Modified for Disease Resistance Affect Root-Colonizing Pseudomonads and Arbuscular Mycorrhizal Fungi? *Plos One*, *8*(1). doi:10.1371/journal.pone.0053825
- Millet, A., Kristjansson, B. K., Einarsson, A., & Rasanen, K. (2013). Spatial phenotypic and genetic structure of threespine stickleback (*Gasterosteus aculeatus*) in a heterogeneous natural system, Lake Myvatn, Iceland. *Ecology and Evolution*, *3*(10), 3219-3232. doi:10.1002/ece3.712
- Padasht-Dehkai, F., Ceresini, P. C., Zala, M., Okhovvat, S. M., Nikkhah, M. J., & McDonald, B. A. (2013). Population genetic evidence that basidiospores play an important role in the disease cycle of rice-infecting populations of *Rhizoctonia solani* AG-1 IA in Iran. *Plant Pathology*, *62*(1), 49-58. doi:10.1111/j.1365-3059.2012.02613.x
- Pluess, A. R., Klank, C., & Ghazoul, J. (2013). Neutral and quantitative genetic differentiation among *Trollius europaeus* populations within a fragmented landscape. *Alpine Botany*, *123*(2), 55-63. doi:10.1007/S00035-013-0121-8

- Pluess, A. R., & Maattanen, K. (2013). Characterization of eighteen novel microsatellite markers and multiplex PCR protocol for *Fagus sylvatica*. *Conservation Genetics Resources*, 5(2), 311-314. doi:10.1007/S12686-012-9791-6
- Ragot, S., Zeyer, J., Zehnder, L., Reusser, E., Brandl, H., & Lazzaro, A. (2013). Bacterial community structures of an alpine apatite deposit. *Geoderma*, 202, 30-37. doi:10.1016/J.Geoderma.2013.03.006
- Reiniger, V., & Sieber, T. N. (2013). Mitigation of antagonistic effects on plant growth due to root co-colonization by dark septate endophytes (DSE) and ectomycorrhiza (ECM). *Environmental Microbiology Reports*, 5(6), 892-898.
- Rellstab, C., Zoller, S., Tedder, A., Gugerli, F., & Fischer, M. C. (2013). Validation of SNP Allele Frequencies Determined by Pooled Next-Generation Sequencing in Natural Populations of a Non-Model Plant Species. *Plos One*, 8(11), e80422.
- Schoebel, C. N., Jung, E., & Prospero, S. (2013). Development of New Polymorphic Microsatellite Markers for Three Closely Related Plant-Pathogenic Phytophthora Species Using 454-Pyrosequencing and Their Potential Applications. *Phytopathology*, 103(10), 1020-1027. doi:10.1094/Phyto-01-13-0026-R
- Sedivy, C., Dorn, S., & Müller, A. (2013). Evolution of nesting behaviour and kleptoparasitism in a selected group of osmiine bees (Hymenoptera: Megachilidae). *Biological Journal of the Linnean Society*, 108(2), 349-360. doi:10.1111/J.1095-8312.2012.02024.X
- Sedivy, C., Dorn, S., & Müller, A. (2013). Molecular phylogeny of the bee genus Hoplitis (Megachilidae: Osmiini) – how does nesting biology affect biogeography? *Zoological Journal of the Linnean Society*, 167, 28-42.
- Sedivy, C., Dorn, S., Widmer, A., & Müller, A. (2013). Host range evolution in a selected group of osmiine bees (Hymenoptera: Megachilidae): the Boraginaceae-Fabaceae paradox. *Biological Journal of the Linnean Society*, 108(1), 35-54. doi:10.1111/J.1095-8312.2012.02013.X
- Seymour, M., Rasanen, K., Holderegger, R., & Kristjansson, B. K. (2013). Connectivity in a pond system influences migration and genetic structure in threespine stickleback. *Ecology and Evolution*, 3(3), 492-502. doi:10.1002/Ece3.476
- Sharma, M. D., Minder, A. M., & Hosken, D. J. (2013). No association between sperm competition and sperm length variation across dung flies (Scathophagidae). *Journal of Evolutionary Biology*, 26(11), 2341-2349. doi:10.1111/jeb.12232
- Stefansson, T. S., McDonald, B. A., & Willi, Y. (2013). Local adaptation and evolutionary potential along a temperature gradient in the fungal pathogen *Rhynchosporium commune*. *Evolutionary Applications*, 6(3), 524-534. doi:10.1111/Eva.12039
- Suter, L., & Widmer, A. (2013a). Environmental Heat and Salt Stress Induce Transgenerational Phenotypic Changes in *Arabidopsis thaliana*. *Plos One*, 8(4). doi:10.1371/journal.pone.0060364
- Suter, L., & Widmer, A. (2013b). Phenotypic effects of salt and heat stress over three generations in *Arabidopsis thaliana*. *Plos One*, 8(11), e80819.
- Ugolini, F., Schroth, M. H., Burgmann, H., Hammes, F., & Zeyer, J. (2013). Chemical Extraction of Microorganisms from Water-Saturated, Packed Sediment. *Water Environment Research*, 85(6), 503-513. doi:10.2175/106143012x13373575831475
- Wagner, C. E., Keller, I., Wittwer, S., Selz, O. M., Mwaiko, S., Greuter, L., . . . Seehausen, O. (2013). Genome-wide RAD sequence data provide unprecedented resolution of species boundaries and relationships in the Lake Victoria cichlid adaptive radiation. *Molecular Ecology*, 22(3), 787-798. doi:10.1111/Mec.12023

- Werth, S., Millanes, A. M., Wedin, M., & Scheidegger, C. (2013). Lichenicolous fungi show population subdivision by host species but do not share population history with their hosts. *Fungal Biology*, 117(1), 71-84.
- Westram, A. M., Jokela, J., & Keller, I. (2013). Hidden Biodiversity in an Ecologically Important Freshwater Amphipod: Differences in Genetic Structure between Two Cryptic Species. *Plos One*, 8(8). doi:10.1371/journal.pone.0069576
- Willi, Y. (2013). Mutational Meltdown in Selfing *Arabidopsis lyrata*. *Evolution*, 67(3), 806-815. doi:10.1111/j.1558-5646.2012.01818.x
- Zulliger, D., Schnyder, E., & Gugerli, F. (2013). Are adaptive loci transferable across genomes of related species? – Outlier and environmental association analyses in Alpine Brassicaceae species. *Molecular Ecology*, 22, 1626-1639.

2012

- Aavik, T., Edwards, P. J., Holderegger, R., Graf, R., & Billeter, R. (2012). Genetic consequences of using seed mixtures in restoration: A case study of a wetland plant *Lychnis flos-cuculi*. *Biological Conservation*, 145(1), 195-204. doi: 10.1016/J.Biocon.2011.11.004
- Ackermann, M., Ajello, M., Ballet, J., Barbiellini, G., Bastieri, D., Bellazzini, R., . . . Swift-XRT. (2012). Multi-Wavelength Observations of Blazar Ao 0235+164 in the 2008-2009 Flaring State. *Astrophysical Journal*, 751(2). doi:10.1088/0004-637x/751/2/159
- Alp, M., Keller, I., Westram, A. M., & Robinson, C. T. (2012). How river structure and biological traits influence gene flow: a population genetic study of two stream invertebrates with differing dispersal abilities. *Freshwater Biology*, 57(5), 969-981. doi:10.1111/J.1365-2427.2012.02758.X
- Beenken, L., Zoller, S., & Berndt, R. (2012). Rust fungi on Annonaceae II: the genus *Dasyspora* Berk. & MA Curtis. *Mycologia*, 104(3), 659-681. doi:10.3852/11-068
- Berenos, C., Schmid-Hempel, P., & Wegner, K. M. (2012a). Antagonistic Coevolution Accelerates the Evolution of Reproductive Isolation in *Tribolium castaneum*. *American Naturalist*, 180(4), 520-528. doi:10.1086/667589
- Berenos, C., Schmid-Hempel, P., & Wegner, K. M. (2012b). Complex adaptive responses during antagonistic coevolution between *Tribolium castaneum* and its natural parasite *Nosema whitei* revealed by multiple fitness components. *Bmc Evolutionary Biology*, 12. doi:10.1186/1471-2148-12-11
- Blavet, N., Blavet, H., Cegan, R., Zemp, N., Zdanska, J., Janousek, B., . . . Widmer, A. (2012). Comparative analysis of a plant pseudoautosomal region (PAR) in *Silene latifolia* with the corresponding *S-vulgaris* autosome. *Bmc Genomics*, 13. doi:10.1186/1471-2164-13-226
- Boukef, S., McDonald, B. A., Yahyaoui, A., Rezgui, S., & Brunner, P. C. (2012). Frequency of mutations associated with fungicide resistance and population structure of *Mycosphaerella graminicola* in Tunisia. *European Journal of Plant Pathology*, 132(1), 111-122. doi:10.1007/S10658-011-9853-8
- Brankatschk, R., Bodenhausen, N., Zeyer, J., & Burgmann, H. (2012). Simple Absolute Quantification Method Correcting for Quantitative PCR Efficiency Variations for Microbial Community Samples. *Applied and Environmental Microbiology*, 78(12), 4481-4489. doi:10.1128/AEM.07878-11

- Brankatschk, R., Bodenhausen, N., Zeyer, J., & Bürgmann, H. (2012). Efficiency of real-time qPCR depends on the template: a simple absolute quantification method correcting for qPCR efficiency variations in microbial community samples. *Applied and Environmental Microbiology*. doi:10.1128/AEM.07878-11
- Bryner, S. F., Rigling, D., & Brunner, P. C. (2012). Invasion history and demographic pattern of Cryphonectria hypovirus 1 across European populations of the chestnut blight fungus. *Ecology and Evolution*, 2(12), 3227-3241. doi:10.1002/ece3.429
- Buehler, D., Graf, R., Holderegger, R., & Gugerli, F. (2012). Contemporary gene flow and mating system of *Arabis alpina* in a Central European alpine landscape. *Annals of Botany*, 109(7), 1359-1367. doi:10.1093/aob/mcs066
- Buser, C. C., Spaak, P., & Wolinska, J. (2012). Disease and pollution alter *Daphnia* taxonomic and clonal structure in experimental assemblages. *Freshwater Biology*, 57(9), 1865-1874. doi:10.1111/j.1365-2427.2012.02846.x
- Cisarovsky, G., Koch, H., & Schmid-Hempel, P. (2012). A field study on the influence of food and immune priming on a bumblebee-gut parasite system. *Oecologia, online early*. doi:10.1007/s00442-012-2333-9
- Dal Grande, F., Widmer, I., Wagner, H. H., & Scheidegger, C. (2012). Vertical and horizontal photobiont transmission within populations of a lichen symbiosis. *Molecular Ecology*, 21(13), 3159-3172. doi:10.1111/j.1365-294x.2012.05482.x
- Duo, A., Bruggmann, R., Zoller, S., Bernt, M., & Grunig, C. R. (2012). Mitochondrial genome evolution in species belonging to the *Phialocephala fortinii* s.l. - *Acephala applanata* species complex. *Bmc Genomics*, 13. doi:10.1186/1471-2164-13-166
- Fahretrapp, J., Broggini, G. A. L., Kellerhals, M., Malnoy, M., Peil, A., Richter, K., & Gessler, C. (2012). News of *Malus* x *robusta* candidate resistance gene. *Proceedings of Biotech Fruit II. Acta Hort. (ISHS)*.
- Fahretrapp, J., Broggini, G. A. L., Kellerhals, M., Peil, A., Richer, K., Zini, E., & Gessler, C. (2012). A Candidate Gene for Fire Blight Resistance in *Malus* x *robusta* 5 is Coding for a CC-NBS-LRR. *Tree Genetics and Genomes*. doi:10.1007/s11295-012-0550-3
- Finger, A., Kaiser-Bunbury, C. N., & Kettle, C. J. (2012). Development of polymorphic microsatellite markers of the Seychelles endemic tree *Glionnetia sericea* (Rubiaceae). *Conservation Genetics Resources*, 4(2), 239-241. doi:10.1007/S12686-011-9515-3
- Finger, A., Kettle, C. J., Kaiser-Bunbury, C. N., Valentin, T., Mougall, J., & Ghazoul, J. (2012). Forest fragmentation genetics in a formerly widespread island endemic tree: *Vateriopsis seychellarum* (Dipterocarpaceae). *Molecular Ecology*, 21(10), 2369-2382. doi:10.1111/j.1365-294x.2012.05543.x
- Franchini, A. G., & Zeyer, J. (2012). Freeze-Coring Method for Characterization of Microbial Community Structure and Function in Wetland Soils at High Spatial Resolution. *Applied and Environmental Microbiology*, 78(12), 4501-4504. doi:10.1128/Aem.00133-12
- Garcia-Fernandez, A., Lara-Romero, C., Segarra-Moragues, J. G., Iriondo, J. M., Widmer, A., & Escudero, A. (2012). Characterization of microsatellites in the mountain plant *Armeria caespitosa* (Plumbaginaceae) and transferability to congeners. *American Journal of Botany*, e292-e294.
- Garcia-Fernandez, A., Segarra-Moragues, J. G., Widmer, A., Escudero, A., & Iriondo, J. M. (2012). Unravelling genetics at the top: mountain islands or isolated belts? *Annals of Botany*, 110(6), 1221-1232. doi:10.1093/aob/mcs195
- Gardiner, D. M., McDonald, M. C., Covarelli, L., Solomon, P. S., Rusu, A. G., Marshall, M., . . . Manners, J. M. (2012). Comparative Pathogenomics Reveals Horizontally Acquired

- Novel Virulence Genes in Fungi Infecting Cereal Hosts. *Plos Pathogens*, 8(9). doi:10.1371/Journal.Ppat.1002952
- Gross, A., Grunig, C. R., Queloz, V., & Holdenrieder, O. (2012). A molecular toolkit for population genetic investigations of the ash dieback pathogen *Hymenoscyphus pseudoalbidus*. *Forest Pathology*, 42(3), 252-264. doi:10.1111/J.1439-0329.2011.00751.X
- Gross, A., Zaffarano, P. L., Duo, A., & Gruenig, C. R. (2012). Reproductive mode and life cycle of the ash dieback pathogen *Hymenoscyphus pseudoalbidus*. *Fungal Genetics and Biology*, 49, 977-986.
- Gugerli, F., & K., S. (2012). Reduced fitness at early life stages in peripheral versus core populations of Swiss stone pine (*Pinus cembra*) is not reflected by levels of inbreeding in seed families. *Alpine Botany*, 122, 75-85.
- Gupta, A. K., Akhtar, T. A., Widmer, A., Pichersky, E., & Schiestl, F. P. (2012). Identification of white campion (*Silene latifolia*) guaiacol O-methyltransferase involved in the biosynthesis of veratrole, a key volatile for pollinator attraction. *BMC Plant Biology*, 12, 158 - 170.
- Hahn, T., Kettle, C. J., Ghazoul, J., Frei, E. R., Matter, P., & Pluess, A. R. (2012). Patterns of genetic variation across altitude in three plant species of semi-dry grasslands. *PlosOne*, accepted.
- Hangartner, S., Laurila, A., & Rasanen, K. (2012). Adaptive Divergence in Moor Frog (*Rana Arvalis*) Populations Along an Acidification Gradient: Inferences from Qst-Fst Correlations. *Evolution*, 66(3), 867-881. doi:10.1111/J.1558-5646.2011.01472.X
- Ismail, S., Ghazoul, J., Ravikanth, G., Shaanker, R. U., Kushalappa, C. G., & Kettle, C. J. (2012). Does long-distance pollen dispersal preclude inbreeding in tropical trees? Fragmentation genetics of *Dysoxylum malabaricum* in an agro-forest landscape. *Molecular Ecology*, 21(22), 5484-5496.
- Jost, T., Lacroix, C., Braegger, C. P., & Chassard, C. (2012). New Insights in Gut Microbiota Establishment in Healthy Breast Fed Neonates. *Plos One*, 7(8). doi:10.1371/journal.pone.0044595
- Keller, D., Van Strien, M. J., & Holderegger, R. (2012). Do landscape barriers affect functional connectivity of populations of an endangered damselfly? *Freshwater Biology*, 57(7), 1373-1384. doi:10.1111/J.1365-2427.2012.02797.X
- Kerstes, N. A. G., Berenos, C., Schmid-Hempel, P., & Wegner, K. M. (2012). Antagonistic experimental coevolution with a parasite increases host recombination frequency. *Bmc Evolutionary Biology*, 12. doi:10.1186/1471-2148-12-18
- Klank, C., Ghazoul, J., & Pluess, A. R. (2012). Genetic variation and plant performance in fragmented populations of globeflowers (*Trollius europaeus*) within agricultural landscapes. *Conservation Genetics*, 13(3), 873-884. doi:10.1007/S10592-012-0337-Y
- Koch, H., Cisarovsky, G., & Schmid-Hempel, P. (2012). Ecological effects on gut bacterial communities in wild bumble bee colonies. *JOURNAL OF ANIMAL ECOLOGY online early*. doi:10.1111/j.1365-2656.2012.02004.x
- Koch, H., & Schmid-Hempel, P. (2012). Gut microbiota instead of host genotype drive the specificity in the interaction of a natural host-parasite system. *Ecology Letters, online early*. doi:10.1111/j.1461-0248.2012.01831.x
- Lapanje, A., Wimmersberger, C., Furrer, G., Brunner, I., & Frey, B. (2012). Pattern of Elemental Release During the Granite Dissolution Can Be Changed by Aerobic Heterotrophic

- Bacterial Strains Isolated from Damma Glacier (Central Alps) Deglaciated Granite Sand. *Microbial Ecology*, 63(4), 865-882. doi:10.1007/s00248-011-9976-7
- Liu, Z. H., Zhang, Z. C., Faris, J. D., Oliver, R. P., Syme, R., McDonald, M. C., . . . Friesen, T. L. (2012). The Cysteine Rich Necrotrophic Effector SnTox1 Produced by Stagonospora nodorum Triggers Susceptibility of Wheat Lines Harboring Snn1. *Plos Pathogens*, 8(1). doi:10.1371/Journal.Ppat.1002467
- Matter, P., Maattanen, K., Kettle, C. J., Ghazoul, J., & Pluess, A. R. (2012). Eleven Microsatellite Markers for the Mountain Clover *Trifolium Montanum* (Fabaceae). *American Journal of Botany*, 99(11), E447-E449. doi:10.3732/Ajb.1200102
- Matter, P., Pluess, A. R., Ghazoul, J., & Kettle, C. (2012). Eight microsatellite markers for the bulbous buttercup *Ranunculus bulbosus* (Ranunculaceae). *American Journal of Botany - Primer Notes and Protocols*.
- McDonald, M. C., Razavi, M., Brunner, P. C., & McDonald, B. A. (2012). Phylogenetic and population genetic analyses of *Phaeosphaeria nodorum* and its close relatives indicate cryptic species and an origin in the Fertile Crescent. *Fungal Genetics and Biology*, 49, 882-895. doi:10.1016/j.fgb.2012.08.001
- Mirouze, M., Lieberman-Lazarovich, M., Aversano, R., Bucher, E., Nicolet, J., Reinders, J., & Paszkowski, J. (2012). Loss of DNA methylation affects the recombination landscape in *Arabidopsis*. *Proceedings of the National Academy of Sciences of the United States of America*, 109(15), 5880-5885. doi:10.1073/Pnas.1120841109
- Moest, M., Petrusek, A., Sommaruga, P., Juracka, P., Slusarcyk, M., Manca, M., & Spaak, P. (2012). At the edge and on the top: Molecular identification and ecology of *Daphnia dentifera* and *D. longispina* in high-altitude Asian lakes. *Hydrobiologia*, 1-12. doi:10.1007/s10750-012-1311-x.
- Muyle, A., Zemp, N., Deschamps, C., Mousset, S., Widmer, A., & Marais, G. A. B. (2012). Rapid De Novo Evolution of X Chromosome Dosage Compensation in *Silene latifolia*, a Plant with Young Sex Chromosomes. *Plos Biology*, 10(4). doi:10.1371/Journal.Pbio.1001308
- Oberhofer, M., & Leuchtmann, A. (2012). Genetic diversity in epichlooid endophytes of *Hordelymus europaeus* suggests repeated host jumps and interspecific hybridizations. *Molecular Ecology*, 21(11), 2713-2726. doi:10.1111/J.1365-294x.2012.05459.X
- Pluess, A. R., & Weber, P. (2012). Drought-Adaptation Potential in *Fagus sylvatica*: Linking Moisture Availability with Genetic Diversity and Dendrochronology. *Plos One*, 7(3). doi:10.1371/journal.pone.0033636
- Refardt, D. (2012). Real-time quantitative PCR to discriminate and quantify lambdoid bacteriophages of *Escherichia coli* K-12. *Bacteriophage*, 2(2), 98-104.
- Reininger, V., Grunig, C. R., & Sieber, T. N. (2012). Host species and strain combination determine growth reduction of spruce and birch seedlings colonized by root-associated dark septate endophytes. *Environmental Microbiology*, 14(4), 1064-1076. doi:10.1111/J.1462-2920.2011.02686.X
- Reininger, V., & Sieber, T. N. (2012). Mycorrhiza Reduces Adverse Effects of Dark Septate Endophytes (DSE) on Growth of Conifers. *Plos One*, 7(8). doi:10.1371/journal.pone.0042865
- Ruffner, B., Pechy-Tarr, M., Ryffel, F., Hoegger, P., Obrist, C., Rindlisbacher, A., . . . Maurhofer, M. (2012). Oral insecticidal activity of plant-associated pseudomonads. *Environmental Microbiology*. doi:10.1111/j.1462-2920.2012.02884.x

- Salathe, R., Schmid-Hempel, R., & Schmid-Hempel, P. (2012). Probing mixed-genotype infections I: Extraction and cloning of infections from hosts of the trypanosomatid *Crithidia bombi*. *Plos One*, 7, e49046.
- Salzer, K., & Gugerli, F. (2012). Reduced fitness at early life stages in peripheral versus core populations of Swiss stone pine (*Pinus cembra*) is not reflected by levels of inbreeding in seed families. . *Alpine Botany*, 122, 75–85.
- Scheidegger, C., Bilovitz, P. O., Werth, S., Widmer, I., & Mayrhofer, H. (2012). Hitchhiking with forests: population genetics of the epiphytic lichen *Lobaria pulmonaria* in primeval and managed forests in southeastern Europe. *Ecology and Evolution*, 2(9), 2223-2240. doi:10.1002/ece3.341
- Tan, K. C., Ferguson-Hunt, M., Rybak, K., Waters, O. D. C., Stanley, W. A., Bond, C. S., . . . Oliver, R. P. (2012). Quantitative Variation in Effector Activity of ToxA Isoforms from *Stagonospora nodorum* and *Pyrenophora tritici-repentis*. *Molecular Plant-Microbe Interactions*, 25(4), 515-522. doi:10.1094/Mpmi-10-11-0273
- Tellenbach, C., & Sieber, T. N. (2012). Do colonization by dark septate endophytes and elevated temperature affect pathogenicity of oomycetes? *Fems Microbiology Ecology*, 82(1), 157-168. doi:10.1111/J.1574-6941.2012.01415.X
- Tognazzo, M., Schmid-Hempel, R., & Schmid-Hempel, P. (2012). Probing Mixed-Genotype Infections II: High Multiplicity in Natural Infections of the Trypanosomatid, *Crithidia bombi*, in Its Host, *Bombus* spp. *Plos One*, 7(11). doi:10.1371/journal.pone.0049137
- Ulrich, Y., & Schmid-Hempel, P. (2012). Host modulation of parasite competition in multiple infections. . *Proceedings of the Royal Society B-Biological Sciences*. doi:10.1098/rspb.2012.0474
- Van Strien, M. J., Keller, D., & Holderegger, R. (2012). A new analytical approach to landscape genetic modelling: least-cost transect analysis and linear mixed models. *Molecular Ecology*, 21, 4010-4023.
- Widmer, I., Dal Grande, F., Excoffier, L., Holderegger, R., Keller, C., Mikryukov, V., & Scheidegger, C. (2012). European phylogeography of the epiphytic lichen fungus *Lobaria pulmonaria* and its green algal symbiont. . *Molecular Ecology*, 21, 5827-5844.
- Zumsteg, A., Luster, J., Goransson, H., Smittenberg, R. H., Brunner, I., Bernasconi, S. M., . . . Frey, B. (2012). Bacterial, Archaeal and Fungal Succession in the Forefield of a Receding Glacier. *Microbial Ecology*, 63(3), 552-564. doi:10.1007/S00248-011-9991-8

2011

- Alp, M., Karpati, T., Werth, S., Gostner, W., Scheidegger, C., & Peter, A. (2011). Erhaltung und Förderung der Biodiversität von Fließgewässern. *Wasser, Energie, Luft*, 103(3), 216-223.
- Berenos, C., Wegner, K. M., & Schmid-Hempel, P. (2011). Antagonistic coevolution with parasites maintains host genetic diversity: an experimental test. *Proceedings of the Royal Society B-Biological Sciences*, 278(1703), 218-224. doi:10.1098/Rspb.2010.1211
- Buehler, D., Graf, R., Holderegger, R., & Gugerli, F. (2011). Using the 454 Pyrosequencing-Based Technique in the Development of Nuclear Microsatellite Loci in the Alpine Plant *Arabis Alpina* (Brassicaceae). *American Journal of Botany*, 98(5), E103-E105. doi:10.3732/Ajb.1000488

- Fahretrapp, J., Broggini, G. A. L., Gessler, C., Peil, A., Kellerhals, M., Malnoy, M., & Richer, K. (2011). Fine mapping of fire blight resistance locus in malus x robusta 5 on linkage group 3. *Acta Hort (ISHS)*, 8696, 243-244.
- Fahretrapp, J., Broggini, G. A. L., Kellerhals, M., Malnoy, M., Peil, A., Richter, K., & C., G. (2011). A candidate gene of Malus x robusta 5 for breeding towards fire blight resistance. *Proceedings of XIII EUCARPIA meeting on Fruit breeding and Genetics. Acta Hort. (ISHS)*.
- Finger, A., Kettle, C. J., Kaiser-Bunbury, C. N., Valentin, T., Doudee, D., Matatiken, D., & Ghazoul, J. (2011). Back from the brink: potential for genetic rescue in a critically endangered tree. *Molecular Ecology*, 20(18), 3773-3784. doi:10.1111/J.1365-294x.2011.05228.X
- Fleischer-Dogley, F., Kettle, C. J., Edwards, P. J., Ghazoul, J., Maattanen, K., & Kaiser-Bunbury, C. N. (2011). Morphological and genetic differentiation in populations of the dispersal-limited coco de mer (Lodoicea maldivica): implications for management and conservation. *Diversity and Distributions*, 17(2), 235-243. doi:10.1111/J.1472-4642.2010.00732.X
- Johnson, A. P., Schmid-Hempel, R., & Schmid-Hempel, P. (2011). Female lines in social insects - a homage to the Croziers' mitochondria. *Myrmecological News*, 15, 101-108.
- Juriado, I., Liira, J., Csencsics, D., Widmer, I., Adolf, C., Kohv, K., & Scheidegger, C. (2011). Dispersal ecology of the endangered woodland lichen Lobaria pulmonaria in managed hemiboreal forest landscape. *Biodiversity and Conservation*, 20(8), 1803-1819. doi:10.1007/s10531-011-0062-8
- Keller, I., Taverna, A., & Seehausen, O. (2011). A pyrosequencing assay for the rapid discrimination of mitochondrial lineages in the *Salmo trutta* species complex. *Molecular Ecology Resources*, 11(1), 196-199. doi:10.1111/J.1755-0998.2010.02897.X
- Kettle, C. J., C.R., M., J., G., P.M., H., Khoo, E., Sukri, R., & Burslem, D. F. R. P. (2011). Flower size and differential pollination success in tropical forest trees. *Plos One*, 6(2), e16111.
- Kettle, C. J., Hollingsworth, P. M., Burslem, D. F. R. P., Maycock, C. R., Khoo, E., & Ghazoul, J. (2011). Determinants of fine-scale spatial genetic structure in three co-occurring rain forest canopy trees in Borneo. *Perspectives in Plant Ecology Evolution and Systematics*, 13(1), 45-54. doi:10.1016/J.Ppees.2010.11.002
- Kettle, C. J., Maycock, C. R., Ghazoul, J., Hollingsworth, P. M., Khoo, E., Sukri, R. S. H., & Burslem, D. F. R. P. (2011). Ecological Implications of a Flower Size/Number Trade-Off in Tropical Forest Trees. *Plos One*, 6(2). doi:10.1371/journal.pone.0016111
- Kipfer, T., Moser, B., Egli, S., Wohlgemuth, T., & Ghazoul, J. (2011). Ectomycorrhiza succession patterns in *Pinus sylvestris* forests after stand-replacing fire in the Central Alps. *Oecologia*, 167(1), 219-228. doi:10.1007/s00442-011-1981-5
- Kiros-Meles, A., Gomez, D., McDonald, B. A., Yahyaoui, A., & Linde, C. C. (2011). Invasion of Rhynchosporium commune onto wild barley in the Middle East. *Biological Invasions*, 13(2), 321-330. doi:10.1007/S10530-010-9808-6
- Koch, H., & Schmid-Hempel, P. (2011a). Bacterial Communities in Central European Bumblebees: Low Diversity and High Specificity. *Microbial Ecology*, 62(1), 121-133. doi:10.1007/S00248-011-9854-3
- Koch, H., & Schmid-Hempel, P. (2011b). Socially transmitted gut microbiota protect bumble bees against an intestinal parasite. *Proceedings of the National Academy of Sciences of the United States of America*, 108(48), 19288-19292. doi:10.1073/Pnas.1110474108

- Kophimai, Y., Cornejo, C., Peintinger, M., Bergamini, A., & Scheidegger, C. (2011). Characterization of Nuclear Microsatellite Loci in the Calcareous Fen Specialist *Scorpidium Cossonii* (Calliergonaceae). *American Journal of Botany*, 98(10), E290-E292. doi:10.3732/Ajb.1100144
- Lazzaro, A., Gauer, A., & Zeyer, J. (2011). Field-Scale Transplantation Experiment To Investigate Structures of Soil Bacterial Communities at Pioneering Sites. *Applied and Environmental Microbiology*, 77(23), 8241-8248. doi:10.1128/Aem.05778-11
- Meyer, J. B., Frapolli, M., Keel, C., & Maurhofer, M. (2011). Pyrroloquinoline Quinone Biosynthesis Gene *pqqC*, a Novel Molecular Marker for Studying the Phylogeny and Diversity of Phosphate-Solubilizing Pseudomonads. *Applied and Environmental Microbiology*, 77(20), 7345-7354. doi:10.1128/AEM.05434-11
- Pluess, A. R. (2011). Pursuing glacier retreat: genetic structure of a rapidly expanding *Larix decidua* population. *Molecular Ecology*, 20(3), 473-485. doi:10.1111/j.1365-294X.2010.04972.x
- Queloz, V., Grunig, C. R., Berndt, R., Kowalski, T., Sieber, T. N., & Holdenrieder, O. (2011). Cryptic speciation in *Hymenoscyphus albidus*. *Forest Pathology*, 41(2), 133-142. doi:10.1111/J.1439-0329.2010.00645.X
- Queloz, V., Sieber, T. N., Holdenrieder, O., McDonald, B. A., & Grunig, C. R. (2011). No biogeographical pattern for a root-associated fungal species complex. *Global Ecology and Biogeography*, 20(1), 160-169. doi:10.1111/J.1466-8238.2010.00589.X
- Rampoldi, A., Jacobsen, M. J., Bertschinger, H. U., Joller, D., Burgi, E., Vogeli, P., . . . Neuenschwander, S. (2011). The receptor locus for *Escherichia coli* F4ab/F4ac in the pig maps distal to the MUC4-LMLN region. *Mammalian Genome*, 22(1-2), 122-129. doi:10.1007/S00335-010-9305-3
- Reininger, V., Grunig, C. R., & Sieber, T. N. (2011). Microsatellite-Based Quantification Method to Estimate Biomass of Endophytic Phialocephala Species in Strain Mixtures. *Microbial Ecology*, 61(3), 676-683. doi:10.1007/S00248-010-9798-Z
- Rellstab, C., Louhi, K. R., Karvonen, A., & Jokela, J. (2011). Analysis of trematode parasite communities in fish eye lenses by pyrosequencing of naturally pooled DNA. *Infection Genetics and Evolution*, 11(6), 1276-1286. doi:10.1016/J.Meegid.2011.04.018
- Sadd, B. M. (2011). Food-Environment Mediates the Outcome of Specific Interactions between a Bumblebee and Its Trypanosome Parasite. *Evolution*, 65(10), 2995-3001. doi:10.1111/J.1558-5646.2011.01345.X
- Salathe, R. M., & Schmid-Hempel, P. (2011). The Genotypic Structure of a Multi-Host Bumblebee Parasite Suggests a Role for Ecological Niche Overlap. *Plos One*, 6(8). doi:10.1371/journal.pone.0022054
- Schmid-Hempel, R., Salathe, R., Tognazzo, M., & Schmid-Hempel, P. (2011). Genetic exchange and emergence of novel strains in directly transmitted trypanosomatids. *Infection Genetics and Evolution*, 11(3), 564-571. doi:10.1016/J.Meegid.2011.01.002
- Schulze, J., Stoll, P., Widmer, A., & Erhardt, A. (2011). Searching for gene flow from cultivated to wild strawberries in Central Europe. *Annals of Botany*, 107(4), 699-707. doi:10.1093/Aob/Mcr018
- Sommerhalder, R. J., McDonald, B. A., Mascher, F., & Zhan, J. S. (2011). Effect of hosts on competition among clones and evidence of differential selection between pathogenic and saprophytic phases in experimental populations of the wheat pathogen *Phaeosphaeria nodorum*. *Bmc Evolutionary Biology*, 11. doi:10.1186/1471-2148-11-188

- Stukenbrock, E. H., Bataillon, T., Dutheil, J. Y., Hansen, T. T., Li, R. Q., Zala, M., . . . Schierup, M. H. (2011). The making of a new pathogen: Insights from comparative population genomics of the domesticated wheat pathogen *Mycosphaerella graminicola* and its wild sister species. *Genome Research*, 21(12), 2157-2166. doi:10.1101/Gr.118851.110
- Torriani, S. F. F., Brunner, P. C., & McDonald, B. A. (2011). Evolutionary history of the mitochondrial genome in *Mycosphaerella* populations infecting bread wheat, durum wheat and wild grasses. *Molecular Phylogenetics and Evolution*, 58(2), 192-197. doi:10.1016/J.Ympev.2010.12.002
- Torriani, S. F. F., Stukenbrock, E. H., Brunner, P. C., McDonald, B. A., & Croll, D. (2011). Evidence for Extensive Recent Intron Transposition in Closely Related Fungi. *Current Biology*, 21(23), 2017-2022. doi:10.1016/J.Cub.2011.10.041
- Ulrich, Y., Sadd, B. M., & Schmid-Hempel, P. (2011). Strain filtering and transmission of a mixed infection in a social insect. *Journal of Evolutionary Biology*, 24(2), 354-362. doi:10.1111/J.1420-9101.2010.02172.X
- Werth, S., & Scheidegger, C. (2011). Isolation and characterization of 22 nuclear and 5 chloroplast microsatellite loci in the threatened riparian plant *Myricaria germanica* (Tamaricaceae, Caryophyllales). *Conservation Genetics Resources*, 3(3), 445-448. doi:10.1007/s12686-010-9376-1
- Werth, S., Weibel, D., Alp, M., Junker, J., Karpati, T., Peter, A., & Scheidegger, C. (2011). Lebensraumverbund Fliessgewässer: Die Bedeutung der Vernetzung. *Wasser, Energie, Luft*, 103(3), 224-234.
- Westram, A. M., Jokela, J., Baumgartner, C., & Keller, I. (2011). Spatial Distribution of Cryptic Species Diversity in European Freshwater Amphipods (*Gammarus fossarum*) as Revealed by Pyrosequencing. *Plos One*, 6(8). doi:10.1371/journal.pone.0023879
- Willi, Y., & Maattanen, K. (2011). The relative importance of factors determining genetic drift: mating system, spatial genetic structure, habitat and census size in *Arabidopsis lyrata*. *New Phytologist*, 189(4), 1200-1209. doi:10.1111/j.1469-8137.2010.03569.x
- Wirth, L. R., Waser, N. M., Graf, R., Gugerli, F., Landergott, U., Erhardt, A., . . . Holderegger, R. (2011). Effects of floral neighborhood on seed set and degree of outbreeding in a high-alpine cushion plant. *Oecologia*, 167(2), 427-434. doi:10.1007/S00442-011-1985-1
- Zaffarano, P. L., McDonald, B. A., & Linde, C. C. (2011). Two new species of *Rhynchosporium*. *Mycologia*, 103(1), 195-202. doi:10.3852/10-119

2010

- Beenken, L., & Berndt, R. (2010). Rust fungi on Annonaceae: the genus *Sphaerophragmium*. *Mycologia*, 102(3), 650-663. doi:10.3852/09-173
- Dal Grande, F., Widmer, I., Beck, A., & Scheidegger, C. (2010). Microsatellite markers for *Dictyochloropsis reticulata* (Trebouxiophyceae), the symbiotic alga of the lichen *Lobaria pulmonaria* (L.). *Conservation Genetics*, 11(3), 1147-1149. doi:10.1007/s10592-009-9904-2
- Frey, B., Rieder, S. R., Brunner, I., Plotze, M., Koetzsch, S., Lapanje, A., . . . Furrer, G. (2010). Weathering-Associated Bacteria from the Damma Glacier Forefield: Physiological Capabilities and Impact on Granite Dissolution. *Applied and Environmental Microbiology*, 76(14), 4788-4796. doi:10.1128/AEM.00657-10

- Gonzalez-Vera, A. D., Bernardes-De-Assis, J., Zala, M., McDonald, B. A., Correa-Victoria, F., Graterol-Matute, E. J., & Ceresini, P. C. (2010). Divergence Between Sympatric Rice- and Maize-Infecting Populations of *Rhizoctonia solani* AG-1 IA from Latin America. *Phytopathology*, 100(2), 172-182. doi:10.1094/Phyto-100-2-0172
- Greeff, M., & Schmid-Hempel, P. (2010). Influence of co-evolution with a parasite, *Nosema whitei*, and population size on recombination rates and fitness in the red flour beetle, *Tribolium castaneum*. *Genetica*, 138(7), 737-744. doi:10.1007/S10709-010-9454-Z
- Koch, H. (2010). Combining morphology and DNA barcoding resolves the taxonomy of Western Malagasy Liotrigona Moure, 1961 (Hymenoptera: Apidae: Meliponini). *African Invertebrates*, 51(2), 413-421.
- Le Roux, P. M. F., Khan, M. A., Broggini, G. A. L., Duffy, B., Gessler, C., & Patocchi, A. (2010). Mapping of quantitative trait loci for fire blight resistance in the apple cultivars 'Florina' and 'Nova Easygro'. *Genome*, 53(9), 710-722. doi:10.1139/G10-047
- Queloz, V., Duo, A., Sieber, T. N., & Grunig, C. R. (2010). Microsatellite size homoplasies and null alleles do not affect species diagnosis and population genetic analysis in a fungal species complex. *Molecular Ecology Resources*, 10(2), 348-367. doi:10.1111/J.1755-0998.2009.02757.X
- Sadd, B. M., Kube, M., Klages, S., Reinhardt, R., & Schmid-Hempel, P. (2010). Analysis of a normalised expressed sequence tag (EST) library from a key pollinator, the bumblebee *Bombus terrestris*. *Bmc Genomics*, 11. doi:10.1186/1471-2164-11-110
- Schluns, H., Sadd, B. M., Schmid-Hempel, P., & Crozier, R. H. (2010). Infection with the trypanosome *Crithidia bombi* and expression of immune-related genes in the bumblebee *Bombus terrestris*. *Developmental and Comparative Immunology*, 34(7), 705-709. doi:10.1016/J.Dci.2010.02.002
- Schmid-Hempel, R., & Tognazzo, M. (2010). Molecular Divergence Defines Two Distinct Lineages of *Crithidia bombi* (Trypanosomatidae), Parasites of Bumblebees. *Journal of Eukaryotic Microbiology*, 57(4), 337-345. doi:10.1111/J.1550-7408.2010.00480.X
- Schoebel, C. N., Wolinska, J., & Spaak, P. (2010). Higher parasite resistance in *Daphnia* populations with recent epidemics. *Journal of Evolutionary Biology*, 23(11), 2370-2376. doi:10.1111/J.1420-9101.2010.02097.X
- Sornmerhalder, R. J., McDonald, B. A., Mascher, F., & Zhan, J. S. (2010). Sexual Recombinants Make a Significant Contribution to Epidemics Caused by the Wheat Pathogen *Phaeosphaeria nodorum*. *Phytopathology*, 100(9), 855-862. doi:10.1094/Phyto-100-9-0855
- Tellenbach, C., Grunig, C. R., & Sieber, T. N. (2010). Suitability of Quantitative Real-Time PCR To Estimate the Biomass of Fungal Root Endophytes. *Applied and Environmental Microbiology*, 76(17), 5764-5772. doi:10.1128/Aem.00907-10
- Torriani, M. V. G., Mazzi, D., Hein, S., & Dorn, S. (2010). Structured populations of the oriental fruit moth in an agricultural ecosystem. *Molecular Ecology*, 19(13), 2651-2660. doi:10.1111/J.1365-294x.2010.04711.X
- Westram, A. M., Jokela, J., & Keller, I. (2010). Isolation and characterization of ten polymorphic microsatellite markers for three cryptic *Gammarus fossarum* (Amphipoda) species. *Conservation Genetics Resources*, 2, 401-404. doi:10.1007/S12686-010-9287-1
- Willi, Y., & Maattanen, K. (2010). Evolutionary dynamics of mating system shifts in *Arabidopsis lyrata*. *Journal of Evolutionary Biology*, 23(10), 2123-2131. doi:10.1111/j.1420-9101.2010.02073.x

- Wirth, L. R., Graf, R., Gugerli, F., Landergott, U., & Holderegger, R. (2010). Lower Selfing Rate at Higher Altitudes in the Alpine Plant *Eritrichium Nanum* (Boraginaceae). *American Journal of Botany*, 97(5), 899-901. doi:10.3732/Ajb.0900297
- Zaffarano, P. L., Duo, A., & Grunig, C. R. (2010). Characterization of the mating type (MAT) locus in the *Phialocephala fortinii* s.l. - *Acephala applanata* species complex. *Fungal Genetics and Biology*, 47(9), 761-772. doi:10.1016/J.Fgb.2010.06.001

2009

- Berenos, C., Schmid-Hempel, P., & Wegner, K. M. (2009). Evolution of host resistance and trade-offs between virulence and transmission potential in an obligately killing parasite. *Journal of Evolutionary Biology*, 22(10), 2049-2056. doi:10.1111/J.1420-9101.2009.01821.X
- Bernardes-de-Assis, J., Storari, M., Zala, M., Wang, W., Jiang, D., Shidong, L., . . . Ceresini, P. C. (2009). Genetic structure of populations of the rice-infecting pathogen *Rhizoctonia solani* AG-1 IA from China. *Phytopathology*, 99(9), 1090-1099. doi:10.1094/PHYTO-99-9-1090
- Brunner, P. C., Keller, N., & McDonald, B. A. (2009). Wheat domestication accelerated evolution and triggered positive selection in the beta-xylosidase enzyme of *Mycosphaerella graminicola*. *Plos One*, 4(11), e7884. doi:10.1371/journal.pone.0007884
- Linde, C. C., Zala, M., & McDonald, B. A. (2009). Molecular evidence for recent founder populations and human-mediated migration in the barley scald pathogen *Rhynchosporium secalis*. *Molecular Phylogenetics and Evolution*, 51(3), 454-464. doi:10.1016/j.ympev.2009.03.002
- Liu, Z., Faris, J. D., Oliver, R. P., Tan, K. C., Solomon, P. S., McDonald, M. C., . . . Friesen, T. L. (2009). SnTox3 acts in effector triggered susceptibility to induce disease on wheat carrying the Snn3 gene. *Plos Pathogens*, 5(9), e1000581. doi:10.1371/journal.ppat.1000581
- Moccia, M. D., Oger-Desfeux, C., Marais, G. A. B., & Widmer, A. (2009). A White Campion (*Silene latifolia*) floral expressed sequence tag (EST) library: annotation, EST-SSR characterization, transferability, and utility for comparative mapping. *Bmc Genomics*, 10. doi:10.1186/1471-2164-10-243
- Rahme, J., Widmer, A., & Karrenberg, S. (2009). Pollen competition as an asymmetric reproductive barrier between two closely related *Silene* species. *Journal of Evolutionary Biology*, 22(9), 1937-1943. doi:10.1111/J.1420-9101.2009.01803.X
- Roth, O., Sadd, B. M., Schmid-Hempel, P., & Kurtz, J. (2009). Strain-specific priming of resistance in the red flour beetle, *Tribolium castaneum*. *Proceedings of the Royal Society B-Biological Sciences*, 276(1654), 145-151. doi:10.1098/Rspb.2008.1157
- Sadd, B. M., & Schmid-Hempel, P. (2009). A distinct infection cost associated with trans-generational priming of antibacterial immunity in bumble-bees. *Biology Letters*, 5(6), 798-801. doi: 10.1098/Rsbl.2009.0458
- Stolle, E., Rohde, M., Vautrin, D., Solignac, M., Schmid-Hempel, P., Schmid-Hempel, R., & Moritz, R. F. A. (2009). Novel microsatellite DNA loci for *Bombus terrestris* (Linnaeus, 1758). *Molecular Ecology Resources*, 9(5), 1345-1352. doi:10.1111/J.1755-0998.2009.02610.X

- Torriani, S. F. F., Brunner, P. C., McDonald, B. A., & Sierotzki, H. (2009). QoI resistance emerged independently at least 4 times in European populations of *Mycosphaerella graminicola*. *Pest Management Science*, 65(2), 155-162. doi:10.1002/ps.1662
- Torriani, S. F. F., Linde, C. C., & McDonald, B. A. (2009). Sequence conservation in the mitochondrial cytochrome b gene and lack of G143A QoI resistance allele in a global sample of *Rhynchosporium secalis*. *Australasian Journal of Plant Pathology*, 38, 202-207.
- Wegner, K. M., Berenos, C., & Schmid-Hempel, P. (2009). Host genetic architecture in single and multiple infections. *Journal of Evolutionary Biology*, 22(2), 396-404. doi:10.1111/j.1420-9101.2008.01657.x
- Zaffarano, P. L., McDonald, B. A., & Linde, C. C. (2009). Phylogeographical analyses reveal global migration patterns of the barley scald pathogen *Rhynchosporium secalis*. *Molecular Ecology*, 18(2), 279-293. doi:10.1111/j.1365-294X.2008.04013.x
- Zuber, D., & Widmer, A. (2009). Phylogeography and host race differentiation in the European mistletoe (*Viscum album* L.). *Molecular Ecology*, 18(9), 1946-1962.

2008

- Cermak, T., Kubat, Z., Hobza, R., Koblizkova, A., Widmer, A., Macas, J., . . . Kejnovsky, E. (2008). Survey of repetitive sequences in *Silene latifolia* with respect to their distribution on sex chromosomes. *Chromosome Research*, 16(7), 961-976. doi:10.1007/s10577-008-1254-2
- Zaffarano, P. L., McDonald, B. A., & Linde, C. C. (2008). Rapid speciation following recent host shifts in the plant pathogenic fungus *Rhynchosporium*. *Evolution*, 62(6), 1418-1436. doi:10.1111/j.1558-5646.2008.00390.x